



## Welcome!

If you are reading this, it's clear that water purity matters to you as much as it does to us — and we love that!

Every year, we proudly publish this water quality report on our website because we believe our customers deserve to know exactly what they're drinking. We're confident that DrinkMore Water is among the purest bottled waters in the world, and this report lets you see the proof for yourself.

Our FDA licensed facility is inspected on an ongoing basis by the Maryland Department of Health and we maintain the highest standards of quality in bottled water. We continuously test our water throughout the day, every day. We send samples daily to an independent third-party laboratory to test our water. On top of all that, we send another sample to another independent third party to test our product for any impurities. Those results are listed in this document.

You will see in this report that DrinkMore Water is able to remove 99.5% of all impurities found in water. Our water is one of the purest waters on the planet - we hope you taste the “nothing” in every sip.

We hope to serve you soon.

A handwritten signature in black ink, appearing to read "Bob Perini".

**BOB PERINI**  
*Founder*

A handwritten signature in black ink, appearing to read "Mike Flanagan".

**MIKE FLANAGAN**  
*President*

 **ANALYTICAL REPORT****PREPARED FOR**

Attn: Bob Perini  
Drinkmore Water/Drinkmore Delivery Inc  
7595 Rickenbacker Drive  
Gaithersburg, Maryland 20879

Generated 3/16/2026 3:33:31 PM

**JOB DESCRIPTION**

Annual 50-State

**JOB NUMBER**

380-199432-1

# Eurofins Pomona

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Drinking Water and Wastewater West, LLC Project Manager.

## Compliance Statement

1. Laboratory is accredited in accordance with TNI 2016 Standards and ISO/IEC 17025:2017.
2. Laboratory certifies that the test results meet all TNI 2016 and ISO/IEC 17025:2017 requirements unless noted under the individual analysis
3. Test results relate only to the sample(s) tested.
4. This report shall not be reproduced except in full, without the written approval of the laboratory.
5. Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below. (DW, Water matrices)

## Authorization



Authorized for release by  
Dinora Sanchez, Project Manager  
[Dinora.Sanchez@et.eurofinsus.com](mailto:Dinora.Sanchez@et.eurofinsus.com)  
(626)386-1130

Generated  
3/16/2026 3:33:31 PM

# Case Narrative

Client: Drinkmore Water/Drinkmore Delivery Inc  
Project: Annual 50-State

Job ID: 380-199432-1

**Job ID: 380-199432-1**

**Eurofins Pomona**

## Job Narrative 380-199432-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

### Receipt

The samples were received on 2/23/2026 12:50 PM and 3/10/2026 10:46 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 14.8°C and 18.4°C.

### Receipt Exceptions

Rad Prep NCM 160-356763

Client container has no Client ID present. The lab is therefore unable to confirm the client IDs match.

### Subcontract Work

Method Asbestos: This method was subcontracted to Eurofins CEI Inc. The subcontract laboratory certification is different from that of the facility issuing the final report. The subcontract report is appended in its entirety.

### GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

### GC/MS Semi VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

### GC Semi VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

### Herbicides

Method 515.4: The continuing calibration verification (CCV) associated with batch 380-209931 recovered above the upper control limit for Acifluorfen. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The associated sample is: DMW TEST (380-199432-1).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

### Pesticides/PCBs

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

### HPLC/IC

Method 300.0: The continuing calibration blank (CCB) for analytical batch 380-208364 contained Chloride above the reporting limit (RL). All reported samples associated with this CCB were either ND for this analyte or contained this analyte at a concentration greater than 10X the value found in the CCB; therefore, re-analysis of samples was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

### Pesticides

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

### LCMS

Eurofins Pomona

## Case Narrative

Client: Drinkmore Water/Drinkmore Delivery Inc  
Project: Annual 50-State

Job ID: 380-199432-1

### Job ID: 380-199432-1 (Continued)

Eurofins Pomona

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

#### PFAS

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

#### Dioxin

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

#### Metals

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

#### General Chemistry

Method SM 5540C: Methylene Blue Active Substances (MBAS) concentrations are calculated as Linear Alkylbenzene Sulphonate (LAS), using a molecular weight of 348.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

#### Gas Flow Proportional Counter

Method 903.0: Radium 226 Batch 759488

The laboratory control sample (LCS) recovery is outside the upper QC limit indicating a potential positive bias for that analyte. This analyte was not observed above the RL in the associated samples; therefore the sample data is not adversely affected by this excursion. The data have been reported with this narrative. (LCS 160-759488/2-A)

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

#### Liquid Scintillation Counter

Method SM 7500-Rn B: Rn-222 Prep Batch 160-761172

Due to the short half life of the Rn-222 analyte (3.8 days), the analyte concentration decreases rapidly with time. This decay leads to increased relative uncertainty in the measurement and decreased sensitivity (increased minimum detectable concentration [MDC]) proportional to the decay factor. Although the sample was counted more than 4 days from the collection date, the result is still valid, but the client should be aware of the increased uncertainty and MDC associated with the result. The following samples are affected: DMW Test (380-202240-1) and (380-202240-B-1 DU)

Method SM 7500-Rn B: Radon-222 Batch 160-761172

Due to the short half life of the Rn-222 analyte (3.8 days), the analyte concentration decreases rapidly with time. This decay leads to increased relative uncertainty in the measurement and decreased sensitivity (increased minimum detectable concentration [MDC]) proportional to the decay factor. Although the sample was counted more than 4 days from the collection date, the result is still valid, but the client should be aware of the increased uncertainty and MDC associated with the result. The following sample is affected: DMW Test (380-202240-1).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

#### Rad

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

#### Biology

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Pomona

# Sample Summary

Client: Drinkmore Water/Drinkmore Delivery Inc  
Project/Site: Annual 50-State

Job ID: 380-199432-1

---

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
380-199432-1	DMW TEST	Bottled Water	02/16/26 09:26	02/23/26 12:50	Maryland
380-202240-1	DMW Test	Bottled Water	03/03/26 09:33	03/10/26 10:46	Maryland

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

# Client Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
Project/Site: Annual 50-State

Job ID: 380-199432-1

**Client Sample ID: DMW TEST**

**Lab Sample ID: 380-199432-1**

Date Collected: 02/16/26 09:26

Matrix: Bottled Water

Date Received: 02/23/26 12:50

**Method: 524.2 - Total Trihalomethanes**

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Trihalomethanes, Total	ND		0.50	ug/L		03/01/26 07:48	1	C4WQ

**Method: 524.2 - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
1,1,1,2-Tetrachloroethane	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
1,1,1-Trichloroethane	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
1,1,2,2-Tetrachloroethane	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
1,1,2-Trichloroethane	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
1,1-Dichloroethylene	ND	*+	0.50	ug/L		03/01/26 07:48	1	HM3T
1,1-Dichloroethane	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
1,1-Dichloropropene	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
1,2,3-Trichlorobenzene	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
1,2,3-Trichloropropane	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
1,2,4-Trichlorobenzene	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
1,2,4-Trimethylbenzene	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
1,2-Dichloroethane	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
1,2-Dichloropropane	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
1,3,5-Trimethylbenzene	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
1,3-Dichloropropane	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
2,2-Dichloropropane	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
2-Butanone (MEK)	ND	^3+	5.0	ug/L		03/01/26 07:48	1	HM3T
Benzene	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
Bromobenzene	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
Bromochloromethane	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
Bromodichloromethane	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
Bromoethane	ND	*1	0.50	ug/L		03/01/26 07:48	1	HM3T
Bromoform	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
Bromomethane (Methyl Bromide)	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
Carbon disulfide	ND	*+	0.50	ug/L		03/01/26 07:48	1	HM3T
Carbon tetrachloride	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
Chlorobenzene	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
Chloroethane	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
Chloroform (Trichloromethane)	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
Chloromethane (methyl chloride)	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
cis-1,2-Dichloroethylene	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
cis-1,3-Dichloropropene	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
Dibromochloromethane	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
Dibromomethane	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
Dichlorodifluoromethane	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
Dichloromethane	ND	*+	0.50	ug/L		03/01/26 07:48	1	HM3T
Diisopropyl ether	ND		3.0	ug/L		03/01/26 07:48	1	HM3T
Ethylbenzene	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
Hexachlorobutadiene	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
Isopropylbenzene	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
m,p-Xylenes	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
m-Dichlorobenzene (1,3-DCB)	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
Methyl-tert-butyl Ether (MTBE)	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
Naphthalene	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
n-Butylbenzene	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
N-Propylbenzene	ND		0.50	ug/L		03/01/26 07:48	1	HM3T

Eurofins Pomona

# Client Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
Project/Site: Annual 50-State

Job ID: 380-199432-1

**Client Sample ID: DMW TEST**

**Lab Sample ID: 380-199432-1**

Date Collected: 02/16/26 09:26

Matrix: Bottled Water

Date Received: 02/23/26 12:50

## Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
o-Chlorotoluene	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
o-Dichlorobenzene (1,2-DCB)	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
o-Xylene	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
p-Chlorotoluene	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
p-Dichlorobenzene (1,4-DCB)	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
p-Isopropyltoluene	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
sec-Butylbenzene	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
Styrene	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
Tert-amyl methyl ether	ND		3.0	ug/L		03/01/26 07:48	1	HM3T
Tert-butyl ethyl ether	ND		3.0	ug/L		03/01/26 07:48	1	HM3T
tert-Butylbenzene	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
Tetrachloroethene (PCE)	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
Toluene	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
trans-1,2-Dichloroethylene	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
trans-1,3-Dichloropropene	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
Trichloroethylene (TCE)	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
Trichlorofluoromethane (Freon 11)	ND	*+	0.50	ug/L		03/01/26 07:48	1	HM3T
Trichlorotrifluoroethane	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
Vinyl Chloride (VC)	ND		0.30	ug/L		03/01/26 07:48	1	HM3T
Xylenes, Total	ND		0.50	ug/L		03/01/26 07:48	1	HM3T
1,3-Dichloropropene, Total	ND		0.50	ug/L		03/01/26 07:48	1	HM3T

Surrogate	%Recovery	Qualifier	Limits	Analyzed	Dil Fac	Analyst
1,2-Dichloroethane-d4 (Surr)	105		70 - 130	03/01/26 07:48	1	HM3T
4-Bromofluorobenzene (Surr)	104		70 - 130	03/01/26 07:48	1	HM3T
Toluene-d8 (Surr)	97		70 - 130	03/01/26 07:48	1	HM3T

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
2,4'-DDD	ND		0.098	ug/L		02/25/26 16:15	1	Q8LA
2,4'-DDE	ND		0.098	ug/L		02/25/26 16:15	1	Q8LA
2,4'-DDT	ND		0.098	ug/L		02/25/26 16:15	1	Q8LA
2,4-Dinitrotoluene	ND		0.098	ug/L		02/25/26 16:15	1	Q8LA
2,6-Dinitrotoluene	ND		0.098	ug/L		02/25/26 16:15	1	Q8LA
4,4'-DDD	ND		0.098	ug/L		02/25/26 16:15	1	Q8LA
4,4'-DDE	ND		0.098	ug/L		02/25/26 16:15	1	Q8LA
4,4'-DDT	ND		0.098	ug/L		02/25/26 16:15	1	Q8LA
Acenaphthene	ND		0.098	ug/L		02/25/26 16:15	1	Q8LA
Acenaphthylene	ND		0.098	ug/L		02/25/26 16:15	1	Q8LA
Acetochlor	ND		0.098	ug/L		02/25/26 16:15	1	Q8LA
Alachlor (Alanex)	ND		0.049	ug/L		02/25/26 16:15	1	Q8LA
Aldrin	ND		0.0098	ug/L		02/25/26 16:15	1	Q8LA
alpha-BHC	ND		0.098	ug/L		02/25/26 16:15	1	Q8LA
alpha-Chlordane	ND		0.049	ug/L		02/25/26 16:15	1	Q8LA
Anthracene	ND		0.020	ug/L		02/25/26 16:15	1	Q8LA
Atrazine	ND		0.049	ug/L		02/25/26 16:15	1	Q8LA
Benz(a)anthracene	ND		0.049	ug/L		02/25/26 16:15	1	Q8LA
Benzo[a]pyrene	ND		0.020	ug/L		02/25/26 16:15	1	Q8LA
Benzo[b]fluoranthene	ND		0.020	ug/L		02/25/26 16:15	1	Q8LA
Benzo[g,h,i]perylene	ND		0.049	ug/L		02/25/26 16:15	1	Q8LA

Eurofins Pomona

# Client Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
Project/Site: Annual 50-State

Job ID: 380-199432-1

**Client Sample ID: DMW TEST**

**Lab Sample ID: 380-199432-1**

Date Collected: 02/16/26 09:26

Matrix: Bottled Water

Date Received: 02/23/26 12:50

**Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)**

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Benzo[k]fluoranthene	ND		0.020	ug/L		02/25/26 16:15	1	Q8LA
beta-BHC	ND		0.098	ug/L		02/25/26 16:15	1	Q8LA
Bis(2-ethylhexyl) phthalate	ND	*+	0.59	ug/L		02/25/26 16:15	1	Q8LA
Bromacil	ND		0.098	ug/L		02/25/26 16:15	1	Q8LA
Butachlor	ND		0.049	ug/L		02/25/26 16:15	1	Q8LA
Butylbenzylphthalate	ND		0.49	ug/L		02/25/26 16:15	1	Q8LA
Caffeine	ND		0.049	ug/L		02/25/26 16:15	1	Q8LA
Chlorobenzilate	ND		0.098	ug/L		02/25/26 16:15	1	Q8LA
Chloroneb	ND		0.098	ug/L		02/25/26 16:15	1	Q8LA
Chlorothalonil (Draconil, Bravo)	ND		0.098	ug/L		02/25/26 16:15	1	Q8LA
Chlorpyrifos	ND		0.049	ug/L		02/25/26 16:15	1	Q8LA
Chrysene	ND		0.020	ug/L		02/25/26 16:15	1	Q8LA
delta-BHC	ND		0.098	ug/L		02/25/26 16:15	1	Q8LA
Di(2-ethylhexyl)adipate	ND		0.59	ug/L		02/25/26 16:15	1	Q8LA
Dibenz(a,h)anthracene	ND		0.049	ug/L		02/25/26 16:15	1	Q8LA
Diclorvos (DDVP)	ND		0.049	ug/L		02/25/26 16:15	1	Q8LA
Dieldrin	ND		0.0098	ug/L		02/25/26 16:15	1	Q8LA
Diethylphthalate	ND		0.49	ug/L		02/25/26 16:15	1	Q8LA
Dimethoate	ND		0.098	ug/L		02/25/26 16:15	1	Q8LA
Dimethylphthalate	ND		0.49	ug/L		02/25/26 16:15	1	Q8LA
Di-n-butyl phthalate	ND		0.98	ug/L		02/25/26 16:15	1	Q8LA
Di-n-octyl phthalate	ND		0.098	ug/L		02/25/26 16:15	1	Q8LA
Endosulfan I (Alpha)	ND		0.098	ug/L		02/25/26 16:15	1	Q8LA
Endosulfan II (Beta)	ND		0.098	ug/L		02/25/26 16:15	1	Q8LA
Endosulfan sulfate	ND		0.098	ug/L		02/25/26 16:15	1	Q8LA
Endrin	ND		0.0098	ug/L		02/25/26 16:15	1	Q8LA
Endrin aldehyde	ND		0.098	ug/L		02/25/26 16:15	1	Q8LA
EPTC	ND		0.098	ug/L		02/25/26 16:15	1	Q8LA
Fluoranthene	ND		0.098	ug/L		02/25/26 16:15	1	Q8LA
Fluorene	ND		0.049	ug/L		02/25/26 16:15	1	Q8LA
gamma-Chlordane	ND		0.049	ug/L		02/25/26 16:15	1	Q8LA
Heptachlor	ND		0.0098	ug/L		02/25/26 16:15	1	Q8LA
Heptachlor epoxide (isomer B)	ND		0.0098	ug/L		02/25/26 16:15	1	Q8LA
Hexachlorobenzene	ND		0.049	ug/L		02/25/26 16:15	1	Q8LA
Hexachlorocyclopentadiene	ND		0.049	ug/L		02/25/26 16:15	1	Q8LA
Indeno[1,2,3-cd]pyrene	ND		0.049	ug/L		02/25/26 16:15	1	Q8LA
Isophorone	ND		0.098	ug/L		02/25/26 16:15	1	Q8LA
Lindane	ND		0.0098	ug/L		02/25/26 16:15	1	Q8LA
Malathion	ND		0.098	ug/L		02/25/26 16:15	1	Q8LA
Methoxychlor	ND		0.049	ug/L		02/25/26 16:15	1	Q8LA
Metolachlor	ND		0.049	ug/L		02/25/26 16:15	1	Q8LA
Metribuzin	ND		0.049	ug/L		02/25/26 16:15	1	Q8LA
Molinate	ND		0.098	ug/L		02/25/26 16:15	1	Q8LA
Naphthalene	ND		0.098	ug/L		02/25/26 16:15	1	Q8LA
Parathion	ND		0.098	ug/L		02/25/26 16:15	1	Q8LA
Pendimethalin (Penoxaline)	ND		0.098	ug/L		02/25/26 16:15	1	Q8LA
Phenanthrene	ND		0.039	ug/L		02/25/26 16:15	1	Q8LA
Propachlor	ND		0.049	ug/L		02/25/26 16:15	1	Q8LA
Pyrene	ND		0.049	ug/L		02/25/26 16:15	1	Q8LA

# Client Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
Project/Site: Annual 50-State

Job ID: 380-199432-1

## Client Sample ID: DMW TEST

## Lab Sample ID: 380-199432-1

Date Collected: 02/16/26 09:26

Matrix: Bottled Water

Date Received: 02/23/26 12:50

### Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Simazine	ND		0.049	ug/L		02/25/26 16:15	1	Q8LA
Terbacil	ND		0.098	ug/L		02/25/26 16:15	1	Q8LA
Terbuthylazine	ND		0.098	ug/L		02/25/26 16:15	1	Q8LA
Thiobencarb	ND		0.098	ug/L		02/25/26 16:15	1	Q8LA
Total Permethrin (mixed isomers)	ND		0.20	ug/L		02/25/26 16:15	1	Q8LA
trans-Nonachlor	ND		0.049	ug/L		02/25/26 16:15	1	Q8LA
Trifluralin	ND		0.098	ug/L		02/25/26 16:15	1	Q8LA
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>			<b>Analyzed</b>	<b>Dil Fac</b>	<b>Analyst</b>
2-Nitro-m-xylene	98		70 - 130			02/25/26 16:15	1	Q8LA
Perylene-d12	95		70 - 130			02/25/26 16:15	1	Q8LA
Triphenylphosphate	108		70 - 130			02/25/26 16:15	1	Q8LA

### Method: 548.1 - Endothall (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Endothall	ND		5.0	ug/L		02/28/26 17:48	1	DT
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>			<b>Analyzed</b>	<b>Dil Fac</b>	<b>Analyst</b>
2,4-Dichlorophenylacetic acid	99		70 - 130			02/28/26 17:48	1	DT

### Method: 504.1 - EDB, DBCP and 1,2,3-TCP (GC)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
1,2,3-Trichloropropane	ND		0.020	ug/L		02/24/26 20:09	1	X5FS
1,2-Dibromo-3-Chloropropane	ND		0.0098	ug/L		02/24/26 20:09	1	X5FS
1,2-Dibromoethane	ND		0.0098	ug/L		02/24/26 20:09	1	X5FS
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>			<b>Analyzed</b>	<b>Dil Fac</b>	<b>Analyst</b>
1,2-Dibromopropane (Surr)	96		60 - 140			02/24/26 20:09	1	X5FS

### Method: 505 - Organochlorine Pesticides/PCBs (GC)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Chlordane	ND		0.099	ug/L		02/24/26 20:16	1	DR5R
Toxaphene	ND		0.49	ug/L		02/24/26 20:16	1	DR5R
PCB-1016	ND		0.069	ug/L		02/24/26 20:16	1	DR5R
PCB-1221	ND		0.099	ug/L		02/24/26 20:16	1	DR5R
PCB-1232	ND		0.099	ug/L		02/24/26 20:16	1	DR5R
PCB-1242	ND		0.099	ug/L		02/24/26 20:16	1	DR5R
PCB-1248	ND		0.099	ug/L		02/24/26 20:16	1	DR5R
PCB-1254	ND		0.099	ug/L		02/24/26 20:16	1	DR5R
PCB-1260	ND		0.069	ug/L		02/24/26 20:16	1	DR5R
Polychlorinated biphenyls, Total	ND		0.099	ug/L		02/24/26 20:16	1	DR5R
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>			<b>Analyzed</b>	<b>Dil Fac</b>	<b>Analyst</b>
Tetrachloro-m-xylene	90		70 - 130			02/24/26 20:16	1	DR5R

### Method: 515.4 - Herbicides (GC)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
2,4,5-T	ND		0.20	ug/L		02/27/26 19:44	1	K9GY
2,4,5-TP (Silvex)	ND		0.10	ug/L		02/27/26 19:44	1	K9GY
2,4-D	ND		0.10	ug/L		02/27/26 19:44	1	K9GY
2,4-DB	ND		2.0	ug/L		02/27/26 19:44	1	K9GY

Eurofins Pomona

# Client Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
Project/Site: Annual 50-State

Job ID: 380-199432-1

## Client Sample ID: DMW TEST

Lab Sample ID: 380-199432-1

Date Collected: 02/16/26 09:26

Matrix: Bottled Water

Date Received: 02/23/26 12:50

### Method: 515.4 - Herbicides (GC) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
3,5-Dichlorobenzoic acid	ND		0.50	ug/L		02/27/26 19:44	1	K9GY
Acifluorfen	ND		0.20	ug/L		02/27/26 19:44	1	K9GY
Bentazon	ND		0.50	ug/L		02/27/26 19:44	1	K9GY
Dalapon	ND		1.0	ug/L		02/27/26 19:44	1	K9GY
Dicamba	ND		0.10	ug/L		02/27/26 19:44	1	K9GY
Dichlorprop	ND		0.50	ug/L		02/27/26 19:44	1	K9GY
Dinoseb	ND		0.20	ug/L		02/27/26 19:44	1	K9GY
Pentachlorophenol	ND		0.040	ug/L		02/27/26 19:44	1	K9GY
Picloram	ND		0.10	ug/L		02/27/26 19:44	1	K9GY
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>			<b>Analyzed</b>	<b>Dil Fac</b>	<b>Analyst</b>
2,4-Dichlorophenylacetic acid (Surr)	100		70 - 130			02/27/26 19:44	1	K9GY
2,4-Dichlorophenylacetic acid (Surr)	101		70 - 130			02/27/26 19:44	1	K9GY

### Method: 6251B - Haloacetic Acids (HAAs) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Bromochloroacetic acid	ND		1.0	ug/L		02/25/26 22:40	1	QBD3
Dibromoacetic acid	ND		1.0	ug/L		02/25/26 22:40	1	QBD3
Dichloroacetic acid	ND		1.0	ug/L		02/25/26 22:40	1	QBD3
Monobromoacetic acid	ND		1.0	ug/L		02/25/26 22:40	1	QBD3
Monochloroacetic acid	ND		2.0	ug/L		02/25/26 22:40	1	QBD3
Trichloroacetic acid	ND		1.0	ug/L		02/25/26 22:40	1	QBD3
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>			<b>Analyzed</b>	<b>Dil Fac</b>	<b>Analyst</b>
2,3-Dibromopropionic acid	102		70 - 130			02/25/26 22:40	1	QBD3

### Method: 6251B - Total Haloacetic Acids (GC)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Total Haloacetic Acids 5	ND		2.0	ug/L		02/25/26 22:40	1	H6ZZ

### Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Bromide	ND		5.0	ug/L		02/27/26 10:43	1	UNJR
<b>Chloride</b>	<b>0.96</b>	<b>^2</b>	0.50	mg/L		02/24/26 12:23	1	BG6L
<b>Nitrate as N</b>	<b>0.086</b>		0.050	mg/L		02/24/26 12:23	1	BG6L
Chlorite	ND		10	ug/L		02/27/26 10:43	1	UNJR
Nitrite as N	ND		0.050	mg/L		02/24/26 12:23	1	BG6L
Sulfate	ND		0.25	mg/L		02/24/26 12:23	1	BG6L

### Method: 300.0 - Nitrogen, Nitrate-Nitrite

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
<b>Nitrate Nitrite as N</b>	<b>0.086</b>		0.050	mg/L		02/24/26 12:23	1	C4WQ

### Method: 317 - Bromate, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Bromate	ND		1.0	ug/L		02/25/26 13:10	1	XLG4

### Method: 531.2 - Carbamate Pesticides (HPLC)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
3-Hydroxycarbofuran	ND		0.50	ug/L		02/25/26 03:52	1	K9GY
Aldicarb	ND		0.50	ug/L		02/25/26 03:52	1	K9GY

Eurofins Pomona

# Client Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
Project/Site: Annual 50-State

Job ID: 380-199432-1

**Client Sample ID: DMW TEST**

**Lab Sample ID: 380-199432-1**

Date Collected: 02/16/26 09:26

Matrix: Bottled Water

Date Received: 02/23/26 12:50

**Method: 531.2 - Carbamate Pesticides (HPLC) (Continued)**

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Aldicarb sulfone	ND		0.50	ug/L		02/25/26 03:52	1	K9GY
Aldicarb sulfoxide	ND		0.50	ug/L		02/25/26 03:52	1	K9GY
Baygon	ND		0.50	ug/L		02/25/26 03:52	1	K9GY
Carbaryl	ND		0.50	ug/L		02/25/26 03:52	1	K9GY
Carbofuran	ND		0.50	ug/L		02/25/26 03:52	1	K9GY
Methiocarb	ND		0.50	ug/L		02/25/26 03:52	1	K9GY
Methomyl	ND		0.50	ug/L		02/25/26 03:52	1	K9GY
Oxamyl	ND		0.50	ug/L		02/25/26 03:52	1	K9GY
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>			<b>Analyzed</b>	<b>Dil Fac</b>	<b>Analyst</b>
BDMC	99		70 - 130			02/25/26 03:52	1	K9GY

**Method: 547 - Glyphosate (DAI HPLC)**

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Glyphosate	ND		6.0	ug/L		02/26/26 20:32	1	UD4M

**Method: 549.2 - Diquat and Paraquat (HPLC)**

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Diquat	ND		0.39	ug/L		02/26/26 21:25	1	UD4M

**Method: 331.0 - Perchlorate (LC/MS/MS)**

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Perchlorate	ND		0.50	ug/L		02/24/26 12:57	1	R6YA

**Method: 1613B - Tetra Chlorinated Dioxin (GC/MS/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
2,3,7,8-TCDD	ND		4.8		pg/L		02/26/26 14:14	1	X8AA
<b>Isotope Dilution</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Analyzed</b>	<b>Dil Fac</b>	<b>Analyst</b>
13C-2,3,7,8-TCDD	74		31 - 137				02/26/26 14:14	1	X8AA

**Method: 200.7 - Metals (ICP)**

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Boron	ND		0.050	mg/L		02/25/26 12:28	1	MF7S
Calcium	ND		0.10	mg/L		02/25/26 12:28	1	MF7S
Iron	ND		0.010	mg/L		02/25/26 12:28	1	MF7S
Magnesium	ND		0.10	mg/L		02/25/26 12:28	1	MF7S
Potassium	ND		0.20	mg/L		02/25/26 12:28	1	MF7S
<b>Sodium</b>	<b>1.5</b>		0.10	mg/L		02/25/26 12:28	1	MF7S

**Method: 200.8 - Mercury (ICP/MS)**

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Hg	ND		0.20	ug/L		02/25/26 13:20	1	T8BB

**Method: 200.8 - Metals (ICP/MS)**

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Aluminum	ND		20	ug/L		02/25/26 13:20	1	T8BB
Antimony	ND		1.0	ug/L		02/25/26 13:20	1	T8BB
Arsenic	ND		1.0	ug/L		02/25/26 13:20	1	T8BB
Barium	ND		2.0	ug/L		02/25/26 13:20	1	T8BB
Beryllium	ND		0.30	ug/L		02/25/26 13:20	1	T8BB
Cadmium	ND		0.50	ug/L		02/25/26 13:20	1	T8BB

Eurofins Pomona

# Client Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
Project/Site: Annual 50-State

Job ID: 380-199432-1

**Client Sample ID: DMW TEST**

**Lab Sample ID: 380-199432-1**

Date Collected: 02/16/26 09:26

Matrix: Bottled Water

Date Received: 02/23/26 12:50

**Method: 200.8 - Metals (ICP/MS) (Continued)**

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Chromium	ND		0.90	ug/L		02/25/26 13:20	1	T8BB
Copper	ND		1.0	ug/L		02/25/26 13:20	1	T8BB
Lead	ND		0.50	ug/L		02/25/26 13:20	1	T8BB
Manganese	ND		2.0	ug/L		02/25/26 13:20	1	T8BB
Nickel	ND		5.0	ug/L		02/25/26 13:20	1	T8BB
Selenium	ND		2.0	ug/L		02/25/26 13:20	1	T8BB
Silver	ND		0.50	ug/L		02/25/26 13:20	1	T8BB
Thallium	ND		0.30	ug/L		02/25/26 13:20	1	T8BB
Uranium	ND		1.0	ug/L		02/25/26 13:20	1	T8BB
Zinc	ND		5.0	ug/L		02/25/26 13:20	1	T8BB
Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Uranium	ND		0.67	pCi/L		02/25/26 13:20	1	T8BB

**Method: SM 2340B - Total Hardness (as CaCO3) by calculation**

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Hardness (as CaCO3)	ND		2.9	mg/L		02/26/26 00:51	1	C4WQ
Calcium hardness as CaCO3	ND		2.5	mg/L		02/26/26 00:51	1	C4WQ
Magnesium hardness as calcium carbonate	ND		0.41	mg/L		02/26/26 00:51	1	C4WQ

**General Chemistry**

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Turbidity (180.1)	ND		0.10	NTU		02/24/26 10:49	1	MQP5
Phenols, Total (420.4)	ND		1.0	ug/L		02/24/26 20:47	1	UFU5
Chlorine dioxide (4500 ClO2 D)	ND	HF	0.24	mg/L		02/26/26 17:05	1	LQ3M
Cyanide (4500 CN F)	ND		0.025	mg/L		02/27/26 08:31	1	MQP5
Color, Apparent (SM 2120B)	ND		2.0	Color Units		02/24/26 12:42	1	WNSD
Odor (SM 2150B)	ND		1.0	T.O.N.		02/24/26 08:25	1	EFJZ
Alkalinity as CaCO3 (SM 2320B)	ND		4.0	mg/L		02/25/26 15:47	1	PK4Q
Bicarbonate Alkalinity as CaCO3 (SM 2320B)	ND		4.0	mg/L		02/25/26 15:47	1	PK4Q
Carbonate Alkalinity as CaCO3 (SM 2320B)	ND		4.0	mg/L		02/25/26 15:47	1	PK4Q
Hydroxide Alkalinity as CaCO3 (SM 2320B)	ND		4.0	mg/L		02/25/26 15:47	1	PK4Q
<b>Langelier Index (SM 2330B)</b>	<b>-8</b>			LangSU		02/26/26 00:51	1	C4WQ
<b>Specific Conductance (SM 2510B)</b>	<b>7.8</b>		2.0	umhos/cm		02/25/26 15:47	1	PK4Q
Total Dissolved Solids (SM 2540C)	ND		10	mg/L		02/24/26 15:08	1	UL8Q
Chlorine, Total Residual (SM 4500 Cl G)	ND	HF	0.050	mg/L		02/26/26 17:05	1	LQ3M
Chloramines, Total (SM 4500 Cl G)	ND	HF	0.050	mg/L		02/26/26 17:05	1	LQ3M
Chlorine, free (SM 4500 Cl G)	ND	HF	0.050	mg/L		02/26/26 17:05	1	LQ3M
Fluoride (SM 4500 F C)	ND		0.050	mg/L		02/25/26 17:29	1	PK4Q
<b>pH (SM 4500 H+ B)</b>	<b>6.3</b>	<b>HF</b>	0.01	SU		02/25/26 15:47	1	PK4Q
Methylene Blue Active Substances (SM 5540C)	ND		0.10	mg/L		02/25/26 12:24	1	ZJ2C

# Client Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
Project/Site: Annual 50-State

Job ID: 380-199432-1

**Client Sample ID: DMW TEST**

**Lab Sample ID: 380-199432-1**

Date Collected: 02/16/26 09:26

Matrix: Bottled Water

Date Received: 02/23/26 12:50

**Method: 900.0 - Gross Alpha and Gross Beta Radioactivity**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Analyzed	Dil Fac	Analyst
Gross Alpha	0.101	U	0.452	0.452	3.00	0.528	pCi/L	03/05/26 12:38	1	SWS
Gross Beta	0.0834	U	0.511	0.512	4.00	0.541	pCi/L	03/05/26 12:38	1	SWS

**Method: 903.0 - Radium-226 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Analyzed	Dil Fac	Analyst
Radium-226	0.217	*	0.152	0.154	1.00	0.133	pCi/L	03/05/26 08:03	1	SWS
<i>Carrier</i>	<i>%Yield</i>	<i>Qualifier</i>	<i>Limits</i>					<i>Analyzed</i>	<i>Dil Fac</i>	<i>Analyst</i>
Ba Carrier	91.7		30 - 110					03/05/26 08:03	1	SWS

**Method: 904.0 - Radium-228 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Analyzed	Dil Fac	Analyst
Radium-228	0.750		0.381	0.388	1.00	0.317	pCi/L	03/05/26 12:07	1	SWS
<i>Carrier</i>	<i>%Yield</i>	<i>Qualifier</i>	<i>Limits</i>					<i>Analyzed</i>	<i>Dil Fac</i>	<i>Analyst</i>
Ba Carrier	86.6		30 - 110					03/05/26 12:07	1	SWS
Y Carrier	81.1		30 - 110					03/05/26 12:07	1	SWS

**Method: Ra226\_Ra228 Pos - Combined Radium-226 and Radium-228**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Analyzed	Dil Fac	Analyst
Combined Radium 226 + 228	0.967		0.410	0.417	5.00	0.317	pCi/L	03/06/26 13:53	1	FLC

**Method: 9223B - Coliforms, Total, and E.Coli (Colilert - Quanti Tray)**

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Coliform, Total	<1.0		1.0	MPN/100mL		02/24/26 13:40	1	ZE3N
E. Coli	<1.0		1.0	MPN/100mL		02/24/26 13:40	1	ZE3N

**Client Sample ID: DMW Test**

**Lab Sample ID: 380-202240-1**

Date Collected: 03/03/26 09:33

Matrix: Bottled Water

Date Received: 03/10/26 10:46

**Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020**

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
11-Chloroeicosafluoro-3-oxaundecan e-1-sulfonic acid (11Cl-PF3OUdS)	ND		2.0	ng/L		03/15/26 17:30	1	SZ9R
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	ND		2.0	ng/L		03/15/26 17:30	1	SZ9R
9-Chlorohexadecafluoro-3-oxanonan e-1-sulfonic acid(9Cl-PF3ONS)	ND		2.0	ng/L		03/15/26 17:30	1	SZ9R
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	ND		2.0	ng/L		03/15/26 17:30	1	SZ9R
N-ethylperfluorooctanesulfonamidoac etic acid (NETFOSAA)	ND		2.0	ng/L		03/15/26 17:30	1	SZ9R

# Client Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
Project/Site: Annual 50-State

Job ID: 380-199432-1

**Client Sample ID: DMW Test**

**Lab Sample ID: 380-202240-1**

Date Collected: 03/03/26 09:33

Matrix: Bottled Water

Date Received: 03/10/26 10:46

**Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020 (Continued)**

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	ND		2.0	ng/L		03/15/26 17:30	1	SZ9R
Perfluorobutanesulfonic acid (PFBS)	ND		2.0	ng/L		03/15/26 17:30	1	SZ9R
Perfluorodecanoic acid (PFDA)	ND		2.0	ng/L		03/15/26 17:30	1	SZ9R
Perfluorododecanoic acid (PFDoA)	ND		2.0	ng/L		03/15/26 17:30	1	SZ9R
Perfluoroheptanoic acid (PFHpA)	ND		2.0	ng/L		03/15/26 17:30	1	SZ9R
Perfluorohexanesulfonic acid (PFHxS)	ND		2.0	ng/L		03/15/26 17:30	1	SZ9R
Perfluorohexanoic acid (PFHxA)	ND		2.0	ng/L		03/15/26 17:30	1	SZ9R
Perfluorononanoic acid (PFNA)	ND		2.0	ng/L		03/15/26 17:30	1	SZ9R
Perfluorooctanesulfonic acid (PFOS)	ND		2.0	ng/L		03/15/26 17:30	1	SZ9R
Perfluorooctanoic acid (PFOA)	ND		2.0	ng/L		03/15/26 17:30	1	SZ9R
Perfluorotetradecanoic acid (PFTA)	ND		2.0	ng/L		03/15/26 17:30	1	SZ9R
Perfluorotridecanoic acid (PFTrDA)	ND		2.0	ng/L		03/15/26 17:30	1	SZ9R
Perfluoroundecanoic acid (PFUnA)	ND		2.0	ng/L		03/15/26 17:30	1	SZ9R
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>			<b>Analyzed</b>	<b>Dil Fac</b>	<b>Analyst</b>
13C2 PFDA	123		70 - 130			03/15/26 17:30	1	SZ9R
13C2 PFHxA	87		70 - 130			03/15/26 17:30	1	SZ9R
13C3-GenX	86		70 - 130			03/15/26 17:30	1	SZ9R
d5-NEtFOSAA	130		70 - 130			03/15/26 17:30	1	SZ9R

**Method: SM 7500-Rn B - Radon-222 (LSC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Analyzed	Dil Fac	Analyst
Radon-222	6.45	U H	10.8	10.8	30.0	18.3	pCi/L	03/12/26 23:05	1	MLK

# Surrogate Summary

Client: Drinkmore Water/Drinkmore Delivery Inc  
Project/Site: Annual 50-State

Job ID: 380-199432-1

## Method: 524.2 - Volatile Organic Compounds (GC/MS)

Matrix: Bottled Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		DCA (70-130)	BFB (70-130)	TOL (70-130)
380-199432-1	DMW TEST	105	104	97
LCS 380-209637/3	Lab Control Sample	108	103	104
LCSD 380-209637/4	Lab Control Sample Dup	99	106	100
MB 380-209637/5	Method Blank	95	105	97
MRL 380-209628/3	Lab Control Sample	101	106	96
MRL 380-209628/4	Lab Control Sample	98	104	100

**Surrogate Legend**

DCA = 1,2-Dichloroethane-d4 (Surr)  
BFB = 4-Bromofluorobenzene (Surr)  
TOL = Toluene-d8 (Surr)

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

Matrix: Bottled Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		2NMX (70-130)	PRY (70-130)	TPP (70-130)
380-199432-1	DMW TEST	98	95	108
LCS 380-208072/23-B	Lab Control Sample	98	107	111
MB 380-208072/21-B	Method Blank	97	98	108
MRL 380-208072/22-B	Lab Control Sample	98	97	109

**Surrogate Legend**

2NMX = 2-Nitro-m-xylene  
PRY = Perylene-d12  
TPP = Triphenylphosphate

## Method: 548.1 - Endothall (GC/MS)

Matrix: Bottled Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		DCPAA (70-130)
380-199432-1	DMW TEST	99
LCS 810-182618/3-A	Lab Control Sample	103
LLCS 810-182618/2-A	Lab Control Sample	90
MB 810-182618/1-A	Method Blank	97

**Surrogate Legend**

DCPAA = 2,4-Dichlorophenylacetic acid

## Method: 504.1 - EDB, DBCP and 1,2,3-TCP (GC)

Matrix: Bottled Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		DBPP1 (60-140)
380-199432-1	DMW TEST	96
LCS 380-208322/29-A	Lab Control Sample	86
MBL 380-208322/4-A	Method Blank	104
MRL 380-208322/2-A	Lab Control Sample	89

Eurofins Pomona

# Surrogate Summary

Client: Drinkmore Water/Drinkmore Delivery Inc  
Project/Site: Annual 50-State

Job ID: 380-199432-1

## Method: 504.1 - EDB, DBCP and 1,2,3-TCP (GC) (Continued)

Matrix: Bottled Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DBPP1 (60-140)
MRL 380-208322/3-A	Lab Control Sample	83

#### Surrogate Legend

DBPP = 1,2-Dibromopropane (Surr)

## Method: 505 - Organochlorine Pesticides/PCBs (GC)

Matrix: Bottled Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	TCX1 (70-130)
380-199432-1	DMW TEST	90
LCS 380-208296/28-A	Lab Control Sample	108
LCS 380-208296/29-A	Lab Control Sample	100
LCS 380-208296/31-A	Lab Control Sample	99
LCSD 380-208296/30-A	Lab Control Sample Dup	109
MB 380-208296/3-A	Method Blank	96
MRL 380-208296/1-A	Lab Control Sample	104
MRL 380-208296/2-A	Lab Control Sample	98

#### Surrogate Legend

TCX = Tetrachloro-m-xylene

## Method: 515.4 - Herbicides (GC)

Matrix: Bottled Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCPAA1 (70-130)	DCPAA2 (70-130)
380-199432-1	DMW TEST	100	101
LCS 380-208391/26-A	Lab Control Sample	97	95
LCSD 380-208391/27-A	Lab Control Sample Dup	94	93
MBL 380-208391/2-A	Method Blank	98	98
MRL 380-208391/1-A	Lab Control Sample	99	98

#### Surrogate Legend

DCPAA = 2,4-Dichlorophenylacetic acid (Surr)

## Method: 6251B - Haloacetic Acids (HAAs) (GC)

Matrix: Bottled Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	23DPA1 (70-130)
380-199432-1	DMW TEST	102
LCS 380-208267/37-A	Lab Control Sample	104
MB 380-208267/10-A	Method Blank	89
MRL 380-208267/9-A	Lab Control Sample	102

#### Surrogate Legend

23DPA = 2,3-Dibromopropionic acid

# Surrogate Summary

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Method: 531.2 - Carbamate Pesticides (HPLC)

Matrix: Bottled Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	BDMC (70-130)
380-199432-1	DMW TEST	99
LCS 380-208340/24-A	Lab Control Sample	106
MBL 380-208340/3-A	Method Blank	97
MRL 380-208340/2-A	Lab Control Sample	108

**Surrogate Legend**

BDMC = BDMC

## Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020

Matrix: Bottled Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		PFDA (70-130)	PFHxA (70-130)	GenX (70-130)	d5NEFOS (70-130)
380-202240-1	DMW Test	123	87	86	130
LCS 380-213082/21-A	Lab Control Sample	102	102	99	100
MBL 380-213082/19-A	Method Blank	103	108	101	103
MRL 380-213082/20-A	Lab Control Sample	103	100	102	102

**Surrogate Legend**

PFDA = 13C2 PFDA

PFHxA = 13C2 PFHxA

GenX = 13C3-GenX

d5NEFOS = d5-NEtFOSAA

# Isotope Dilution Summary

Client: Drinkmore Water/Drinkmore Delivery Inc  
Project/Site: Annual 50-State

Job ID: 380-199432-1

## Method: 1613B - Tetra Chlorinated Dioxin (GC/MS/MS)

Matrix: Bottled Water

Prep Type: Total/NA

### Percent Isotope Dilution Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	TCDD (31-137)
380-199432-1	DMW TEST	74
MBL 380-208599/21-A	Method Blank	80

#### Surrogate Legend

TCDD = 13C-2,3,7,8-TCDD

## Method: 1613B - Tetra Chlorinated Dioxin (GC/MS/MS)

Matrix: Bottled Water

Prep Type: Total/NA

### Percent Isotope Dilution Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	TCDD (25-141)
LCS 380-208599/19-A	Lab Control Sample	77
LCSD 380-208599/20-A	Lab Control Sample Dup	70
MRL 380-208599/22-A	Lab Control Sample	77

#### Surrogate Legend

TCDD = 13C-2,3,7,8-TCDD

# Tracer/Carrier Summary

Client: Drinkmore Water/Drinkmore Delivery Inc  
Project/Site: Annual 50-State

Job ID: 380-199432-1

## Method: 903.0 - Radium-226 (GFPC)

Matrix: Bottled Water

Prep Type: Total/NA

		Percent Yield (Acceptance Limits)	
Lab Sample ID	Client Sample ID	Ba (30-110)	
380-199432-1	DMW TEST	91.7	
LCS 160-759488/2-A	Lab Control Sample	86.6	
MB 160-759488/1-A	Method Blank	92.3	

**Tracer/Carrier Legend**  
Ba = Ba Carrier

## Method: 904.0 - Radium-228 (GFPC)

Matrix: Bottled Water

Prep Type: Total/NA

		Percent Yield (Acceptance Limits)	
Lab Sample ID	Client Sample ID	Ba (30-110)	Y (30-110)
380-199432-1	DMW TEST	86.6	81.1
LCS 160-759170/2-A	Lab Control Sample	90.0	83.4
MB 160-759170/1-A	Method Blank	87.4	80.7

**Tracer/Carrier Legend**  
Ba = Ba Carrier  
Y = Y Carrier

# QC Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Method: 524.2 - Volatile Organic Compounds (GC/MS)

**Lab Sample ID: MRL 380-209628/3**

**Matrix: Bottled Water**

**Analysis Batch: 209628**

**Client Sample ID: Lab Control Sample**

**Prep Type: Total/NA**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
m,p-Xylenes	0.500	0.568		ug/L		114	50 - 150
Vinyl Chloride (VC)	0.250	0.206	J	ug/L		83	50 - 150

Surrogate	MRL %Recovery	MRL Qualifier	MRL Limits
1,2-Dichloroethane-d4 (Surr)	101		70 - 130
4-Bromofluorobenzene (Surr)	106		70 - 130
Toluene-d8 (Surr)	96		70 - 130

**Lab Sample ID: MRL 380-209628/4**

**Matrix: Bottled Water**

**Analysis Batch: 209628**

**Client Sample ID: Lab Control Sample**

**Prep Type: Total/NA**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
1,1,1,2-Tetrachloroethane	0.500	0.412	J	ug/L		82	50 - 150
1,1,1-Trichloroethane	0.500	0.481	J	ug/L		96	50 - 150
1,1,1,2-Tetrachloroethane	0.500	0.489	J	ug/L		98	50 - 150
1,1,2-Trichloroethane	0.500	0.463	J	ug/L		93	50 - 150
1,1-Dichloroethylene	0.500	0.622		ug/L		124	50 - 150
1,1-Dichloroethane	0.500	0.497	J	ug/L		99	50 - 150
1,1-Dichloropropene	0.500	0.503		ug/L		101	50 - 150
1,2,3-Trichlorobenzene	0.500	0.582		ug/L		116	50 - 150
1,2,3-Trichloropropane	0.500	0.500		ug/L		100	50 - 150
1,2,4-Trichlorobenzene	0.500	0.507		ug/L		101	50 - 150
1,2,4-Trimethylbenzene	0.500	0.481	J	ug/L		96	50 - 150
1,2-Dichloroethane	0.500	0.539		ug/L		108	50 - 150
1,2-Dichloropropane	0.500	0.489	J	ug/L		98	50 - 150
1,3,5-Trimethylbenzene	0.500	0.485	J	ug/L		97	50 - 150
1,3-Dichloropropane	0.500	0.481	J	ug/L		96	50 - 150
2,2-Dichloropropane	0.500	0.463	J	ug/L		93	50 - 150
2-Butanone (MEK)	5.00	8.07	^3+	ug/L		161	50 - 150
Benzene	0.500	0.504		ug/L		101	50 - 150
Bromobenzene	0.500	0.464	J	ug/L		93	50 - 150
Bromochloromethane	0.500	0.504		ug/L		101	50 - 150
Bromodichloromethane	0.500	0.413	J	ug/L		83	50 - 150
Bromoethane	0.500	0.478	J	ug/L		96	50 - 150
Bromoform	0.500	0.456	J	ug/L		91	50 - 150
Bromomethane (Methyl Bromide)	0.500	0.483	J	ug/L		97	50 - 150
Carbon disulfide	0.500	0.739		ug/L		148	50 - 150
Carbon tetrachloride	0.500	0.436	J	ug/L		87	50 - 150
Chlorobenzene	0.500	0.466	J	ug/L		93	50 - 150
cis-1,3-Dichloropropene	0.500	0.310	J	ug/L		62	50 - 150
Dibromochloromethane	0.500	0.489	J	ug/L		98	50 - 150
Dichloromethane	0.500	0.608		ug/L		122	50 - 150
Diisopropyl ether	0.500	0.466	J	ug/L		93	50 - 150
Ethylbenzene	0.500	0.462	J	ug/L		92	50 - 150
Hexachlorobutadiene	0.500	0.559		ug/L		112	50 - 150
Isopropylbenzene	0.500	0.484	J	ug/L		97	50 - 150
m,p-Xylenes	1.00	0.973		ug/L		97	50 - 150

# QC Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: MRL 380-209628/4**  
**Matrix: Bottled Water**  
**Analysis Batch: 209628**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
m-Dichlorobenzene (1,3-DCB)	0.500	0.481	J	ug/L		96	50 - 150
Methyl-tert-butyl Ether (MTBE)	0.500	0.524		ug/L		105	50 - 150
Naphthalene	0.500	0.547		ug/L		109	50 - 150
n-Butylbenzene	0.500	0.491	J	ug/L		98	50 - 150
N-Propylbenzene	0.500	0.495	J	ug/L		99	50 - 150
o-Chlorotoluene	0.500	0.479	J	ug/L		96	50 - 150
o-Dichlorobenzene (1,2-DCB)	0.500	0.468	J	ug/L		94	50 - 150
o-Xylene	0.500	0.473	J	ug/L		95	50 - 150
p-Chlorotoluene	0.500	0.496	J	ug/L		99	50 - 150
p-Dichlorobenzene (1,4-DCB)	0.500	0.521		ug/L		104	50 - 150
p-Isopropyltoluene	0.500	0.488	J	ug/L		98	50 - 150
sec-Butylbenzene	0.500	0.489	J	ug/L		98	50 - 150
Styrene	0.500	0.416	J	ug/L		83	50 - 150
Tert-amyl methyl ether	0.500	0.486	J	ug/L		97	50 - 150
Tert-butyl ethyl ether	0.500	0.492	J	ug/L		98	50 - 150
tert-Butylbenzene	0.500	0.478	J	ug/L		96	50 - 150
Tetrachloroethene (PCE)	0.500	0.488	J	ug/L		98	50 - 150
Toluene	0.500	0.469	J	ug/L		94	50 - 150
trans-1,2-Dichloroethylene	0.500	0.541		ug/L		108	50 - 150
trans-1,3-Dichloropropene	0.500	0.301	J	ug/L		60	50 - 150
Trichloroethylene (TCE)	0.500	0.442	J	ug/L		88	50 - 150
Trichlorofluoromethane (Freon 11)	0.500	0.449	J	ug/L		90	50 - 150
Trichlorotrifluoroethane	0.500	0.468	J	ug/L		94	50 - 150
Vinyl Chloride (VC)	0.500	0.426		ug/L		85	50 - 150
Xylenes, Total	1.50	1.45		ug/L		96	50 - 150
1,3-Dichloropropene, Total	1.00	0.611		ug/L		61	50 - 150

Surrogate	MRL %Recovery	MRL Qualifier	MRL Limits
1,2-Dichloroethane-d4 (Surr)	98		70 - 130
4-Bromofluorobenzene (Surr)	104		70 - 130
Toluene-d8 (Surr)	100		70 - 130

**Lab Sample ID: MB 380-209637/5**  
**Matrix: Bottled Water**  
**Analysis Batch: 209637**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		0.50	ug/L			03/01/26 02:31	1
1,1,1-Trichloroethane	ND		0.50	ug/L			03/01/26 02:31	1
1,1,2,2-Tetrachloroethane	ND		0.50	ug/L			03/01/26 02:31	1
1,1,2-Trichloroethane	ND		0.50	ug/L			03/01/26 02:31	1
1,1-Dichloroethylene	ND		0.50	ug/L			03/01/26 02:31	1
1,1-Dichloroethane	ND		0.50	ug/L			03/01/26 02:31	1
1,1-Dichloropropene	ND		0.50	ug/L			03/01/26 02:31	1
1,2,3-Trichlorobenzene	ND		0.50	ug/L			03/01/26 02:31	1
1,2,3-Trichloropropane	ND		0.50	ug/L			03/01/26 02:31	1
1,2,4-Trichlorobenzene	ND		0.50	ug/L			03/01/26 02:31	1
1,2,4-Trimethylbenzene	ND		0.50	ug/L			03/01/26 02:31	1

Eurofins Pomona

# QC Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 380-209637/5

Client Sample ID: Method Blank

Matrix: Bottled Water

Prep Type: Total/NA

Analysis Batch: 209637

Analyte	MB	MB	RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
1,2-Dichloroethane	ND		0.50	ug/L			03/01/26 02:31	1
1,2-Dichloropropane	ND		0.50	ug/L			03/01/26 02:31	1
1,3,5-Trimethylbenzene	ND		0.50	ug/L			03/01/26 02:31	1
1,3-Dichloropropane	ND		0.50	ug/L			03/01/26 02:31	1
2,2-Dichloropropane	ND		0.50	ug/L			03/01/26 02:31	1
2-Butanone (MEK)	ND	^3+	5.0	ug/L			03/01/26 02:31	1
Benzene	ND		0.50	ug/L			03/01/26 02:31	1
Bromobenzene	ND		0.50	ug/L			03/01/26 02:31	1
Bromochloromethane	ND		0.50	ug/L			03/01/26 02:31	1
Bromodichloromethane	ND		0.50	ug/L			03/01/26 02:31	1
Bromoethane	ND		0.50	ug/L			03/01/26 02:31	1
Bromoform	ND		0.50	ug/L			03/01/26 02:31	1
Bromomethane (Methyl Bromide)	ND		0.50	ug/L			03/01/26 02:31	1
Carbon disulfide	ND		0.50	ug/L			03/01/26 02:31	1
Carbon tetrachloride	ND		0.50	ug/L			03/01/26 02:31	1
Chlorobenzene	ND		0.50	ug/L			03/01/26 02:31	1
Chloroethane	ND		0.50	ug/L			03/01/26 02:31	1
Chloroform (Trichloromethane)	ND		0.50	ug/L			03/01/26 02:31	1
Chloromethane (methyl chloride)	ND		0.50	ug/L			03/01/26 02:31	1
cis-1,2-Dichloroethylene	ND		0.50	ug/L			03/01/26 02:31	1
cis-1,3-Dichloropropene	ND		0.50	ug/L			03/01/26 02:31	1
Dibromochloromethane	ND		0.50	ug/L			03/01/26 02:31	1
Dibromomethane	ND		0.50	ug/L			03/01/26 02:31	1
Dichlorodifluoromethane	ND		0.50	ug/L			03/01/26 02:31	1
Dichloromethane	ND		0.50	ug/L			03/01/26 02:31	1
Diisopropyl ether	ND		3.0	ug/L			03/01/26 02:31	1
Ethylbenzene	ND		0.50	ug/L			03/01/26 02:31	1
Hexachlorobutadiene	ND		0.50	ug/L			03/01/26 02:31	1
Isopropylbenzene	ND		0.50	ug/L			03/01/26 02:31	1
m,p-Xylenes	ND		0.50	ug/L			03/01/26 02:31	1
m-Dichlorobenzene (1,3-DCB)	ND		0.50	ug/L			03/01/26 02:31	1
Methyl-tert-butyl Ether (MTBE)	ND		0.50	ug/L			03/01/26 02:31	1
Naphthalene	ND		0.50	ug/L			03/01/26 02:31	1
n-Butylbenzene	ND		0.50	ug/L			03/01/26 02:31	1
N-Propylbenzene	ND		0.50	ug/L			03/01/26 02:31	1
o-Chlorotoluene	ND		0.50	ug/L			03/01/26 02:31	1
o-Dichlorobenzene (1,2-DCB)	ND		0.50	ug/L			03/01/26 02:31	1
o-Xylene	ND		0.50	ug/L			03/01/26 02:31	1
p-Chlorotoluene	ND		0.50	ug/L			03/01/26 02:31	1
p-Dichlorobenzene (1,4-DCB)	ND		0.50	ug/L			03/01/26 02:31	1
p-Isopropyltoluene	ND		0.50	ug/L			03/01/26 02:31	1
sec-Butylbenzene	ND		0.50	ug/L			03/01/26 02:31	1
Styrene	ND		0.50	ug/L			03/01/26 02:31	1
Tert-amyl methyl ether	ND		3.0	ug/L			03/01/26 02:31	1
Tert-butyl ethyl ether	ND		3.0	ug/L			03/01/26 02:31	1
tert-Butylbenzene	ND		0.50	ug/L			03/01/26 02:31	1
Tetrachloroethene (PCE)	ND		0.50	ug/L			03/01/26 02:31	1
Toluene	ND		0.50	ug/L			03/01/26 02:31	1
trans-1,2-Dichloroethylene	ND		0.50	ug/L			03/01/26 02:31	1

Eurofins Pomona

# QC Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
Project/Site: Annual 50-State

Job ID: 380-199432-1

## Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 380-209637/5

Matrix: Bottled Water

Analysis Batch: 209637

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
trans-1,3-Dichloropropene	ND		0.50	ug/L			03/01/26 02:31	1
Trichloroethylene (TCE)	ND		0.50	ug/L			03/01/26 02:31	1
Trichlorofluoromethane (Freon 11)	ND		0.50	ug/L			03/01/26 02:31	1
Trichlorotrifluoroethane	ND		0.50	ug/L			03/01/26 02:31	1
Vinyl Chloride (VC)	ND		0.30	ug/L			03/01/26 02:31	1
Xylenes, Total	ND		0.50	ug/L			03/01/26 02:31	1
1,3-Dichloropropene, Total	ND		0.50	ug/L			03/01/26 02:31	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	95		70 - 130		03/01/26 02:31	1
4-Bromofluorobenzene (Surr)	105		70 - 130		03/01/26 02:31	1
Toluene-d8 (Surr)	97		70 - 130		03/01/26 02:31	1

Lab Sample ID: LCS 380-209637/3

Matrix: Bottled Water

Analysis Batch: 209637

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
1,1,1,2-Tetrachloroethane	5.00	4.62		ug/L		92	70 - 130
1,1,1-Trichloroethane	5.00	4.69		ug/L		94	70 - 130
1,1,1,2,2-Tetrachloroethane	5.00	4.85		ug/L		97	70 - 130
1,1,1,2-Trichloroethane	5.00	4.72		ug/L		94	70 - 130
1,1-Dichloroethylene	5.00	8.47	*+	ug/L		169	70 - 130
1,1-Dichloroethane	5.00	4.95		ug/L		99	70 - 130
1,1-Dichloropropene	5.00	4.58		ug/L		92	70 - 130
1,2,3-Trichlorobenzene	5.00	5.33		ug/L		107	70 - 130
1,2,3-Trichloropropane	5.00	4.96		ug/L		99	70 - 130
1,2,4-Trichlorobenzene	5.00	5.01		ug/L		100	70 - 130
1,2,4-Trimethylbenzene	5.00	5.06		ug/L		101	70 - 130
1,2-Dichloroethane	5.00	4.96		ug/L		99	70 - 130
1,2-Dichloropropane	5.00	4.81		ug/L		96	70 - 130
1,3,5-Trimethylbenzene	5.00	4.92		ug/L		98	70 - 130
1,3-Dichloropropane	5.00	4.80		ug/L		96	70 - 130
2,2-Dichloropropane	5.00	4.25		ug/L		85	70 - 130
2-Butanone (MEK)	50.0	49.6	^3+	ug/L		99	70 - 130
Benzene	5.00	5.26		ug/L		105	70 - 130
Bromobenzene	5.00	4.64		ug/L		93	70 - 130
Bromochloromethane	5.00	4.74		ug/L		95	70 - 130
Bromodichloromethane	5.00	4.37		ug/L		87	70 - 130
Bromoethane	5.00	4.64		ug/L		93	70 - 130
Bromoform	5.00	4.42		ug/L		88	70 - 130
Bromomethane (Methyl Bromide)	5.00	5.16		ug/L		103	70 - 130
Carbon disulfide	5.00	9.79	*+	ug/L		196	70 - 130
Carbon tetrachloride	5.00	4.28		ug/L		86	70 - 130
Chlorobenzene	5.00	4.85		ug/L		97	70 - 130
cis-1,3-Dichloropropene	5.00	4.37		ug/L		87	70 - 130
Dibromochloromethane	5.00	4.56		ug/L		91	70 - 130
Dichloromethane	5.00	6.71	*+	ug/L		134	70 - 130

Eurofins Pomona

# QC Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
Project/Site: Annual 50-State

Job ID: 380-199432-1

## Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 380-209637/3

Matrix: Bottled Water

Analysis Batch: 209637

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Diisopropyl ether	5.00	4.77		ug/L		95	70 - 130
Ethylbenzene	5.00	4.84		ug/L		97	70 - 130
Hexachlorobutadiene	5.00	4.91		ug/L		98	70 - 130
Isopropylbenzene	5.00	4.76		ug/L		95	70 - 130
m,p-Xylenes	10.0	10.3		ug/L		103	70 - 130
m-Dichlorobenzene (1,3-DCB)	5.00	4.74		ug/L		95	70 - 130
Methyl-tert-butyl Ether (MTBE)	5.00	4.83		ug/L		97	70 - 130
Naphthalene	5.00	5.22		ug/L		104	70 - 130
n-Butylbenzene	5.00	4.85		ug/L		97	70 - 130
N-Propylbenzene	5.00	4.95		ug/L		99	70 - 130
o-Chlorotoluene	5.00	4.85		ug/L		97	70 - 130
o-Dichlorobenzene (1,2-DCB)	5.00	4.75		ug/L		95	70 - 130
o-Xylene	5.00	4.97		ug/L		99	70 - 130
p-Chlorotoluene	5.00	4.87		ug/L		97	70 - 130
p-Dichlorobenzene (1,4-DCB)	5.00	5.03		ug/L		101	70 - 130
p-Isopropyltoluene	5.00	5.06		ug/L		101	70 - 130
sec-Butylbenzene	5.00	5.03		ug/L		101	70 - 130
Styrene	5.00	4.91		ug/L		98	70 - 130
Tert-amyl methyl ether	5.00	4.62		ug/L		92	70 - 130
Tert-butyl ethyl ether	5.00	4.79		ug/L		96	70 - 130
tert-Butylbenzene	5.00	4.79		ug/L		96	70 - 130
Tetrachloroethene (PCE)	5.00	4.69		ug/L		94	70 - 130
Toluene	5.00	4.77		ug/L		95	70 - 130
trans-1,2-Dichloroethylene	5.00	4.73		ug/L		95	70 - 130
trans-1,3-Dichloropropene	5.00	4.32		ug/L		86	70 - 130
Trichloroethylene (TCE)	5.00	4.61		ug/L		92	70 - 130
Trichlorofluoromethane (Freon 11)	5.00	6.95	*+	ug/L		139	70 - 130
Trichlorotrifluoroethane	5.00	4.52		ug/L		90	70 - 130
Vinyl Chloride (VC)	5.00	4.26		ug/L		85	70 - 130
Xylenes, Total	15.0	15.3		ug/L		102	70 - 130
1,3-Dichloropropene, Total	10.0	8.69		ug/L		87	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	108		70 - 130
4-Bromofluorobenzene (Surr)	103		70 - 130
Toluene-d8 (Surr)	104		70 - 130

Lab Sample ID: LCSD 380-209637/4

Matrix: Bottled Water

Analysis Batch: 209637

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	5.00	4.36		ug/L		87	70 - 130	6	20
1,1,1-Trichloroethane	5.00	4.47		ug/L		89	70 - 130	5	20
1,1,2,2-Tetrachloroethane	5.00	4.72		ug/L		94	70 - 130	3	20
1,1,2-Trichloroethane	5.00	4.37		ug/L		87	70 - 130	8	20
1,1-Dichloroethylene	5.00	7.98	*+	ug/L		160	70 - 130	6	20
1,1-Dichloroethane	5.00	4.73		ug/L		95	70 - 130	5	20

Eurofins Pomona

# QC Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 380-209637/4

Matrix: Bottled Water

Analysis Batch: 209637

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike	LCSD	LCSD	Unit	D	%Rec	%Rec	RPD	RPD
	Added	Result	Qualifier				Limits		Limit
1,1-Dichloropropene	5.00	4.42		ug/L		88	70 - 130	3	20
1,2,3-Trichlorobenzene	5.00	4.90		ug/L		98	70 - 130	8	20
1,2,3-Trichloropropane	5.00	4.84		ug/L		97	70 - 130	2	20
1,2,4-Trichlorobenzene	5.00	4.78		ug/L		96	70 - 130	5	20
1,2,4-Trimethylbenzene	5.00	4.72		ug/L		94	70 - 130	7	20
1,2-Dichloroethane	5.00	4.92		ug/L		98	70 - 130	1	20
1,2-Dichloropropane	5.00	4.48		ug/L		90	70 - 130	7	20
1,3,5-Trimethylbenzene	5.00	4.77		ug/L		95	70 - 130	3	20
1,3-Dichloropropane	5.00	4.56		ug/L		91	70 - 130	5	20
2,2-Dichloropropane	5.00	4.15		ug/L		83	70 - 130	2	20
2-Butanone (MEK)	50.0	51.8	^3+	ug/L		104	70 - 130	4	20
Benzene	5.00	4.53		ug/L		91	70 - 130	15	20
Bromobenzene	5.00	4.67		ug/L		93	70 - 130	1	20
Bromochloromethane	5.00	4.61		ug/L		92	70 - 130	3	20
Bromodichloromethane	5.00	4.18		ug/L		84	70 - 130	5	20
Bromoethane	5.00	6.03	*1	ug/L		121	70 - 130	26	20
Bromoform	5.00	4.39		ug/L		88	70 - 130	1	20
Bromomethane (Methyl Bromide)	5.00	4.46		ug/L		89	70 - 130	14	20
Carbon disulfide	5.00	9.38	*+	ug/L		188	70 - 130	4	20
Carbon tetrachloride	5.00	4.04		ug/L		81	70 - 130	6	20
Chlorobenzene	5.00	4.48		ug/L		90	70 - 130	8	20
cis-1,3-Dichloropropene	5.00	4.20		ug/L		84	70 - 130	4	20
Dibromochloromethane	5.00	4.46		ug/L		89	70 - 130	2	20
Dichloromethane	5.00	6.52		ug/L		130	70 - 130	3	20
Diisopropyl ether	5.00	4.58		ug/L		92	70 - 130	4	20
Ethylbenzene	5.00	4.61		ug/L		92	70 - 130	5	20
Hexachlorobutadiene	5.00	4.81		ug/L		96	70 - 130	2	20
Isopropylbenzene	5.00	4.63		ug/L		93	70 - 130	3	20
m,p-Xylenes	10.0	9.75		ug/L		97	70 - 130	6	20
m-Dichlorobenzene (1,3-DCB)	5.00	4.82		ug/L		96	70 - 130	2	20
Methyl-tert-butyl Ether (MTBE)	5.00	4.66		ug/L		93	70 - 130	4	20
Naphthalene	5.00	4.92		ug/L		98	70 - 130	6	20
n-Butylbenzene	5.00	4.61		ug/L		92	70 - 130	5	20
N-Propylbenzene	5.00	4.86		ug/L		97	70 - 130	2	20
o-Chlorotoluene	5.00	4.94		ug/L		99	70 - 130	2	20
o-Dichlorobenzene (1,2-DCB)	5.00	4.67		ug/L		93	70 - 130	2	20
o-Xylene	5.00	4.67		ug/L		93	70 - 130	6	20
p-Chlorotoluene	5.00	4.83		ug/L		97	70 - 130	1	20
p-Dichlorobenzene (1,4-DCB)	5.00	4.95		ug/L		99	70 - 130	2	20
p-Isopropyltoluene	5.00	4.75		ug/L		95	70 - 130	7	20
sec-Butylbenzene	5.00	4.73		ug/L		95	70 - 130	6	20
Styrene	5.00	4.50		ug/L		90	70 - 130	9	20
Tert-amyl methyl ether	5.00	4.47		ug/L		89	70 - 130	3	20
Tert-butyl ethyl ether	5.00	4.72		ug/L		94	70 - 130	1	20
tert-Butylbenzene	5.00	4.66		ug/L		93	70 - 130	3	20
Tetrachloroethene (PCE)	5.00	4.39		ug/L		88	70 - 130	7	20
Toluene	5.00	4.48		ug/L		90	70 - 130	6	20
trans-1,2-Dichloroethylene	5.00	4.45		ug/L		89	70 - 130	6	20
trans-1,3-Dichloropropene	5.00	4.13		ug/L		83	70 - 130	4	20

Eurofins Pomona

# QC Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
Project/Site: Annual 50-State

Job ID: 380-199432-1

## Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 380-209637/4

Matrix: Bottled Water

Analysis Batch: 209637

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Trichloroethylene (TCE)	5.00	4.26		ug/L		85	70 - 130	8	20
Trichlorofluoromethane (Freon 11)	5.00	6.55	*+	ug/L		131	70 - 130	6	20
Trichlorotrifluoroethane	5.00	4.43		ug/L		89	70 - 130	2	20
Vinyl Chloride (VC)	5.00	4.54		ug/L		91	70 - 130	6	20
Xylenes, Total	15.0	14.4		ug/L		96	70 - 130	6	20
1,3-Dichloropropene, Total	10.0	8.33		ug/L		83	70 - 130	4	20

Surrogate	LCSD %Recovery	LCSD Qualifier	LCSD Limits
1,2-Dichloroethane-d4 (Surr)	99		70 - 130
4-Bromofluorobenzene (Surr)	106		70 - 130
Toluene-d8 (Surr)	100		70 - 130

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 380-208072/21-B

Matrix: Bottled Water

Analysis Batch: 208615

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 208072

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
2,4'-DDD	ND		0.098	ug/L		02/24/26 14:32	02/25/26 09:51	1
2,4'-DDE	ND		0.098	ug/L		02/24/26 14:32	02/25/26 09:51	1
2,4'-DDT	ND		0.098	ug/L		02/24/26 14:32	02/25/26 09:51	1
2,4-Dinitrotoluene	ND		0.098	ug/L		02/24/26 14:32	02/25/26 09:51	1
2,6-Dinitrotoluene	ND		0.098	ug/L		02/24/26 14:32	02/25/26 09:51	1
4,4'-DDD	ND		0.098	ug/L		02/24/26 14:32	02/25/26 09:51	1
4,4'-DDE	ND		0.098	ug/L		02/24/26 14:32	02/25/26 09:51	1
4,4'-DDT	ND		0.098	ug/L		02/24/26 14:32	02/25/26 09:51	1
Acenaphthene	ND		0.098	ug/L		02/24/26 14:32	02/25/26 09:51	1
Acenaphthylene	ND		0.098	ug/L		02/24/26 14:32	02/25/26 09:51	1
Acetochlor	ND		0.098	ug/L		02/24/26 14:32	02/25/26 09:51	1
Alachlor (Alanex)	ND		0.049	ug/L		02/24/26 14:32	02/25/26 09:51	1
Aldrin	ND		0.0098	ug/L		02/24/26 14:32	02/25/26 09:51	1
alpha-BHC	ND		0.098	ug/L		02/24/26 14:32	02/25/26 09:51	1
alpha-Chlordane	ND		0.049	ug/L		02/24/26 14:32	02/25/26 09:51	1
Anthracene	ND		0.020	ug/L		02/24/26 14:32	02/25/26 09:51	1
Atrazine	ND		0.049	ug/L		02/24/26 14:32	02/25/26 09:51	1
Benz(a)anthracene	ND		0.049	ug/L		02/24/26 14:32	02/25/26 09:51	1
Benzo[a]pyrene	ND		0.020	ug/L		02/24/26 14:32	02/25/26 09:51	1
Benzo[b]fluoranthene	ND		0.020	ug/L		02/24/26 14:32	02/25/26 09:51	1
Benzo[g,h,i]perylene	ND		0.049	ug/L		02/24/26 14:32	02/25/26 09:51	1
Benzo[k]fluoranthene	ND		0.020	ug/L		02/24/26 14:32	02/25/26 09:51	1
beta-BHC	ND		0.098	ug/L		02/24/26 14:32	02/25/26 09:51	1
Bis(2-ethylhexyl) phthalate	ND		0.59	ug/L		02/24/26 14:32	02/25/26 09:51	1
Bromacil	ND		0.098	ug/L		02/24/26 14:32	02/25/26 09:51	1
Butachlor	ND		0.049	ug/L		02/24/26 14:32	02/25/26 09:51	1
Butylbenzylphthalate	ND		0.49	ug/L		02/24/26 14:32	02/25/26 09:51	1
Caffeine	ND		0.049	ug/L		02/24/26 14:32	02/25/26 09:51	1
Chlorobenzilate	ND		0.098	ug/L		02/24/26 14:32	02/25/26 09:51	1

Eurofins Pomona

# QC Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 380-208072/21-B

Client Sample ID: Method Blank

Matrix: Bottled Water

Prep Type: Total/NA

Analysis Batch: 208615

Prep Batch: 208072

Analyte	MB	MB	RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
Chloroneb	ND		0.098	ug/L		02/24/26 14:32	02/25/26 09:51	1
Chlorothalonil (Draconil, Bravo)	ND		0.098	ug/L		02/24/26 14:32	02/25/26 09:51	1
Chlorpyrifos	ND		0.049	ug/L		02/24/26 14:32	02/25/26 09:51	1
Chrysene	ND		0.020	ug/L		02/24/26 14:32	02/25/26 09:51	1
delta-BHC	ND		0.098	ug/L		02/24/26 14:32	02/25/26 09:51	1
Di(2-ethylhexyl)adipate	ND		0.59	ug/L		02/24/26 14:32	02/25/26 09:51	1
Dibenz(a,h)anthracene	ND		0.049	ug/L		02/24/26 14:32	02/25/26 09:51	1
Diclorvos (DDVP)	ND		0.049	ug/L		02/24/26 14:32	02/25/26 09:51	1
Dieldrin	ND		0.0098	ug/L		02/24/26 14:32	02/25/26 09:51	1
Diethylphthalate	ND		0.49	ug/L		02/24/26 14:32	02/25/26 09:51	1
Dimethoate	ND		0.098	ug/L		02/24/26 14:32	02/25/26 09:51	1
Dimethylphthalate	ND		0.49	ug/L		02/24/26 14:32	02/25/26 09:51	1
Di-n-butyl phthalate	ND		0.98	ug/L		02/24/26 14:32	02/25/26 09:51	1
Di-n-octyl phthalate	ND		0.098	ug/L		02/24/26 14:32	02/25/26 09:51	1
Endosulfan I (Alpha)	ND		0.098	ug/L		02/24/26 14:32	02/25/26 09:51	1
Endosulfan II (Beta)	ND		0.098	ug/L		02/24/26 14:32	02/25/26 09:51	1
Endosulfan sulfate	ND		0.098	ug/L		02/24/26 14:32	02/25/26 09:51	1
Endrin	ND		0.0098	ug/L		02/24/26 14:32	02/25/26 09:51	1
Endrin aldehyde	ND		0.098	ug/L		02/24/26 14:32	02/25/26 09:51	1
EPTC	ND		0.098	ug/L		02/24/26 14:32	02/25/26 09:51	1
Fluoranthene	ND		0.098	ug/L		02/24/26 14:32	02/25/26 09:51	1
Fluorene	ND		0.049	ug/L		02/24/26 14:32	02/25/26 09:51	1
gamma-Chlordane	ND		0.049	ug/L		02/24/26 14:32	02/25/26 09:51	1
Heptachlor	ND		0.0098	ug/L		02/24/26 14:32	02/25/26 09:51	1
Heptachlor epoxide (isomer B)	ND		0.0098	ug/L		02/24/26 14:32	02/25/26 09:51	1
Hexachlorobenzene	ND		0.049	ug/L		02/24/26 14:32	02/25/26 09:51	1
Hexachlorocyclopentadiene	ND		0.049	ug/L		02/24/26 14:32	02/25/26 09:51	1
Indeno[1,2,3-cd]pyrene	ND		0.049	ug/L		02/24/26 14:32	02/25/26 09:51	1
Isophorone	ND		0.098	ug/L		02/24/26 14:32	02/25/26 09:51	1
Lindane	ND		0.0098	ug/L		02/24/26 14:32	02/25/26 09:51	1
Malathion	ND		0.098	ug/L		02/24/26 14:32	02/25/26 09:51	1
Methoxychlor	ND		0.049	ug/L		02/24/26 14:32	02/25/26 09:51	1
Metolachlor	ND		0.049	ug/L		02/24/26 14:32	02/25/26 09:51	1
Metribuzin	ND		0.049	ug/L		02/24/26 14:32	02/25/26 09:51	1
Molinate	ND		0.098	ug/L		02/24/26 14:32	02/25/26 09:51	1
Naphthalene	ND		0.098	ug/L		02/24/26 14:32	02/25/26 09:51	1
Parathion	ND		0.098	ug/L		02/24/26 14:32	02/25/26 09:51	1
Pendimethalin (Penoxaline)	ND		0.098	ug/L		02/24/26 14:32	02/25/26 09:51	1
Phenanthrene	ND		0.039	ug/L		02/24/26 14:32	02/25/26 09:51	1
Propachlor	ND		0.049	ug/L		02/24/26 14:32	02/25/26 09:51	1
Pyrene	ND		0.049	ug/L		02/24/26 14:32	02/25/26 09:51	1
Simazine	ND		0.049	ug/L		02/24/26 14:32	02/25/26 09:51	1
Terbacil	ND		0.098	ug/L		02/24/26 14:32	02/25/26 09:51	1
Terbutylazine	ND		0.098	ug/L		02/24/26 14:32	02/25/26 09:51	1
Thiobencarb	ND		0.098	ug/L		02/24/26 14:32	02/25/26 09:51	1
Total Permethrin (mixed isomers)	ND		0.20	ug/L		02/24/26 14:32	02/25/26 09:51	1
trans-Nonachlor	ND		0.049	ug/L		02/24/26 14:32	02/25/26 09:51	1
Trifluralin	ND		0.098	ug/L		02/24/26 14:32	02/25/26 09:51	1

Eurofins Pomona

# QC Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 380-208072/21-B

Matrix: Bottled Water

Analysis Batch: 208615

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 208072

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
2-Nitro-m-xylene	97		70 - 130	02/24/26 14:32	02/25/26 09:51	1
Perylene-d12	98		70 - 130	02/24/26 14:32	02/25/26 09:51	1
Triphenylphosphate	108		70 - 130	02/24/26 14:32	02/25/26 09:51	1

Lab Sample ID: LCS 380-208072/23-B

Matrix: Bottled Water

Analysis Batch: 208615

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 208072

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
2,4'-DDE	1.97	2.44		ug/L		124	70 - 130
2,4'-DDT	1.97	2.37		ug/L		120	70 - 130
2,4-Dinitrotoluene	1.97	2.19		ug/L		111	70 - 130
2,6-Dinitrotoluene	1.97	2.07		ug/L		105	70 - 130
4,4'-DDD	1.97	2.55		ug/L		129	70 - 130
4,4'-DDE	1.97	2.20		ug/L		112	70 - 130
4,4'-DDT	1.97	2.31		ug/L		117	70 - 130
Acenaphthene	1.97	2.03		ug/L		103	70 - 130
Acenaphthylene	1.97	2.10		ug/L		107	70 - 130
Acetochlor	1.97	2.36		ug/L		119	70 - 130
Alachlor (Alanex)	1.97	2.32		ug/L		118	70 - 130
Aldrin	1.97	1.76		ug/L		89	70 - 130
alpha-BHC	1.97	2.10		ug/L		106	70 - 130
alpha-Chlordane	1.97	2.34		ug/L		119	70 - 130
Anthracene	1.97	1.87		ug/L		95	70 - 130
Atrazine	1.97	2.42		ug/L		123	70 - 130
Benz(a)anthracene	1.97	2.08		ug/L		106	70 - 130
Benzo[a]pyrene	1.97	2.38		ug/L		121	70 - 130
Benzo[b]fluoranthene	1.97	2.30		ug/L		116	70 - 130
Benzo[g,h,i]perylene	1.97	2.46		ug/L		125	70 - 130
Benzo[k]fluoranthene	1.97	2.42		ug/L		123	70 - 130
beta-BHC	1.97	2.15		ug/L		109	70 - 130
Bis(2-ethylhexyl) phthalate	1.97	2.69	*+	ug/L		136	70 - 130
Bromacil	1.97	2.15		ug/L		109	70 - 130
Butachlor	1.97	2.43		ug/L		123	70 - 130
Butylbenzylphthalate	1.97	2.43		ug/L		123	70 - 130
Caffeine	1.97	1.03		ug/L		52	45 - 137
Chlorobenzilate	1.97	2.52		ug/L		128	70 - 130
Chloroneb	1.97	2.18		ug/L		111	70 - 130
Chlorothalonil (Draconil, Bravo)	1.97	2.25		ug/L		114	70 - 130
Chlorpyrifos	1.97	2.28		ug/L		116	70 - 130
Chrysene	1.97	2.08		ug/L		105	70 - 130
delta-BHC	1.97	2.12		ug/L		107	70 - 130
Di(2-ethylhexyl)adipate	1.97	2.48		ug/L		126	70 - 130
Dibenz(a,h)anthracene	1.97	2.35		ug/L		119	70 - 130
Diclorvos (DDVP)	1.97	2.21		ug/L		112	70 - 130
Dieldrin	1.97	2.40		ug/L		122	70 - 130
Diethylphthalate	1.97	2.30		ug/L		117	70 - 130

Eurofins Pomona

# QC Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 380-208072/23-B

Matrix: Bottled Water

Analysis Batch: 208615

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 208072

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
Dimethoate	1.97	1.26		ug/L		64	11 - 110
Dimethylphthalate	1.97	2.15		ug/L		109	70 - 130
Di-n-butyl phthalate	3.94	4.85		ug/L		123	70 - 130
Di-n-octyl phthalate	1.97	2.45		ug/L		124	70 - 130
Endosulfan I (Alpha)	1.97	2.18		ug/L		111	70 - 130
Endosulfan II (Beta)	1.97	2.07		ug/L		105	70 - 130
Endosulfan sulfate	1.97	2.51		ug/L		127	70 - 130
Endrin	1.97	2.55		ug/L		129	70 - 130
Endrin aldehyde	1.97	2.22		ug/L		113	60 - 130
EPTC	1.97	2.15		ug/L		109	70 - 130
Fluoranthene	1.97	2.17		ug/L		110	70 - 130
Fluorene	1.97	2.00		ug/L		101	70 - 130
gamma-Chlordane	1.97	2.31		ug/L		117	70 - 130
Heptachlor	1.97	2.30		ug/L		116	70 - 130
Heptachlor epoxide (isomer B)	1.97	2.16		ug/L		109	70 - 130
Hexachlorobenzene	1.97	2.05		ug/L		104	70 - 130
Hexachlorocyclopentadiene	1.97	2.25		ug/L		114	70 - 130
Indeno[1,2,3-cd]pyrene	1.97	2.34		ug/L		118	70 - 130
Isophorone	1.97	2.02		ug/L		102	70 - 130
Lindane	1.97	2.30		ug/L		117	70 - 130
Malathion	1.97	2.42		ug/L		123	70 - 130
Methoxychlor	1.97	2.31		ug/L		117	70 - 130
Metolachlor	1.97	2.26		ug/L		115	70 - 130
Metribuzin	1.97	1.88		ug/L		95	70 - 130
Molinate	1.97	2.20		ug/L		111	70 - 130
Naphthalene	1.97	2.00		ug/L		101	70 - 130
Parathion	1.97	2.43		ug/L		123	70 - 130
Pendimethalin (Penoxaline)	1.97	2.47		ug/L		125	70 - 130
Phenanthrene	1.97	2.05		ug/L		104	70 - 130
Propachlor	1.97	2.27		ug/L		115	70 - 130
Pyrene	1.97	2.19		ug/L		111	70 - 130
Simazine	1.97	2.21		ug/L		112	70 - 130
Terbacil	1.97	2.21		ug/L		112	70 - 130
Terbutylazine	1.97	2.44		ug/L		124	70 - 130
Thiobencarb	1.97	2.35		ug/L		119	70 - 130
trans-Nonachlor	1.97	2.38		ug/L		121	70 - 130
Trifluralin	1.97	2.28		ug/L		116	70 - 130

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
2-Nitro-m-xylene	98		70 - 130
Perylene-d12	107		70 - 130
Triphenylphosphate	111		70 - 130

# QC Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: MRL 380-208072/22-B**  
**Matrix: Bottled Water**  
**Analysis Batch: 208615**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 208072**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
2,4'-DDD	0.0984	0.0945	J	ug/L		96	50 - 150
2,4'-DDE	0.0984	0.0956	J	ug/L		97	50 - 150
2,4'-DDT	0.0984	0.110		ug/L		112	50 - 150
2,4-Dinitrotoluene	0.0984	0.0952	J	ug/L		97	50 - 150
2,6-Dinitrotoluene	0.0984	0.104		ug/L		106	50 - 150
4,4'-DDD	0.0984	0.100		ug/L		102	50 - 150
4,4'-DDE	0.0984	0.0994		ug/L		101	50 - 150
4,4'-DDT	0.0984	0.118		ug/L		120	50 - 150
Acenaphthene	0.0984	0.0834	J	ug/L		85	50 - 150
Acenaphthylene	0.0984	0.0957	J	ug/L		97	50 - 150
Acetochlor	0.0984	0.109		ug/L		111	50 - 150
Alachlor (Alanex)	0.0492	0.0595		ug/L		121	50 - 150
Aldrin	0.00984	ND		ug/L		85	50 - 150
alpha-BHC	0.0984	0.104		ug/L		106	50 - 150
alpha-Chlordane	0.0246	ND		ug/L		112	50 - 150
Anthracene	0.0197	0.0206		ug/L		105	50 - 150
Atrazine	0.0492	0.0493		ug/L		100	50 - 150
Benz(a)anthracene	0.0492	0.0528		ug/L		107	50 - 150
Benzo[a]pyrene	0.0197	0.0221		ug/L		112	50 - 150
Benzo[b]fluoranthene	0.0197	0.0245		ug/L		125	50 - 150
Benzo[g,h,i]perylene	0.0492	0.0458	J	ug/L		93	50 - 150
Benzo[k]fluoranthene	0.0197	0.0224		ug/L		114	50 - 150
beta-BHC	0.0984	0.110		ug/L		112	50 - 150
Bis(2-ethylhexyl) phthalate	0.591	0.727		ug/L		123	50 - 150
Bromacil	0.0984	0.128		ug/L		130	50 - 150
Butachlor	0.0492	0.0601		ug/L		122	50 - 150
Butylbenzylphthalate	0.492	0.560		ug/L		114	50 - 150
Caffeine	0.0492	0.0303	J	ug/L		62	28 - 105
Chlorobenzilate	0.0984	0.103		ug/L		105	50 - 150
Chloroneb	0.0984	0.0863	J	ug/L		88	50 - 150
Chlorothalonil (Draconil, Bravo)	0.0984	0.0988		ug/L		100	50 - 150
Chlorpyrifos	0.0492	0.0503		ug/L		102	50 - 150
Chrysene	0.0197	0.0205		ug/L		104	50 - 150
delta-BHC	0.0984	0.107		ug/L		108	50 - 150
Di(2-ethylhexyl)adipate	0.591	0.668		ug/L		113	50 - 150
Dibenz(a,h)anthracene	0.0492	0.0469	J	ug/L		95	50 - 150
Diclorvos (DDVP)	0.0492	0.0573		ug/L		116	50 - 150
Dieldrin	0.00984	0.0123		ug/L		125	50 - 150
Diethylphthalate	0.492	0.526		ug/L		107	50 - 150
Dimethoate	0.0984	0.0577	J	ug/L		59	0 - 134
Dimethylphthalate	0.492	0.482	J	ug/L		98	50 - 150
Di-n-butyl phthalate	0.492	0.527	J	ug/L		107	49 - 243
Di-n-octyl phthalate	0.0984	0.108		ug/L		110	50 - 150
Endosulfan I (Alpha)	0.0984	0.0881	J	ug/L		90	50 - 150
Endosulfan II (Beta)	0.0984	0.123		ug/L		125	50 - 150
Endosulfan sulfate	0.0984	0.108		ug/L		110	50 - 150
Endrin	0.00984	0.0106		ug/L		108	50 - 150
Endrin aldehyde	0.0984	0.108		ug/L		110	50 - 150

# QC Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
Project/Site: Annual 50-State

Job ID: 380-199432-1

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MRL 380-208072/22-B

Matrix: Bottled Water

Analysis Batch: 208615

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 208072

Analyte	Spike	MRL	MRL	Unit	D	%Rec	%Rec Limits
	Added	Result	Qualifier				
EPTC	0.0984	0.0984		ug/L		100	50 - 150
Fluoranthene	0.0984	0.0938	J	ug/L		95	50 - 150
Fluorene	0.0492	0.0507		ug/L		103	50 - 150
gamma-Chlordane	0.0246	0.0253	J	ug/L		103	50 - 150
Heptachlor	0.00984	0.0113		ug/L		114	50 - 150
Heptachlor epoxide (isomer B)	0.00984	0.0102		ug/L		104	50 - 150
Hexachlorobenzene	0.0492	0.0473	J	ug/L		96	50 - 150
Hexachlorocyclopentadiene	0.0492	0.0576		ug/L		117	50 - 150
Indeno[1,2,3-cd]pyrene	0.0492	0.0507		ug/L		103	50 - 150
Isophorone	0.0984	0.110		ug/L		112	50 - 150
Lindane	0.00984	0.0111		ug/L		113	50 - 150
Malathion	0.0984	0.101		ug/L		102	50 - 150
Methoxychlor	0.0492	0.0530		ug/L		108	50 - 150
Metolachlor	0.0492	0.0560		ug/L		114	50 - 150
Metribuzin	0.0492	0.0428	J	ug/L		87	50 - 150
Molinate	0.0984	0.0993		ug/L		101	50 - 150
Naphthalene	0.0984	0.0981		ug/L		100	50 - 150
Parathion	0.0984	0.0999		ug/L		101	50 - 150
Pendimethalin (Penoxaline)	0.0984	0.108		ug/L		109	50 - 150
Phenanthrene	0.0394	0.0351	J	ug/L		89	50 - 150
Propachlor	0.0492	0.0539		ug/L		109	50 - 150
Pyrene	0.0492	0.0517		ug/L		105	50 - 150
Simazine	0.0492	0.0465	J	ug/L		95	50 - 150
Terbacil	0.0984	0.110		ug/L		112	50 - 150
Terbuthylazine	0.0984	0.0965	J	ug/L		98	50 - 150
Thiobencarb	0.0984	0.103		ug/L		104	50 - 150
trans-Nonachlor	0.0246	ND		ug/L		102	50 - 150
Trifluralin	0.0984	0.110		ug/L		112	50 - 150

Surrogate	MRL	MRL	Limits
	%Recovery	Qualifier	
2-Nitro-m-xylene	98		70 - 130
Perylene-d12	97		70 - 130
Triphenylphosphate	109		70 - 130

## Method: 548.1 - Endothall (GC/MS)

Lab Sample ID: MB 810-182618/1-A

Matrix: Bottled Water

Analysis Batch: 182751

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 182618

Analyte	MB	MB	RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
Endothall	ND		5.0	ug/L		02/27/26 09:09	02/28/26 15:26	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
2,4-Dichlorophenylacetic acid	97		70 - 130	02/27/26 09:09	02/28/26 15:26	1

# QC Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Method: 548.1 - Endothall (GC/MS) (Continued)

**Lab Sample ID: LCS 810-182618/3-A**  
**Matrix: Bottled Water**  
**Analysis Batch: 182751**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 182618**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Endothall	100	98.4		ug/L		98	51 - 148
<b>Surrogate</b>	<b>%Recovery</b>	<b>LCS Qualifier</b>	<b>Limits</b>				
2,4-Dichlorophenylacetic acid	103		70 - 130				

**Lab Sample ID: LLCS 810-182618/2-A**  
**Matrix: Bottled Water**  
**Analysis Batch: 182751**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 182618**

Analyte	Spike Added	LLCS Result	LLCS Qualifier	Unit	D	%Rec	%Rec Limits
Endothall	5.00	5.61		ug/L		112	50 - 150
<b>Surrogate</b>	<b>%Recovery</b>	<b>LLCS Qualifier</b>	<b>Limits</b>				
2,4-Dichlorophenylacetic acid	90		70 - 130				

## Method: 504.1 - EDB, DBCP and 1,2,3-TCP (GC)

**Lab Sample ID: MBL 380-208322/4-A**  
**Matrix: Bottled Water**  
**Analysis Batch: 208631**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 208322**

Analyte	MBL Result	MBL Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,2,3-Trichloropropane	ND		0.020	ug/L		02/24/26 13:43	02/24/26 17:19	1
1,2-Dibromo-3-Chloropropane	ND		0.010	ug/L		02/24/26 13:43	02/24/26 17:19	1
1,2-Dibromoethane	ND		0.010	ug/L		02/24/26 13:43	02/24/26 17:19	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>MBL Qualifier</b>	<b>Limits</b>			<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dibromopropane (Surr)	104		60 - 140			02/24/26 13:43	02/24/26 17:19	1

**Lab Sample ID: LCS 380-208322/29-A**  
**Matrix: Bottled Water**  
**Analysis Batch: 208631**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 208322**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,2,3-Trichloropropane	0.200	0.199		ug/L		99	70 - 130
1,2-Dibromo-3-Chloropropane	0.200	0.188		ug/L		94	70 - 130
1,2-Dibromoethane	0.200	0.188		ug/L		94	70 - 130
<b>Surrogate</b>	<b>%Recovery</b>	<b>LCS Qualifier</b>	<b>Limits</b>				
1,2-Dibromopropane (Surr)	86		60 - 140				

**Lab Sample ID: MRL 380-208322/2-A**  
**Matrix: Bottled Water**  
**Analysis Batch: 208631**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 208322**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
1,2,3-Trichloropropane	0.0200	0.0147	J	ug/L		73	60 - 140

# QC Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
Project/Site: Annual 50-State

Job ID: 380-199432-1

## Method: 504.1 - EDB, DBCP and 1,2,3-TCP (GC) (Continued)

**Lab Sample ID: MRL 380-208322/2-A**  
**Matrix: Bottled Water**  
**Analysis Batch: 208631**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 208322**

Surrogate	MRL %Recovery	MRL Qualifier	Limits
1,2-Dibromopropane (Surr)	89		60 - 140

**Lab Sample ID: MRL 380-208322/3-A**  
**Matrix: Bottled Water**  
**Analysis Batch: 208631**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 208322**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
1,2,3-Trichloropropane	0.0500	0.0480		ug/L		96	60 - 140
1,2-Dibromo-3-Chloropropane	0.0100	0.00991	J	ug/L		99	60 - 140
1,2-Dibromoethane	0.0100	0.0110		ug/L		110	60 - 140

Surrogate	MRL %Recovery	MRL Qualifier	Limits
1,2-Dibromopropane (Surr)	83		60 - 140

## Method: 505 - Organochlorine Pesticides/PCBs (GC)

**Lab Sample ID: MB 380-208296/3-A**  
**Matrix: Bottled Water**  
**Analysis Batch: 208626**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 208296**

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chlordane	ND		0.10	ug/L		02/24/26 11:49	02/24/26 13:54	1
Toxaphene	ND		0.50	ug/L		02/24/26 11:49	02/24/26 13:54	1
PCB-1016	ND		0.070	ug/L		02/24/26 11:49	02/24/26 13:54	1
PCB-1221	ND		0.10	ug/L		02/24/26 11:49	02/24/26 13:54	1
PCB-1232	ND		0.10	ug/L		02/24/26 11:49	02/24/26 13:54	1
PCB-1242	ND		0.10	ug/L		02/24/26 11:49	02/24/26 13:54	1
PCB-1248	ND		0.10	ug/L		02/24/26 11:49	02/24/26 13:54	1
PCB-1254	ND		0.10	ug/L		02/24/26 11:49	02/24/26 13:54	1
PCB-1260	ND		0.070	ug/L		02/24/26 11:49	02/24/26 13:54	1
Polychlorinated biphenyls, Total	ND		0.10	ug/L		02/24/26 11:49	02/24/26 13:54	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	96		70 - 130	02/24/26 11:49	02/24/26 13:54	1

**Lab Sample ID: LCS 380-208296/28-A**  
**Matrix: Bottled Water**  
**Analysis Batch: 208626**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 208296**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Toxaphene	2.50	2.65		ug/L		106	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Tetrachloro-m-xylene	108		70 - 130

# QC Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Method: 505 - Organochlorine Pesticides/PCBs (GC) (Continued)

**Lab Sample ID: LCS 380-208296/29-A**  
**Matrix: Bottled Water**  
**Analysis Batch: 208626**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 208296**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chlordane	0.500	0.545		ug/L		109	70 - 130
<b>Surrogate</b>	<b>%Recovery</b>	<b>LCS Qualifier</b>	<b>Limits</b>				
Tetrachloro-m-xylene	100		70 - 130				

**Lab Sample ID: LCS 380-208296/31-A**  
**Matrix: Bottled Water**  
**Analysis Batch: 208626**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 208296**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
PCB-1016	0.500	0.481		ug/L		96	70 - 130
PCB-1260	0.500	0.583		ug/L		117	70 - 130
<b>Surrogate</b>	<b>%Recovery</b>	<b>LCS Qualifier</b>	<b>Limits</b>				
Tetrachloro-m-xylene	99		70 - 130				

**Lab Sample ID: LCSD 380-208296/30-A**  
**Matrix: Bottled Water**  
**Analysis Batch: 208626**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**  
**Prep Batch: 208296**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chlordane	0.500	0.572		ug/L		114	70 - 130	5	20
<b>Surrogate</b>	<b>%Recovery</b>	<b>LCSD Qualifier</b>	<b>Limits</b>						
Tetrachloro-m-xylene	109		70 - 130						

**Lab Sample ID: MRL 380-208296/1-A**  
**Matrix: Bottled Water**  
**Analysis Batch: 208626**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 208296**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Toxaphene	0.500	0.645		ug/L		129	50 - 150
<b>Surrogate</b>	<b>%Recovery</b>	<b>MRL Qualifier</b>	<b>Limits</b>				
Tetrachloro-m-xylene	104		70 - 130				

**Lab Sample ID: MRL 380-208296/2-A**  
**Matrix: Bottled Water**  
**Analysis Batch: 208626**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 208296**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Chlordane	0.100	0.106		ug/L		106	50 - 150
<b>Surrogate</b>	<b>%Recovery</b>	<b>MRL Qualifier</b>	<b>Limits</b>				
Tetrachloro-m-xylene	98		70 - 130				

# QC Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Method: 515.4 - Herbicides (GC)

**Lab Sample ID: MBL 380-208391/2-A**  
**Matrix: Bottled Water**  
**Analysis Batch: 209931**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 208391**

Analyte	MBL Result	MBL Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
2,4,5-T	ND		0.20	ug/L		02/25/26 08:30	02/27/26 08:40	1
2,4,5-TP (Silvex)	ND		0.10	ug/L		02/25/26 08:30	02/27/26 08:40	1
2,4-D	ND		0.10	ug/L		02/25/26 08:30	02/27/26 08:40	1
2,4-DB	ND		2.0	ug/L		02/25/26 08:30	02/27/26 08:40	1
3,5-Dichlorobenzoic acid	ND		0.50	ug/L		02/25/26 08:30	02/27/26 08:40	1
Acifluorfen	ND		0.20	ug/L		02/25/26 08:30	02/27/26 08:40	1
Bentazon	ND		0.50	ug/L		02/25/26 08:30	02/27/26 08:40	1
Dalapon	ND		1.0	ug/L		02/25/26 08:30	02/27/26 08:40	1
Dicamba	ND		0.10	ug/L		02/25/26 08:30	02/27/26 08:40	1
Dichlorprop	ND		0.50	ug/L		02/25/26 08:30	02/27/26 08:40	1
Dinoseb	ND		0.20	ug/L		02/25/26 08:30	02/27/26 08:40	1
Pentachlorophenol	ND		0.040	ug/L		02/25/26 08:30	02/27/26 08:40	1
Picloram	ND		0.10	ug/L		02/25/26 08:30	02/27/26 08:40	1

Surrogate	MBL %Recovery	MBL Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4-Dichlorophenylacetic acid (Surr)	98		70 - 130	02/25/26 08:30	02/27/26 08:40	1
2,4-Dichlorophenylacetic acid (Surr)	98		70 - 130	02/25/26 08:30	02/27/26 08:40	1

**Lab Sample ID: LCS 380-208391/26-A**  
**Matrix: Bottled Water**  
**Analysis Batch: 209931**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 208391**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
2,4,5-T	4.00	4.41		ug/L		110	70 - 130
2,4,5-TP (Silvex)	2.00	1.97		ug/L		99	70 - 130
2,4-D	2.00	2.01		ug/L		101	70 - 130
2,4-DB	40.0	40.2		ug/L		101	70 - 130
3,5-Dichlorobenzoic acid	10.0	10.0		ug/L		100	70 - 130
Acifluorfen	4.00	4.57		ug/L		114	70 - 130
Bentazon	10.0	9.62		ug/L		96	70 - 130
Dalapon	20.0	20.3		ug/L		101	70 - 130
Dicamba	2.00	1.91		ug/L		95	70 - 130
Dichlorprop	10.0	9.47		ug/L		95	70 - 130
Dinoseb	4.00	4.04		ug/L		101	70 - 130
Pentachlorophenol	0.800	0.777		ug/L		97	70 - 130
Picloram	2.00	2.29		ug/L		115	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
2,4-Dichlorophenylacetic acid (Surr)	97		70 - 130
2,4-Dichlorophenylacetic acid (Surr)	95		70 - 130

# QC Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Method: 515.4 - Herbicides (GC) (Continued)

**Lab Sample ID: LCSD 380-208391/27-A**  
**Matrix: Bottled Water**  
**Analysis Batch: 209931**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**  
**Prep Batch: 208391**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
2,4,5-T	4.00	4.38		ug/L		110	70 - 130	1	30
2,4,5-TP (Silvex)	2.00	1.96		ug/L		98	70 - 130	1	30
2,4-D	2.00	1.99		ug/L		99	70 - 130	1	30
2,4-DB	40.0	41.0		ug/L		103	70 - 130	2	30
3,5-Dichlorobenzoic acid	10.0	9.77		ug/L		98	70 - 130	3	30
Acifluorfen	4.00	4.65		ug/L		116	70 - 130	2	30
Bentazon	10.0	9.84		ug/L		98	70 - 130	2	30
Dalapon	20.0	20.8		ug/L		104	70 - 130	3	30
Dicamba	2.00	1.89		ug/L		95	70 - 130	1	30
Dichlorprop	10.0	9.40		ug/L		94	70 - 130	1	30
Dinoseb	4.00	4.02		ug/L		101	70 - 130	1	30
Pentachlorophenol	0.800	0.785		ug/L		98	70 - 130	1	30
Picloram	2.00	2.31		ug/L		116	70 - 130	1	30

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
2,4-Dichlorophenylacetic acid (Surr)	94		70 - 130
2,4-Dichlorophenylacetic acid (Surr)	93		70 - 130

**Lab Sample ID: MRL 380-208391/1-A**  
**Matrix: Bottled Water**  
**Analysis Batch: 209931**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 208391**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
2,4,5-T	0.200	0.217		ug/L		108	50 - 150
2,4,5-TP (Silvex)	0.100	0.0960	J	ug/L		96	50 - 150
2,4-D	0.100	0.121		ug/L		121	50 - 150
2,4-DB	2.00	1.78	J	ug/L		89	50 - 150
3,5-Dichlorobenzoic acid	0.500	0.457	J	ug/L		91	50 - 150
Acifluorfen	0.200	0.267		ug/L		133	50 - 150
Bentazon	0.500	0.465	J	ug/L		93	50 - 150
Dalapon	1.00	0.963	J	ug/L		96	50 - 150
Dicamba	0.100	0.0999	J	ug/L		100	50 - 150
Dichlorprop	0.500	0.477	J	ug/L		95	50 - 150
Dinoseb	0.200	0.211		ug/L		105	50 - 150
Pentachlorophenol	0.0400	0.0420		ug/L		105	50 - 150
Picloram	0.100	0.117		ug/L		117	50 - 150

Surrogate	MRL %Recovery	MRL Qualifier	Limits
2,4-Dichlorophenylacetic acid (Surr)	99		70 - 130
2,4-Dichlorophenylacetic acid (Surr)	98		70 - 130

# QC Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Method: 6251B - Haloacetic Acids (HAAs) (GC)

**Lab Sample ID: MB 380-208267/10-A**  
**Matrix: Bottled Water**  
**Analysis Batch: 208960**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 208267**

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Bromochloroacetic acid	ND		1.0	ug/L		02/25/26 05:30	02/25/26 20:55	1
Dibromoacetic acid	ND		1.0	ug/L		02/25/26 05:30	02/25/26 20:55	1
Dichloroacetic acid	ND		1.0	ug/L		02/25/26 05:30	02/25/26 20:55	1
Monobromoacetic acid	ND		1.0	ug/L		02/25/26 05:30	02/25/26 20:55	1
Monochloroacetic acid	ND		2.0	ug/L		02/25/26 05:30	02/25/26 20:55	1
Trichloroacetic acid	ND		1.0	ug/L		02/25/26 05:30	02/25/26 20:55	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>			<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
2,3-Dibromopropionic acid	89		70 - 130			02/25/26 05:30	02/25/26 20:55	1

**Lab Sample ID: LCS 380-208267/37-A**  
**Matrix: Bottled Water**  
**Analysis Batch: 208960**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 208267**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Bromochloroacetic acid	32.0	31.9		ug/L		100	80 - 120
Dibromoacetic acid	32.0	32.4		ug/L		101	80 - 120
Dichloroacetic acid	32.0	31.7		ug/L		99	80 - 120
Monobromoacetic acid	32.0	31.0		ug/L		97	80 - 120
Monochloroacetic acid	32.0	30.7		ug/L		96	80 - 120
Trichloroacetic acid	32.0	31.6		ug/L		99	80 - 120
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				
2,3-Dibromopropionic acid	104		70 - 130				

**Lab Sample ID: MRL 380-208267/9-A**  
**Matrix: Bottled Water**  
**Analysis Batch: 208960**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 208267**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Bromochloroacetic acid	1.00	0.978	J	ug/L		98	50 - 150
Dibromoacetic acid	1.00	1.00		ug/L		100	50 - 150
Dichloroacetic acid	1.00	0.978	J	ug/L		98	50 - 150
Monobromoacetic acid	1.00	0.975	J	ug/L		97	50 - 150
Monochloroacetic acid	2.00	2.14		ug/L		107	50 - 150
Trichloroacetic acid	1.00	1.04		ug/L		104	50 - 150
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				
2,3-Dibromopropionic acid	102		70 - 130				

## Method: 300.0 - Anions, Ion Chromatography

**Lab Sample ID: MB 380-208363/4**  
**Matrix: Bottled Water**  
**Analysis Batch: 208363**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	ND		0.050	mg/L			02/24/26 09:24	1

Eurofins Pomona

# QC Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Method: 300.0 - Anions, Ion Chromatography (Continued)

**Lab Sample ID: MB 380-208363/4**  
**Matrix: Bottled Water**  
**Analysis Batch: 208363**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrite as N	ND		0.050	mg/L			02/24/26 09:24	1

**Lab Sample ID: LCS 380-208363/6**  
**Matrix: Bottled Water**  
**Analysis Batch: 208363**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Nitrate as N	2.50	2.57		mg/L		103	90 - 110
Nitrite as N	1.00	1.06		mg/L		106	90 - 110

**Lab Sample ID: LCSD 380-208363/7**  
**Matrix: Bottled Water**  
**Analysis Batch: 208363**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Nitrate as N	2.50	2.54		mg/L		102	90 - 110	1	20
Nitrite as N	1.00	1.04		mg/L		104	90 - 110	1	20

**Lab Sample ID: MRL 380-208363/5**  
**Matrix: Bottled Water**  
**Analysis Batch: 208363**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Nitrate as N	0.0500	0.0517		mg/L		103	50 - 150
Nitrite as N	0.0500	0.0514		mg/L		103	50 - 150

**Lab Sample ID: MB 380-208364/4**  
**Matrix: Bottled Water**  
**Analysis Batch: 208364**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		0.50	mg/L			02/24/26 09:24	1
Sulfate	ND		0.25	mg/L			02/24/26 09:24	1

**Lab Sample ID: LCS 380-208364/6**  
**Matrix: Bottled Water**  
**Analysis Batch: 208364**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	25.0	26.0		mg/L		104	90 - 110
Sulfate	50.0	51.5		mg/L		103	90 - 110

**Lab Sample ID: LCSD 380-208364/7**  
**Matrix: Bottled Water**  
**Analysis Batch: 208364**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	25.0	25.8		mg/L		103	90 - 110	1	20
Sulfate	50.0	51.0		mg/L		102	90 - 110	1	20

# QC Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Method: 300.0 - Anions, Ion Chromatography (Continued)

**Lab Sample ID: MRL 380-208364/5**  
**Matrix: Bottled Water**  
**Analysis Batch: 208364**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	0.500	0.453	J	mg/L		91	50 - 150
Sulfate	0.250	0.244	J	mg/L		98	50 - 150

**Lab Sample ID: MB 380-209461/6**  
**Matrix: Bottled Water**  
**Analysis Batch: 209461**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Bromide	ND		5.0	ug/L			02/27/26 06:20	1
Chlorite	ND		10	ug/L			02/27/26 06:20	1

**Lab Sample ID: LCS 380-209461/7**  
**Matrix: Bottled Water**  
**Analysis Batch: 209461**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Bromide	100	97.3		ug/L		97	90 - 110
Chlorite	200	201		ug/L		100	90 - 110

**Lab Sample ID: LCSD 380-209461/8**  
**Matrix: Bottled Water**  
**Analysis Batch: 209461**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Bromide	100	96.9		ug/L		97	90 - 110	0	10
Chlorite	200	200		ug/L		100	90 - 110	1	10

**Lab Sample ID: MRL 380-209461/5**  
**Matrix: Bottled Water**  
**Analysis Batch: 209461**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Bromide	5.00	5.47		ug/L		109	75 - 125
Chlorite	10.0	9.66	J	ug/L		97	75 - 125

## Method: 317 - Bromate, Ion Chromatography

**Lab Sample ID: MB 380-208488/4**  
**Matrix: Bottled Water**  
**Analysis Batch: 208488**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Bromate	ND		1.0	ug/L			02/25/26 10:26	1

**Lab Sample ID: LCS 380-208488/2**  
**Matrix: Bottled Water**  
**Analysis Batch: 208488**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Bromate	10.0	9.62		ug/L		96	90 - 110

Eurofins Pomona

# QC Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Method: 317 - Bromate, Ion Chromatography (Continued)

**Lab Sample ID: LCSD 380-208488/3**  
**Matrix: Bottled Water**  
**Analysis Batch: 208488**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Bromate	10.0	9.80		ug/L		98	90 - 110	2	10

**Lab Sample ID: MRL 380-208488/5**  
**Matrix: Bottled Water**  
**Analysis Batch: 208488**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Bromate	1.00	0.885	J	ug/L		89	75 - 125

## Method: 531.2 - Carbamate Pesticides (HPLC)

**Lab Sample ID: MBL 380-208340/3-A**  
**Matrix: Bottled Water**  
**Analysis Batch: 208754**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 208340**

Analyte	MBL Result	MBL Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
3-Hydroxycarbofuran	ND		0.50	ug/L		02/24/26 11:24	02/24/26 14:37	1
Aldicarb	ND		0.50	ug/L		02/24/26 11:24	02/24/26 14:37	1
Aldicarb sulfone	ND		0.50	ug/L		02/24/26 11:24	02/24/26 14:37	1
Aldicarb sulfoxide	ND		0.50	ug/L		02/24/26 11:24	02/24/26 14:37	1
Baygon	ND		0.50	ug/L		02/24/26 11:24	02/24/26 14:37	1
Carbaryl	ND		0.50	ug/L		02/24/26 11:24	02/24/26 14:37	1
Carbofuran	ND		0.50	ug/L		02/24/26 11:24	02/24/26 14:37	1
Methiocarb	ND		0.50	ug/L		02/24/26 11:24	02/24/26 14:37	1
Methomyl	ND		0.50	ug/L		02/24/26 11:24	02/24/26 14:37	1
Oxamyl	ND		0.50	ug/L		02/24/26 11:24	02/24/26 14:37	1
Surrogate	%Recovery	MBL Qualifier	Limits			Prepared	Analyzed	Dil Fac
BDMC	97		70 - 130			02/24/26 11:24	02/24/26 14:37	1

**Lab Sample ID: LCS 380-208340/24-A**  
**Matrix: Bottled Water**  
**Analysis Batch: 208754**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 208340**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
3-Hydroxycarbofuran	5.00	5.25		ug/L		105	70 - 130
Aldicarb	5.00	4.91		ug/L		98	70 - 130
Aldicarb sulfone	5.00	5.83		ug/L		117	70 - 130
Aldicarb sulfoxide	5.00	5.10		ug/L		102	70 - 130
Baygon	5.00	5.21		ug/L		104	70 - 130
Carbaryl	5.00	4.63		ug/L		93	70 - 130
Carbofuran	5.00	5.23		ug/L		105	70 - 130
Methiocarb	5.00	5.22		ug/L		104	70 - 130
Methomyl	5.00	5.26		ug/L		105	70 - 130
Oxamyl	5.00	5.15		ug/L		103	70 - 130
Surrogate	%Recovery	LCS Qualifier	Limits				
BDMC	106		70 - 130				

# QC Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Method: 531.2 - Carbamate Pesticides (HPLC) (Continued)

**Lab Sample ID: MRL 380-208340/2-A**  
**Matrix: Bottled Water**  
**Analysis Batch: 208754**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 208340**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
3-Hydroxycarbofuran	0.500	0.585		ug/L		117	50 - 150
Aldicarb	0.500	0.497	J	ug/L		99	50 - 150
Aldicarb sulfone	0.500	0.614		ug/L		123	50 - 150
Aldicarb sulfoxide	0.500	0.572		ug/L		114	50 - 150
Baygon	0.500	0.506		ug/L		101	50 - 150
Carbaryl	0.500	0.548		ug/L		110	50 - 150
Carbofuran	0.500	0.575		ug/L		115	50 - 150
Methiocarb	0.500	0.493	J	ug/L		99	50 - 150
Methomyl	0.500	0.574		ug/L		115	50 - 150
Oxamyl	0.500	0.677		ug/L		135	50 - 150

Surrogate	MRL %Recovery	MRL Qualifier	Limits
BDMC	108		70 - 130

## Method: 547 - Glyphosate (DAI HPLC)

**Lab Sample ID: MBL 380-209074/3-A**  
**Matrix: Bottled Water**  
**Analysis Batch: 209361**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 209074**

Analyte	MBL Result	MBL Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Glyphosate	ND		6.0	ug/L		02/26/26 12:00	02/26/26 15:01	1

**Lab Sample ID: LCS 380-209074/19-A**  
**Matrix: Bottled Water**  
**Analysis Batch: 209361**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 209074**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Glyphosate	10.0	10.4		ug/L		104	80 - 120

**Lab Sample ID: MRL 380-209074/2-A**  
**Matrix: Bottled Water**  
**Analysis Batch: 209361**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 209074**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Glyphosate	6.00	6.45		ug/L		108	50 - 150

## Method: 549.2 - Diquat and Paraquat (HPLC)

**Lab Sample ID: MB 380-208393/1-A**  
**Matrix: Bottled Water**  
**Analysis Batch: 209501**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 208393**

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diquat	ND		0.40	ug/L		02/24/26 14:27	02/26/26 17:03	1

# QC Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Method: 549.2 - Diquat and Paraquat (HPLC) (Continued)

Lab Sample ID: LCS 380-208393/4-A  
 Matrix: Bottled Water  
 Analysis Batch: 209501

Client Sample ID: Lab Control Sample  
 Prep Type: Total/NA  
 Prep Batch: 208393

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Diquat	5.00	4.22		ug/L		84	70 - 130

Lab Sample ID: LCSD 380-208393/5-A  
 Matrix: Bottled Water  
 Analysis Batch: 209501

Client Sample ID: Lab Control Sample Dup  
 Prep Type: Total/NA  
 Prep Batch: 208393

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Diquat	5.00	4.20		ug/L		84	70 - 130	1	20

Lab Sample ID: MRL 380-208393/2-A  
 Matrix: Bottled Water  
 Analysis Batch: 209501

Client Sample ID: Lab Control Sample  
 Prep Type: Total/NA  
 Prep Batch: 208393

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Diquat	0.400	ND		ug/L		78	50 - 150

## Method: 331.0 - Perchlorate (LC/MS/MS)

Lab Sample ID: MBL 380-208279/10  
 Matrix: Bottled Water  
 Analysis Batch: 208279

Client Sample ID: Method Blank  
 Prep Type: Total/NA

Analyte	MBL Result	MBL Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perchlorate	ND		0.50	ug/L			02/24/26 11:47	1

Lab Sample ID: LCS 380-208279/11  
 Matrix: Bottled Water  
 Analysis Batch: 208279

Client Sample ID: Lab Control Sample  
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Perchlorate	19.6	19.8		ug/L		101	80 - 120

Lab Sample ID: MRL 380-208279/1008  
 Matrix: Bottled Water  
 Analysis Batch: 208279

Client Sample ID: Lab Control Sample  
 Prep Type: Total/NA

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Perchlorate	0.490	0.598		ug/L		122	50 - 150

## Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020

Lab Sample ID: MBL 380-213082/19-A  
 Matrix: Bottled Water  
 Analysis Batch: 213261

Client Sample ID: Method Blank  
 Prep Type: Total/NA  
 Prep Batch: 213082

Analyte	MBL Result	MBL Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
11-Chloroeicosafuoro-3-oxaundecan e-1-sulfonic acid (11CI-PF3OUdS)	ND		2.0	ng/L		03/13/26 13:55	03/15/26 15:55	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	ND		2.0	ng/L		03/13/26 13:55	03/15/26 15:55	1

# QC Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
Project/Site: Annual 50-State

Job ID: 380-199432-1

## Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020 (Continued)

**Lab Sample ID: MBL 380-213082/19-A**

**Matrix: Bottled Water**

**Analysis Batch: 213261**

**Client Sample ID: Method Blank**

**Prep Type: Total/NA**

**Prep Batch: 213082**

Analyte	MBL	MBL	RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9CI-PF3ONS)	ND		2.0	ng/L		03/13/26 13:55	03/15/26 15:55	1
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	ND		2.0	ng/L		03/13/26 13:55	03/15/26 15:55	1
N-ethylperfluorooctanesulfonamide acetic acid (NEtFOSAA)	ND		2.0	ng/L		03/13/26 13:55	03/15/26 15:55	1
N-methylperfluorooctanesulfonamide acetic acid (NMeFOSAA)	ND		2.0	ng/L		03/13/26 13:55	03/15/26 15:55	1
Perfluorobutanesulfonic acid (PFBS)	ND		2.0	ng/L		03/13/26 13:55	03/15/26 15:55	1
Perfluorodecanoic acid (PFDA)	ND		2.0	ng/L		03/13/26 13:55	03/15/26 15:55	1
Perfluorododecanoic acid (PFDoA)	ND		2.0	ng/L		03/13/26 13:55	03/15/26 15:55	1
Perfluoroheptanoic acid (PFHpA)	ND		2.0	ng/L		03/13/26 13:55	03/15/26 15:55	1
Perfluorohexanesulfonic acid (PFHxS)	ND		2.0	ng/L		03/13/26 13:55	03/15/26 15:55	1
Perfluorohexanoic acid (PFHxA)	ND		2.0	ng/L		03/13/26 13:55	03/15/26 15:55	1
Perfluorononanoic acid (PFNA)	ND		2.0	ng/L		03/13/26 13:55	03/15/26 15:55	1
Perfluorooctanesulfonic acid (PFOS)	ND		2.0	ng/L		03/13/26 13:55	03/15/26 15:55	1
Perfluorooctanoic acid (PFOA)	ND		2.0	ng/L		03/13/26 13:55	03/15/26 15:55	1
Perfluorotetradecanoic acid (PFTA)	ND		2.0	ng/L		03/13/26 13:55	03/15/26 15:55	1
Perfluorotridecanoic acid (PFTrDA)	ND		2.0	ng/L		03/13/26 13:55	03/15/26 15:55	1
Perfluoroundecanoic acid (PFUnA)	ND		2.0	ng/L		03/13/26 13:55	03/15/26 15:55	1

Surrogate	MBL	MBL	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
13C2 PFDA	103		70 - 130	03/13/26 13:55	03/15/26 15:55	1
13C2 PFHxA	108		70 - 130	03/13/26 13:55	03/15/26 15:55	1
13C3-GenX	101		70 - 130	03/13/26 13:55	03/15/26 15:55	1
d5-NEtFOSAA	103		70 - 130	03/13/26 13:55	03/15/26 15:55	1

**Lab Sample ID: LCS 380-213082/21-A**

**Matrix: Bottled Water**

**Analysis Batch: 213261**

**Client Sample ID: Lab Control Sample**

**Prep Type: Total/NA**

**Prep Batch: 213082**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	50.3	52.0		ng/L		103	70 - 130
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9CI-PF3ONS)	50.3	53.1		ng/L		106	70 - 130
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	50.3	50.3		ng/L		100	70 - 130
N-ethylperfluorooctanesulfonamide acetic acid (NEtFOSAA)	50.3	53.1		ng/L		105	70 - 130
N-methylperfluorooctanesulfonamide acetic acid (NMeFOSAA)	50.3	52.3		ng/L		104	70 - 130
Perfluorobutanesulfonic acid (PFBS)	50.3	48.9		ng/L		97	70 - 130
Perfluorodecanoic acid (PFDA)	50.3	52.6		ng/L		105	70 - 130
Perfluorododecanoic acid (PFDoA)	50.3	53.4		ng/L		106	70 - 130
Perfluoroheptanoic acid (PFHpA)	50.3	54.5		ng/L		108	70 - 130

Eurofins Pomona



# QC Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020 (Continued)

**Lab Sample ID: MRL 380-213082/20-A**  
**Matrix: Bottled Water**  
**Analysis Batch: 213261**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 213082**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Perfluorotetradecanoic acid (PFTA)	2.01	1.72	J	ng/L		86	50 - 150
Perfluorotridecanoic acid (PFTrDA)	2.01	2.14		ng/L		107	50 - 150
Perfluoroundecanoic acid (PFUnA)	2.01	2.10		ng/L		105	50 - 150

Surrogate	MRL %Recovery	MRL Qualifier	Limits
13C2 PFDA	103		70 - 130
13C2 PFHxA	100		70 - 130
13C3-GenX	102		70 - 130
d5-NEtFOSAA	102		70 - 130

## Method: 1613B - Tetra Chlorinated Dioxin (GC/MS/MS)

**Lab Sample ID: MBL 380-208599/21-A**  
**Matrix: Bottled Water**  
**Analysis Batch: 208958**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 208599**

Analyte	MBL Result	MBL Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2,3,7,8-TCDD	ND		4.9		pg/L		02/25/26 07:20	02/26/26 08:45	1

Isotope Dilution	MBL %Recovery	MBL Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C-2,3,7,8-TCDD	80		31 - 137	02/25/26 07:20	02/26/26 08:45	1

**Lab Sample ID: LCS 380-208599/19-A**  
**Matrix: Bottled Water**  
**Analysis Batch: 208958**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 208599**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
2,3,7,8-TCDD	196	183		pg/L		94	73 - 146

Isotope Dilution	LCS %Recovery	LCS Qualifier	Limits
13C-2,3,7,8-TCDD	77		25 - 141

**Lab Sample ID: LCSD 380-208599/20-A**  
**Matrix: Bottled Water**  
**Analysis Batch: 208958**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**  
**Prep Batch: 208599**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
2,3,7,8-TCDD	195	184		pg/L		94	73 - 146	0	20

Isotope Dilution	LCSD %Recovery	LCSD Qualifier	Limits
13C-2,3,7,8-TCDD	70		25 - 141

# QC Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Method: 1613B - Tetra Chlorinated Dioxin (GC/MS/MS) (Continued)

**Lab Sample ID: MRL 380-208599/22-A**  
**Matrix: Bottled Water**  
**Analysis Batch: 208958**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 208599**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
2,3,7,8-TCDD	4.89	3.82	J	pg/L		78	50 - 150

Isotope Dilution	MRL %Recovery	MRL Qualifier	Limits
13C-2,3,7,8-TCDD	77		25 - 141

## Method: 200.7 - Metals (ICP)

**Lab Sample ID: MBL 380-208762/41**  
**Matrix: Bottled Water**  
**Analysis Batch: 208762**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MBL Result	MBL Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	ND		0.050	mg/L			02/25/26 12:07	1
Calcium	ND		0.10	mg/L			02/25/26 12:07	1
Iron	ND		0.010	mg/L			02/25/26 12:07	1
Magnesium	ND		0.10	mg/L			02/25/26 12:07	1
Potassium	ND		0.20	mg/L			02/25/26 12:07	1
Sodium	ND		0.10	mg/L			02/25/26 12:07	1

**Lab Sample ID: LCS 380-208762/43**  
**Matrix: Bottled Water**  
**Analysis Batch: 208762**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Boron	0.500	0.517		mg/L		103	85 - 115
Calcium	50.0	49.2		mg/L		98	85 - 115
Iron	5.00	5.00		mg/L		100	85 - 115
Magnesium	20.0	19.9		mg/L		99	85 - 115
Potassium	20.0	20.1		mg/L		100	85 - 115
Sodium	50.0	49.9		mg/L		100	85 - 115

**Lab Sample ID: LCSD 380-208762/44**  
**Matrix: Bottled Water**  
**Analysis Batch: 208762**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Boron	0.500	0.523		mg/L		105	85 - 115	1	20
Calcium	50.0	49.9		mg/L		100	85 - 115	1	20
Iron	5.00	5.08		mg/L		102	85 - 115	1	20
Magnesium	20.0	20.1		mg/L		101	85 - 115	1	20
Potassium	20.0	20.3		mg/L		102	85 - 115	1	20
Sodium	50.0	50.4		mg/L		101	85 - 115	1	20

**Lab Sample ID: LLCS 380-208762/42**  
**Matrix: Bottled Water**  
**Analysis Batch: 208762**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LLCS Result	LLCS Qualifier	Unit	D	%Rec	%Rec Limits
Boron	0.0500	0.0489	J	mg/L		98	50 - 150
Calcium	0.100	0.0944	J	mg/L		94	50 - 150

Eurofins Pomona

# QC Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Method: 200.7 - Metals (ICP) (Continued)

Lab Sample ID: LLCS 380-208762/42  
 Matrix: Bottled Water  
 Analysis Batch: 208762

Client Sample ID: Lab Control Sample  
 Prep Type: Total/NA

Analyte	Spike Added	LLCS Result	LLCS Qualifier	Unit	D	%Rec	%Rec Limits
Iron	0.0100	0.00931	J	mg/L		93	50 - 150
Magnesium	0.100	0.0840	J	mg/L		84	50 - 150
Potassium	0.100	0.0913	J	mg/L		91	50 - 150
Sodium	0.100	0.0946	J	mg/L		95	50 - 150

## Method: 200.8 - Metals (ICP/MS)

Lab Sample ID: MBL 380-208969/15  
 Matrix: Bottled Water  
 Analysis Batch: 208969

Client Sample ID: Method Blank  
 Prep Type: Total/NA

Analyte	MBL Result	MBL Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	ND		20	ug/L			02/25/26 11:16	1
Antimony	ND		1.0	ug/L			02/25/26 11:16	1
Arsenic	ND		1.0	ug/L			02/25/26 11:16	1
Barium	ND		2.0	ug/L			02/25/26 11:16	1
Beryllium	ND		0.30	ug/L			02/25/26 11:16	1
Cadmium	ND		0.50	ug/L			02/25/26 11:16	1
Chromium	ND		0.90	ug/L			02/25/26 11:16	1
Copper	ND		1.0	ug/L			02/25/26 11:16	1
Lead	ND		0.50	ug/L			02/25/26 11:16	1
Manganese	ND		2.0	ug/L			02/25/26 11:16	1
Nickel	ND		5.0	ug/L			02/25/26 11:16	1
Selenium	ND		2.0	ug/L			02/25/26 11:16	1
Silver	ND		0.50	ug/L			02/25/26 11:16	1
Thallium	ND		0.30	ug/L			02/25/26 11:16	1
Uranium	ND		1.0	ug/L			02/25/26 11:16	1
Zinc	ND		5.0	ug/L			02/25/26 11:16	1

Analyte	MBL Result	MBL Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Uranium	ND		0.67	pCi/L			02/25/26 11:16	1

Lab Sample ID: LCS 380-208969/17  
 Matrix: Bottled Water  
 Analysis Batch: 208969

Client Sample ID: Lab Control Sample  
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Aluminum	50.0	50.5		ug/L		101	85 - 115
Antimony	50.0	50.1		ug/L		100	85 - 115
Arsenic	50.0	51.0		ug/L		102	85 - 115
Barium	50.0	50.6		ug/L		101	85 - 115
Beryllium	50.0	51.5		ug/L		103	85 - 115
Cadmium	50.0	50.7		ug/L		101	85 - 115
Chromium	50.0	49.9		ug/L		100	85 - 115
Copper	50.0	50.9		ug/L		102	85 - 115
Lead	50.0	51.6		ug/L		103	85 - 115
Manganese	50.0	50.8		ug/L		102	85 - 115
Nickel	50.0	49.4		ug/L		99	85 - 115
Selenium	50.0	51.6		ug/L		103	85 - 115

# QC Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Method: 200.8 - Metals (ICP/MS) (Continued)

**Lab Sample ID: LCS 380-208969/17**  
**Matrix: Bottled Water**  
**Analysis Batch: 208969**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec		
	Added	Result	Qualifier						
Silver	50.0	51.1		ug/L		102	85 - 115		
Thallium	50.0	50.8		ug/L		102	85 - 115		
Uranium	50.0	50.6		ug/L		101	85 - 115		
Zinc	50.0	50.4		ug/L		101	85 - 115		
Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec		
	Added	Result	Qualifier						
Uranium	34	33.9		pCi/L		101	85 - 115		

**Lab Sample ID: LCSD 380-208969/18**  
**Matrix: Bottled Water**  
**Analysis Batch: 208969**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike	LCSD	LCSD	Unit	D	%Rec	%Rec	RPD	RPD	Limit
	Added	Result	Qualifier							
Aluminum	50.0	50.7		ug/L		101	85 - 115	0	20	
Antimony	50.0	50.2		ug/L		100	85 - 115	0	20	
Arsenic	50.0	51.2		ug/L		102	85 - 115	1	20	
Barium	50.0	50.7		ug/L		101	85 - 115	0	20	
Beryllium	50.0	51.7		ug/L		103	85 - 115	0	20	
Cadmium	50.0	51.0		ug/L		102	85 - 115	1	20	
Chromium	50.0	50.0		ug/L		100	85 - 115	0	20	
Copper	50.0	51.2		ug/L		102	85 - 115	1	20	
Lead	50.0	51.1		ug/L		102	85 - 115	1	20	
Manganese	50.0	51.1		ug/L		102	85 - 115	1	20	
Nickel	50.0	49.8		ug/L		100	85 - 115	1	20	
Selenium	50.0	51.9		ug/L		104	85 - 115	1	20	
Silver	50.0	50.9		ug/L		102	85 - 115	0	20	
Thallium	50.0	51.0		ug/L		102	85 - 115	0	20	
Uranium	50.0	50.5		ug/L		101	85 - 115	0	20	
Zinc	50.0	51.0		ug/L		102	85 - 115	1	20	
Analyte	Spike	LCSD	LCSD	Unit	D	%Rec	%Rec	RPD	RPD	Limit
	Added	Result	Qualifier							
Uranium	34	33.9		pCi/L		101	85 - 115	0	20	

**Lab Sample ID: LLCS 380-208969/16**  
**Matrix: Bottled Water**  
**Analysis Batch: 208969**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike	LLCS	LLCS	Unit	D	%Rec	%Rec		
	Added	Result	Qualifier						
Aluminum	20.0	20.6		ug/L		103	50 - 150		
Antimony	1.00	1.04		ug/L		104	50 - 150		
Arsenic	1.00	0.961	J	ug/L		96	50 - 150		
Barium	2.00	2.03		ug/L		101	50 - 150		
Beryllium	0.300	0.325		ug/L		108	50 - 150		
Cadmium	0.500	0.519		ug/L		104	50 - 150		
Chromium	0.900	0.682	J	ug/L		76	50 - 150		
Copper	1.00	1.03		ug/L		103	50 - 150		
Lead	0.500	0.517		ug/L		103	50 - 150		
Manganese	2.00	2.05		ug/L		103	50 - 150		
Nickel	1.00	1.03	J	ug/L		103	50 - 150		

# QC Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
Project/Site: Annual 50-State

Job ID: 380-199432-1

## Method: 200.8 - Metals (ICP/MS) (Continued)

Lab Sample ID: LLCS 380-208969/16  
Matrix: Bottled Water  
Analysis Batch: 208969

Client Sample ID: Lab Control Sample  
Prep Type: Total/NA

Analyte	Spike	LLCS	LLCS	Unit	D	%Rec	%Rec	Limits
	Added	Result	Qualifier					
Selenium	2.00	1.92	J	ug/L		96		50 - 150
Silver	0.500	0.525		ug/L		105		50 - 150
Thallium	0.300	0.310		ug/L		103		50 - 150
Uranium	1.00	1.05		ug/L		105		50 - 150
Zinc	5.00	5.17		ug/L		103		50 - 150
Analyte	Spike	LLCS	LLCS	Unit	D	%Rec	%Rec	Limits
	Added	Result	Qualifier					
Uranium	0.67	0.700		pCi/L		105		50 - 150

## Method: 200.8 - Mercury (ICP/MS)

Lab Sample ID: MBL 380-208970/15  
Matrix: Bottled Water  
Analysis Batch: 208970

Client Sample ID: Method Blank  
Prep Type: Total/NA

Analyte	MBL	MBL	RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
Hg	ND		0.20	ug/L			02/25/26 11:16	1

Lab Sample ID: LCS 380-208970/17  
Matrix: Bottled Water  
Analysis Batch: 208970

Client Sample ID: Lab Control Sample  
Prep Type: Total/NA

Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec	Limits
	Added	Result	Qualifier					
Hg	1.00	0.995		ug/L		100		85 - 115

Lab Sample ID: LCSD 380-208970/18  
Matrix: Bottled Water  
Analysis Batch: 208970

Client Sample ID: Lab Control Sample Dup  
Prep Type: Total/NA

Analyte	Spike	LCSD	LCSD	Unit	D	%Rec	%Rec	Limits	RPD	RPD
	Added	Result	Qualifier						Limit	
Hg	1.00	1.04		ug/L		104		85 - 115	4	20

Lab Sample ID: LLCS 380-208970/16  
Matrix: Bottled Water  
Analysis Batch: 208970

Client Sample ID: Lab Control Sample  
Prep Type: Total/NA

Analyte	Spike	LLCS	LLCS	Unit	D	%Rec	%Rec	Limits
	Added	Result	Qualifier					
Hg	0.200	0.214		ug/L		107		50 - 150

## Method: 180.1 - Turbidity, Nephelometric

Lab Sample ID: MB 380-208375/1  
Matrix: Bottled Water  
Analysis Batch: 208375

Client Sample ID: Method Blank  
Prep Type: Total/NA

Analyte	MB	MB	RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
Turbidity	ND		0.10	NTU			02/24/26 10:47	1

# QC Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Method: 180.1 - Turbidity, Nephelometric (Continued)

**Lab Sample ID: LCS 380-208375/2**  
**Matrix: Bottled Water**  
**Analysis Batch: 208375**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Turbidity	20.0	20		NTU		100	90 - 110

**Lab Sample ID: LCSD 380-208375/22**  
**Matrix: Bottled Water**  
**Analysis Batch: 208375**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Turbidity	20.0	20		NTU		100	90 - 110	0	20

**Lab Sample ID: MRL 380-208375/4**  
**Matrix: Bottled Water**  
**Analysis Batch: 208375**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Turbidity	0.100	0.10		NTU		107	50 - 150

**Lab Sample ID: 380-199432-1 DU**  
**Matrix: Bottled Water**  
**Analysis Batch: 208375**

**Client Sample ID: DMW TEST**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Turbidity	ND		ND		NTU		NC	20

## Method: 420.4 - Phenolics, Total Recoverable

**Lab Sample ID: MB 380-208540/33**  
**Matrix: Bottled Water**  
**Analysis Batch: 208540**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Phenols, Total	ND		1.0	ug/L			02/24/26 20:35	1

**Lab Sample ID: LCS 380-208540/41**  
**Matrix: Bottled Water**  
**Analysis Batch: 208540**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Phenols, Total	5.00	4.55		ug/L		91	90 - 110

**Lab Sample ID: LCSD 380-208540/42**  
**Matrix: Bottled Water**  
**Analysis Batch: 208540**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Phenols, Total	5.00	4.78		ug/L		96	90 - 110	5	20

# QC Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Method: 420.4 - Phenolics, Total Recoverable (Continued)

**Lab Sample ID: MRL 380-208540/34**  
**Matrix: Bottled Water**  
**Analysis Batch: 208540**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Phenols, Total	1.00	0.879	J	ug/L		88	50 - 150

**Lab Sample ID: 380-199432-1 MS**  
**Matrix: Bottled Water**  
**Analysis Batch: 208540**

**Client Sample ID: DMW TEST**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Phenols, Total	ND		5.00	4.89		ug/L		98	80 - 120

**Lab Sample ID: 380-199432-1 MSD**  
**Matrix: Bottled Water**  
**Analysis Batch: 208540**

**Client Sample ID: DMW TEST**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Phenols, Total	ND		5.00	5.12		ug/L		102	80 - 120	5	20

## Method: 4500 ClO2 D - Chlorine Dioxide

**Lab Sample ID: MB 380-209177/8**  
**Matrix: Bottled Water**  
**Analysis Batch: 209177**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chlorine dioxide	ND		0.24	mg/L			02/26/26 16:50	1

**Lab Sample ID: LCS 380-209177/10**  
**Matrix: Bottled Water**  
**Analysis Batch: 209177**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chlorine dioxide	2.40	2.23		mg/L		93	85 - 115

**Lab Sample ID: LCSD 380-209177/11**  
**Matrix: Bottled Water**  
**Analysis Batch: 209177**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chlorine dioxide	2.40	2.24		mg/L		93	85 - 115	0	20

**Lab Sample ID: MRL 380-209177/9**  
**Matrix: Bottled Water**  
**Analysis Batch: 209177**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Chlorine dioxide	0.240	ND		mg/L		92	50 - 150

# QC Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Method: 4500 CN F - Cyanide, Free

Lab Sample ID: MB 380-209311/3  
 Matrix: Bottled Water  
 Analysis Batch: 209311

Client Sample ID: Method Blank  
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Cyanide	ND		0.025	mg/L			02/27/26 08:31	1

Lab Sample ID: LCS 380-209311/5  
 Matrix: Bottled Water  
 Analysis Batch: 209311

Client Sample ID: Lab Control Sample  
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Cyanide	0.100	0.0974		mg/L		97	90 - 110

Lab Sample ID: LCSD 380-209311/6  
 Matrix: Bottled Water  
 Analysis Batch: 209311

Client Sample ID: Lab Control Sample Dup  
 Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Cyanide	0.100	0.0972		mg/L		97	90 - 110	0	20

Lab Sample ID: MRL 380-209311/4  
 Matrix: Bottled Water  
 Analysis Batch: 209311

Client Sample ID: Lab Control Sample  
 Prep Type: Total/NA

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Cyanide	0.0250	0.0313		mg/L		125	50 - 150

## Method: SM 2120B - Color, Colorimetric

Lab Sample ID: MB 380-208376/1  
 Matrix: Bottled Water  
 Analysis Batch: 208376

Client Sample ID: Method Blank  
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Color, Apparent	ND		2.0	Color Units			02/24/26 12:42	1

## Method: SM 2150B - Odor

Lab Sample ID: MB 380-208261/1  
 Matrix: Bottled Water  
 Analysis Batch: 208261

Client Sample ID: Method Blank  
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Odor	ND		1.0	T.O.N.			02/24/26 08:25	1

## Method: SM 2320B - Alkalinity

Lab Sample ID: MB 380-208984/1  
 Matrix: Bottled Water  
 Analysis Batch: 208984

Client Sample ID: Method Blank  
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity as CaCO3	ND		4.0	mg/L			02/25/26 13:22	1
Bicarbonate Alkalinity as CaCO3	ND		4.0	mg/L			02/25/26 13:22	1
Carbonate Alkalinity as CaCO3	ND		4.0	mg/L			02/25/26 13:22	1

Eurofins Pomona

# QC Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
Project/Site: Annual 50-State

Job ID: 380-199432-1

## Method: SM 2320B - Alkalinity (Continued)

**Lab Sample ID: MB 380-208984/1**  
**Matrix: Bottled Water**  
**Analysis Batch: 208984**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Hydroxide Alkalinity as CaCO3	ND		4.0	mg/L			02/25/26 13:22	1

**Lab Sample ID: LCS 380-208984/4**  
**Matrix: Bottled Water**  
**Analysis Batch: 208984**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Alkalinity as CaCO3	100	95.4		mg/L		95	90 - 110

**Lab Sample ID: LCSD 380-208984/19**  
**Matrix: Bottled Water**  
**Analysis Batch: 208984**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Alkalinity as CaCO3	100	94.9		mg/L		95	90 - 110	1	20

**Lab Sample ID: LLCS 380-208984/5**  
**Matrix: Bottled Water**  
**Analysis Batch: 208984**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LLCS Result	LLCS Qualifier	Unit	D	%Rec	%Rec Limits
Alkalinity as CaCO3	20.0	18.5		mg/L		93	90 - 110

**Lab Sample ID: MRL 380-208984/3**  
**Matrix: Bottled Water**  
**Analysis Batch: 208984**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Alkalinity as CaCO3	4.00	3.32	J	mg/L		83	50 - 150

## Method: SM 2510B - Conductivity, Specific Conductance

**Lab Sample ID: MB 380-208987/3**  
**Matrix: Bottled Water**  
**Analysis Batch: 208987**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Specific Conductance	ND		2.0	umhos/cm			02/25/26 13:22	1

**Lab Sample ID: LCS 380-208987/5**  
**Matrix: Bottled Water**  
**Analysis Batch: 208987**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Specific Conductance	1000	1010		umhos/cm		101	90 - 110

# QC Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Method: SM 2510B - Conductivity, Specific Conductance (Continued)

Lab Sample ID: LCSD 380-208987/17  
 Matrix: Bottled Water  
 Analysis Batch: 208987

Client Sample ID: Lab Control Sample Dup  
 Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Specific Conductance	1000	998		umhos/cm		100	90 - 110	1	10

Lab Sample ID: MRL 380-208987/4  
 Matrix: Bottled Water  
 Analysis Batch: 208987

Client Sample ID: Lab Control Sample  
 Prep Type: Total/NA

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Specific Conductance	2.00	2.00		umhos/cm		100	50 - 150

## Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 380-208408/1  
 Matrix: Bottled Water  
 Analysis Batch: 208408

Client Sample ID: Method Blank  
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	ND		10	mg/L			02/24/26 15:08	1

Lab Sample ID: HLCS 380-208408/4  
 Matrix: Bottled Water  
 Analysis Batch: 208408

Client Sample ID: Lab Control Sample  
 Prep Type: Total/NA

Analyte	Spike Added	HLCS Result	HLCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	700	686		mg/L		98	80 - 114

Lab Sample ID: LCS 380-208408/3  
 Matrix: Bottled Water  
 Analysis Batch: 208408

Client Sample ID: Lab Control Sample  
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	175	182		mg/L		104	80 - 114

Lab Sample ID: MRL 380-208408/2  
 Matrix: Bottled Water  
 Analysis Batch: 208408

Client Sample ID: Lab Control Sample  
 Prep Type: Total/NA

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	10.0	10.0		mg/L		100	50 - 150

## Method: SM 4500 Cl G - Chlorine, Residual

Lab Sample ID: MB 380-209176/8  
 Matrix: Bottled Water  
 Analysis Batch: 209176

Client Sample ID: Method Blank  
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chlorine, Total Residual	ND		0.050	mg/L			02/26/26 16:50	1
Chloramines, Total	ND		0.050	mg/L			02/26/26 16:50	1
Chlorine, free	ND		0.050	mg/L			02/26/26 16:50	1

Eurofins Pomona

# QC Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Method: SM 4500 Cl G - Chlorine, Residual (Continued)

**Lab Sample ID:** LCS 380-209176/10  
**Matrix:** Bottled Water  
**Analysis Batch:** 209176

**Client Sample ID:** Lab Control Sample  
**Prep Type:** Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec	
		Result	Qualifier				Limits	RPD
Chlorine, Total Residual	1.00	0.930		mg/L		93	85 - 115	
Chloramines, Total	0.000	ND		mg/L		8	-	
Chlorine, free	1.00	0.920		mg/L		92	85 - 115	

**Lab Sample ID:** LCSD 380-209176/11  
**Matrix:** Bottled Water  
**Analysis Batch:** 209176

**Client Sample ID:** Lab Control Sample Dup  
**Prep Type:** Total/NA

Analyte	Spike Added	LCSD	LCSD	Unit	D	%Rec	%Rec		RPD
		Result	Qualifier				Limits	RPD	
Chlorine, Total Residual	1.00	0.930		mg/L		93	85 - 115	0	20
Chloramines, Total	0.000	ND		mg/L		NaN	-	200	
Chlorine, free	1.00	0.930		mg/L		93	85 - 115	1	20

**Lab Sample ID:** MRL 380-209176/9  
**Matrix:** Bottled Water  
**Analysis Batch:** 209176

**Client Sample ID:** Lab Control Sample  
**Prep Type:** Total/NA

Analyte	Spike Added	MRL	MRL	Unit	D	%Rec	%Rec	
		Result	Qualifier				Limits	RPD
Chlorine, Total Residual	0.0500	0.0500		mg/L		100	50 - 150	
Chloramines, Total	0.000	ND		mg/L		NaN	-	
Chlorine, free	0.0500	0.0500		mg/L		100	50 - 150	

## Method: SM 4500 F C - Fluoride

**Lab Sample ID:** MB 380-208983/6  
**Matrix:** Bottled Water  
**Analysis Batch:** 208983

**Client Sample ID:** Method Blank  
**Prep Type:** Total/NA

Analyte	MB MB		RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
Fluoride	ND		0.050	mg/L			02/25/26 16:53	1

**Lab Sample ID:** LCS 380-208983/8  
**Matrix:** Bottled Water  
**Analysis Batch:** 208983

**Client Sample ID:** Lab Control Sample  
**Prep Type:** Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec	
		Result	Qualifier				Limits	RPD
Fluoride	1.00	1.05		mg/L		105	90 - 110	

**Lab Sample ID:** LCSD 380-208983/9  
**Matrix:** Bottled Water  
**Analysis Batch:** 208983

**Client Sample ID:** Lab Control Sample Dup  
**Prep Type:** Total/NA

Analyte	Spike Added	LCSD	LCSD	Unit	D	%Rec	%Rec		RPD
		Result	Qualifier				Limits	RPD	
Fluoride	1.00	1.05		mg/L		105	90 - 110	0	10

# QC Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Method: SM 4500 F C - Fluoride (Continued)

Lab Sample ID: MRL 380-208983/7  
 Matrix: Bottled Water  
 Analysis Batch: 208983

Client Sample ID: Lab Control Sample  
 Prep Type: Total/NA

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	0.0500	0.0529		mg/L		106	50 - 150

## Method: SM 4500 H+ B - pH

Lab Sample ID: MB 380-208989/5  
 Matrix: Bottled Water  
 Analysis Batch: 208989

Client Sample ID: Method Blank  
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH	5.8		0.01	SU			02/25/26 13:22	1

Lab Sample ID: LCS 380-208989/6  
 Matrix: Bottled Water  
 Analysis Batch: 208989

Client Sample ID: Lab Control Sample  
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
pH	6.00	6.0		SU		100	98 - 102

Lab Sample ID: LCSD 380-208989/18  
 Matrix: Bottled Water  
 Analysis Batch: 208989

Client Sample ID: Lab Control Sample Dup  
 Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
pH	6.00	6.0		SU		100	98 - 102	0	2

## Method: SM 5540C - Methylene Blue Active Substances (MBAS)

Lab Sample ID: MB 380-208703/2  
 Matrix: Bottled Water  
 Analysis Batch: 208703

Client Sample ID: Method Blank  
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Methylene Blue Active Substances	ND		0.10	mg/L			02/25/26 12:24	1

Lab Sample ID: LCS 380-208703/4  
 Matrix: Bottled Water  
 Analysis Batch: 208703

Client Sample ID: Lab Control Sample  
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Methylene Blue Active Substances	0.200	0.192		mg/L		96	90 - 110

Lab Sample ID: LCSD 380-208703/5  
 Matrix: Bottled Water  
 Analysis Batch: 208703

Client Sample ID: Lab Control Sample Dup  
 Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Methylene Blue Active Substances	0.200	0.185		mg/L		92	90 - 110	4	20

# QC Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Method: SM 5540C - Methylene Blue Active Substances (MBAS) (Continued)

**Lab Sample ID: MRL 380-208703/3**  
**Matrix: Bottled Water**  
**Analysis Batch: 208703**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Methylene Blue Active Substances	0.100	0.110		mg/L		110	75 - 125

**Lab Sample ID: 380-199432-1 MS**  
**Matrix: Bottled Water**  
**Analysis Batch: 208703**

**Client Sample ID: DMW TEST**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Methylene Blue Active Substances	ND		0.200	0.199		mg/L		100	80 - 120

**Lab Sample ID: 380-199432-1 MSD**  
**Matrix: Bottled Water**  
**Analysis Batch: 208703**

**Client Sample ID: DMW TEST**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Methylene Blue Active Substances	ND		0.200	0.199		mg/L		100	80 - 120	0	20

## Method: 900.0 - Gross Alpha and Gross Beta Radioactivity

**Lab Sample ID: MB 160-759534/1-A**  
**Matrix: Bottled Water**  
**Analysis Batch: 760044**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 759534**

Analyte	MB Result	MB Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Gross Alpha	0.2781	U	0.379	0.381	3.00	0.401	pCi/L	03/03/26 07:39	03/05/26 14:28	1
Gross Beta	1.014		0.649	0.657	4.00	0.590	pCi/L	03/03/26 07:39	03/05/26 14:28	1

**Lab Sample ID: LCS 160-759534/2-A**  
**Matrix: Bottled Water**  
**Analysis Batch: 760063**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 759534**

Analyte	Spike Added	LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec Limits
Gross Alpha	51.2	58.34		8.42	3.00	1.12	pCi/L	114	80 - 120

**Lab Sample ID: LCSB 160-759534/3-A**  
**Matrix: Bottled Water**  
**Analysis Batch: 760044**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 759534**

Analyte	Spike Added	LCSB Result	LCSB Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec Limits
Gross Beta	68.5	68.09		7.38	4.00	0.680	pCi/L	99	80 - 120

# QC Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
Project/Site: Annual 50-State

Job ID: 380-199432-1

## Method: 903.0 - Radium-226 (GFPC)

**Lab Sample ID: MB 160-759488/1-A**  
**Matrix: Bottled Water**  
**Analysis Batch: 760045**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 759488**

Analyte	MB	MB	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.1617		0.126	0.127	1.00	0.113	pCi/L	03/02/26 12:34	03/05/26 07:48	1
Carrier	MB %Yield	MB Qualifier	Limits		Prepared	Analyzed	Dil Fac			
Ba Carrier	92.3		30 - 110		03/02/26 12:34	03/05/26 07:48	1			

**Lab Sample ID: LCS 160-759488/2-A**  
**Matrix: Bottled Water**  
**Analysis Batch: 760045**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 759488**

Analyte	Spike Added	LCS	LCS	Total	RL	MDC	Unit	%Rec	%Rec Limits
		Result	Qual	Uncert. (2σ+/-)					
Radium-226	9.57	10.59	*	1.23	1.00	0.115	pCi/L	111	90 - 110
Carrier	LCS %Yield	LCS Qualifier	Limits						
Ba Carrier	86.6		30 - 110						

## Method: 904.0 - Radium-228 (GFPC)

**Lab Sample ID: MB 160-759170/1-A**  
**Matrix: Bottled Water**  
**Analysis Batch: 760046**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 759170**

Analyte	MB	MB	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.4050		0.343	0.345	1.00	0.325	pCi/L	02/27/26 12:59	03/05/26 12:06	1
Carrier	MB %Yield	MB Qualifier	Limits		Prepared	Analyzed	Dil Fac			
Ba Carrier	87.4		30 - 110		02/27/26 12:59	03/05/26 12:06	1			
Y Carrier	80.7		30 - 110		02/27/26 12:59	03/05/26 12:06	1			

**Lab Sample ID: LCS 160-759170/2-A**  
**Matrix: Bottled Water**  
**Analysis Batch: 760046**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 759170**

Analyte	Spike Added	LCS	LCS	Total	RL	MDC	Unit	%Rec	%Rec Limits
		Result	Qual	Uncert. (2σ+/-)					
Radium-228	9.37	8.717		1.21	1.00	0.290	pCi/L	93	80 - 120
Carrier	LCS %Yield	LCS Qualifier	Limits						
Ba Carrier	90.0		30 - 110						
Y Carrier	83.4		30 - 110						

# QC Sample Results

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Method: SM 7500-Rn B - Radon-222 (LSC)

**Lab Sample ID: MB 160-761172/2-A**  
**Matrix: Bottled Water**  
**Analysis Batch: 761411**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 761172**

Analyte	MB	MB	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radon-222	0.0000	U	10.3	10.3	30.0	18.3	pCi/L	03/12/26 14:32	03/12/26 21:41	1

**Lab Sample ID: LCS 160-761172/3-A**  
**Matrix: Bottled Water**  
**Analysis Batch: 761411**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 761172**

Analyte	Spike Added	LCS	LCS	Total	RL	MDC	Unit	%Rec	%Rec
		Result	Qual	Uncert. (2σ+/-)					Limits
Radon-222	5860	6275		513	30.0	18.3	pCi/L	107	90 - 110

**Lab Sample ID: LCSD 160-761172/7-A**  
**Matrix: Bottled Water**  
**Analysis Batch: 761411**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**  
**Prep Batch: 761172**

Analyte	Spike Added	LCSD	LCSD	Total	RL	MDC	Unit	%Rec	%Rec	RER	RER	Limit
		Result	Qual	Uncert. (2σ+/-)					Limits	Limit	Limit	
Radon-222	5860	6165		505	30.0	18.3	pCi/L	105	90 - 110	0.11		1

**Lab Sample ID: 380-202240-1 DU**  
**Matrix: Bottled Water**  
**Analysis Batch: 761411**

**Client Sample ID: DMW Test**  
**Prep Type: Total/NA**  
**Prep Batch: 761172**

Analyte	Sample	Sample	DU	DU	Total	RL	MDC	Unit	RER	RER	Limit
	Result	Qual	Result	Qual	Uncert. (2σ+/-)					Limit	
Radon-222	6.45	U H	2.747	U	10.5	30.0	18.3	pCi/L	0.17		1

# QC Association Summary

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## GC/MS VOA

### Analysis Batch: 209628

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MRL 380-209628/3	Lab Control Sample	Total/NA	Bottled Water	524.2	
MRL 380-209628/4	Lab Control Sample	Total/NA	Bottled Water	524.2	

### Analysis Batch: 209637

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	524.2	
MB 380-209637/5	Method Blank	Total/NA	Bottled Water	524.2	
LCS 380-209637/3	Lab Control Sample	Total/NA	Bottled Water	524.2	
LCSD 380-209637/4	Lab Control Sample Dup	Total/NA	Bottled Water	524.2	

### Analysis Batch: 210057

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	524.2	

## GC/MS Semi VOA

### Prep Batch: 182618

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	548.1	
MB 810-182618/1-A	Method Blank	Total/NA	Bottled Water	548.1	
LCS 810-182618/3-A	Lab Control Sample	Total/NA	Bottled Water	548.1	
LLCS 810-182618/2-A	Lab Control Sample	Total/NA	Bottled Water	548.1	

### Analysis Batch: 182751

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	548.1	182618
MB 810-182618/1-A	Method Blank	Total/NA	Bottled Water	548.1	182618
LCS 810-182618/3-A	Lab Control Sample	Total/NA	Bottled Water	548.1	182618
LLCS 810-182618/2-A	Lab Control Sample	Total/NA	Bottled Water	548.1	182618

### Prep Batch: 208072

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	525.2	
MB 380-208072/21-B	Method Blank	Total/NA	Bottled Water	525.2	
LCS 380-208072/23-B	Lab Control Sample	Total/NA	Bottled Water	525.2	
MRL 380-208072/22-B	Lab Control Sample	Total/NA	Bottled Water	525.2	

### Analysis Batch: 208615

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	525.2	208072
MB 380-208072/21-B	Method Blank	Total/NA	Bottled Water	525.2	208072
LCS 380-208072/23-B	Lab Control Sample	Total/NA	Bottled Water	525.2	208072
MRL 380-208072/22-B	Lab Control Sample	Total/NA	Bottled Water	525.2	208072

## GC Semi VOA

### Prep Batch: 208267

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	6251B	
MB 380-208267/10-A	Method Blank	Total/NA	Bottled Water	6251B	
LCS 380-208267/37-A	Lab Control Sample	Total/NA	Bottled Water	6251B	
MRL 380-208267/9-A	Lab Control Sample	Total/NA	Bottled Water	6251B	

Eurofins Pomona

# QC Association Summary

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## GC Semi VOA

### Prep Batch: 208296

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	505	
MB 380-208296/3-A	Method Blank	Total/NA	Bottled Water	505	
LCS 380-208296/28-A	Lab Control Sample	Total/NA	Bottled Water	505	
LCS 380-208296/29-A	Lab Control Sample	Total/NA	Bottled Water	505	
LCS 380-208296/31-A	Lab Control Sample	Total/NA	Bottled Water	505	
LCSD 380-208296/30-A	Lab Control Sample Dup	Total/NA	Bottled Water	505	
MRL 380-208296/1-A	Lab Control Sample	Total/NA	Bottled Water	505	
MRL 380-208296/2-A	Lab Control Sample	Total/NA	Bottled Water	505	

### Prep Batch: 208322

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	504.1	
MBL 380-208322/4-A	Method Blank	Total/NA	Bottled Water	504.1	
LCS 380-208322/29-A	Lab Control Sample	Total/NA	Bottled Water	504.1	
MRL 380-208322/2-A	Lab Control Sample	Total/NA	Bottled Water	504.1	
MRL 380-208322/3-A	Lab Control Sample	Total/NA	Bottled Water	504.1	

### Prep Batch: 208391

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	515.4	
MBL 380-208391/2-A	Method Blank	Total/NA	Bottled Water	515.4	
LCS 380-208391/26-A	Lab Control Sample	Total/NA	Bottled Water	515.4	
LCSD 380-208391/27-A	Lab Control Sample Dup	Total/NA	Bottled Water	515.4	
MRL 380-208391/1-A	Lab Control Sample	Total/NA	Bottled Water	515.4	

### Analysis Batch: 208626

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	505	208296
MB 380-208296/3-A	Method Blank	Total/NA	Bottled Water	505	208296
LCS 380-208296/28-A	Lab Control Sample	Total/NA	Bottled Water	505	208296
LCS 380-208296/29-A	Lab Control Sample	Total/NA	Bottled Water	505	208296
LCS 380-208296/31-A	Lab Control Sample	Total/NA	Bottled Water	505	208296
LCSD 380-208296/30-A	Lab Control Sample Dup	Total/NA	Bottled Water	505	208296
MRL 380-208296/1-A	Lab Control Sample	Total/NA	Bottled Water	505	208296
MRL 380-208296/2-A	Lab Control Sample	Total/NA	Bottled Water	505	208296

### Analysis Batch: 208631

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	504.1	208322
MBL 380-208322/4-A	Method Blank	Total/NA	Bottled Water	504.1	208322
LCS 380-208322/29-A	Lab Control Sample	Total/NA	Bottled Water	504.1	208322
MRL 380-208322/2-A	Lab Control Sample	Total/NA	Bottled Water	504.1	208322
MRL 380-208322/3-A	Lab Control Sample	Total/NA	Bottled Water	504.1	208322

### Analysis Batch: 208960

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	6251B	208267
MB 380-208267/10-A	Method Blank	Total/NA	Bottled Water	6251B	208267
LCS 380-208267/37-A	Lab Control Sample	Total/NA	Bottled Water	6251B	208267
MRL 380-208267/9-A	Lab Control Sample	Total/NA	Bottled Water	6251B	208267

# QC Association Summary

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## GC Semi VOA

### Analysis Batch: 209231

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	6251B	

### Analysis Batch: 209931

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	515.4	208391
MBL 380-208391/2-A	Method Blank	Total/NA	Bottled Water	515.4	208391
LCS 380-208391/26-A	Lab Control Sample	Total/NA	Bottled Water	515.4	208391
LCSD 380-208391/27-A	Lab Control Sample Dup	Total/NA	Bottled Water	515.4	208391
MRL 380-208391/1-A	Lab Control Sample	Total/NA	Bottled Water	515.4	208391

## HPLC/IC

### Filtration Batch: 208340

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MBL 380-208340/3-A	Method Blank	Total/NA	Bottled Water	Filtration	
LCS 380-208340/24-A	Lab Control Sample	Total/NA	Bottled Water	Filtration	
MRL 380-208340/2-A	Lab Control Sample	Total/NA	Bottled Water	Filtration	

### Filtration Batch: 208342

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	Filtration	

### Analysis Batch: 208363

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	300.0	
MB 380-208363/4	Method Blank	Total/NA	Bottled Water	300.0	
LCS 380-208363/6	Lab Control Sample	Total/NA	Bottled Water	300.0	
LCSD 380-208363/7	Lab Control Sample Dup	Total/NA	Bottled Water	300.0	
MRL 380-208363/5	Lab Control Sample	Total/NA	Bottled Water	300.0	

### Analysis Batch: 208364

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	300.0	
MB 380-208364/4	Method Blank	Total/NA	Bottled Water	300.0	
LCS 380-208364/6	Lab Control Sample	Total/NA	Bottled Water	300.0	
LCSD 380-208364/7	Lab Control Sample Dup	Total/NA	Bottled Water	300.0	
MRL 380-208364/5	Lab Control Sample	Total/NA	Bottled Water	300.0	

### Prep Batch: 208393

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	549.2	
MB 380-208393/1-A	Method Blank	Total/NA	Bottled Water	549.2	
LCS 380-208393/4-A	Lab Control Sample	Total/NA	Bottled Water	549.2	
LCSD 380-208393/5-A	Lab Control Sample Dup	Total/NA	Bottled Water	549.2	
MRL 380-208393/2-A	Lab Control Sample	Total/NA	Bottled Water	549.2	

### Analysis Batch: 208488

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	317	
MB 380-208488/4	Method Blank	Total/NA	Bottled Water	317	
LCS 380-208488/2	Lab Control Sample	Total/NA	Bottled Water	317	

# QC Association Summary

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## HPLC/IC (Continued)

### Analysis Batch: 208488 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCSD 380-208488/3	Lab Control Sample Dup	Total/NA	Bottled Water	317	
MRL 380-208488/5	Lab Control Sample	Total/NA	Bottled Water	317	

### Analysis Batch: 208754

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	531.2	208342
MBL 380-208340/3-A	Method Blank	Total/NA	Bottled Water	531.2	208340
LCS 380-208340/24-A	Lab Control Sample	Total/NA	Bottled Water	531.2	208340
MRL 380-208340/2-A	Lab Control Sample	Total/NA	Bottled Water	531.2	208340

### Analysis Batch: 208855

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	300.0	

### Filtration Batch: 209074

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MBL 380-209074/3-A	Method Blank	Total/NA	Bottled Water	Filtration	
LCS 380-209074/19-A	Lab Control Sample	Total/NA	Bottled Water	Filtration	
MRL 380-209074/2-A	Lab Control Sample	Total/NA	Bottled Water	Filtration	

### Filtration Batch: 209076

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	Filtration	

### Analysis Batch: 209361

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	547	209076
MBL 380-209074/3-A	Method Blank	Total/NA	Bottled Water	547	209074
LCS 380-209074/19-A	Lab Control Sample	Total/NA	Bottled Water	547	209074
MRL 380-209074/2-A	Lab Control Sample	Total/NA	Bottled Water	547	209074

### Analysis Batch: 209461

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	300.0	
MB 380-209461/6	Method Blank	Total/NA	Bottled Water	300.0	
LCS 380-209461/7	Lab Control Sample	Total/NA	Bottled Water	300.0	
LCSD 380-209461/8	Lab Control Sample Dup	Total/NA	Bottled Water	300.0	
MRL 380-209461/5	Lab Control Sample	Total/NA	Bottled Water	300.0	

### Analysis Batch: 209501

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	549.2	208393
MB 380-208393/1-A	Method Blank	Total/NA	Bottled Water	549.2	208393
LCS 380-208393/4-A	Lab Control Sample	Total/NA	Bottled Water	549.2	208393
LCSD 380-208393/5-A	Lab Control Sample Dup	Total/NA	Bottled Water	549.2	208393
MRL 380-208393/2-A	Lab Control Sample	Total/NA	Bottled Water	549.2	208393

# QC Association Summary

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## LCMS

### Analysis Batch: 208279

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	331.0	
MBL 380-208279/10	Method Blank	Total/NA	Bottled Water	331.0	
LCS 380-208279/11	Lab Control Sample	Total/NA	Bottled Water	331.0	
MRL 380-208279/1008	Lab Control Sample	Total/NA	Bottled Water	331.0	

### Prep Batch: 213082

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-202240-1	DMW Test	Total/NA	Bottled Water	537.1 DW	
MBL 380-213082/19-A	Method Blank	Total/NA	Bottled Water	537.1 DW	
LCS 380-213082/21-A	Lab Control Sample	Total/NA	Bottled Water	537.1 DW	
MRL 380-213082/20-A	Lab Control Sample	Total/NA	Bottled Water	537.1 DW	

### Analysis Batch: 213261

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-202240-1	DMW Test	Total/NA	Bottled Water	EPA 537.1 V2	213082
MBL 380-213082/19-A	Method Blank	Total/NA	Bottled Water	EPA 537.1 V2	213082
LCS 380-213082/21-A	Lab Control Sample	Total/NA	Bottled Water	EPA 537.1 V2	213082
MRL 380-213082/20-A	Lab Control Sample	Total/NA	Bottled Water	EPA 537.1 V2	213082

## Specialty Organics

### Prep Batch: 208599

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	1613B	
MBL 380-208599/21-A	Method Blank	Total/NA	Bottled Water	1613B	
LCS 380-208599/19-A	Lab Control Sample	Total/NA	Bottled Water	1613B	
LCSD 380-208599/20-A	Lab Control Sample Dup	Total/NA	Bottled Water	1613B	
MRL 380-208599/22-A	Lab Control Sample	Total/NA	Bottled Water	1613B	

### Analysis Batch: 208958

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	1613B	208599
MBL 380-208599/21-A	Method Blank	Total/NA	Bottled Water	1613B	208599
LCS 380-208599/19-A	Lab Control Sample	Total/NA	Bottled Water	1613B	208599
LCSD 380-208599/20-A	Lab Control Sample Dup	Total/NA	Bottled Water	1613B	208599
MRL 380-208599/22-A	Lab Control Sample	Total/NA	Bottled Water	1613B	208599

## Metals

### Analysis Batch: 208762

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	200.7	
MBL 380-208762/41	Method Blank	Total/NA	Bottled Water	200.7	
LCS 380-208762/43	Lab Control Sample	Total/NA	Bottled Water	200.7	
LCSD 380-208762/44	Lab Control Sample Dup	Total/NA	Bottled Water	200.7	
LLCS 380-208762/42	Lab Control Sample	Total/NA	Bottled Water	200.7	

### Analysis Batch: 208892

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	SM 2340B	

# QC Association Summary

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Metals

### Analysis Batch: 208969

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	200.8	
MBL 380-208969/15	Method Blank	Total/NA	Bottled Water	200.8	
LCS 380-208969/17	Lab Control Sample	Total/NA	Bottled Water	200.8	
LCSD 380-208969/18	Lab Control Sample Dup	Total/NA	Bottled Water	200.8	
LLCS 380-208969/16	Lab Control Sample	Total/NA	Bottled Water	200.8	

### Analysis Batch: 208970

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	200.8	
MBL 380-208970/15	Method Blank	Total/NA	Bottled Water	200.8	
LCS 380-208970/17	Lab Control Sample	Total/NA	Bottled Water	200.8	
LCSD 380-208970/18	Lab Control Sample Dup	Total/NA	Bottled Water	200.8	
LLCS 380-208970/16	Lab Control Sample	Total/NA	Bottled Water	200.8	

## General Chemistry

### Analysis Batch: 208261

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	SM 2150B	
MB 380-208261/1	Method Blank	Total/NA	Bottled Water	SM 2150B	

### Analysis Batch: 208375

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	180.1	
MB 380-208375/1	Method Blank	Total/NA	Bottled Water	180.1	
LCS 380-208375/2	Lab Control Sample	Total/NA	Bottled Water	180.1	
LCSD 380-208375/22	Lab Control Sample Dup	Total/NA	Bottled Water	180.1	
MRL 380-208375/4	Lab Control Sample	Total/NA	Bottled Water	180.1	
380-199432-1 DU	DMW TEST	Total/NA	Bottled Water	180.1	

### Analysis Batch: 208376

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	SM 2120B	
MB 380-208376/1	Method Blank	Total/NA	Bottled Water	SM 2120B	

### Analysis Batch: 208408

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	SM 2540C	
MB 380-208408/1	Method Blank	Total/NA	Bottled Water	SM 2540C	
HLCS 380-208408/4	Lab Control Sample	Total/NA	Bottled Water	SM 2540C	
LCS 380-208408/3	Lab Control Sample	Total/NA	Bottled Water	SM 2540C	
MRL 380-208408/2	Lab Control Sample	Total/NA	Bottled Water	SM 2540C	

### Analysis Batch: 208540

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	420.4	
MB 380-208540/33	Method Blank	Total/NA	Bottled Water	420.4	
LCS 380-208540/41	Lab Control Sample	Total/NA	Bottled Water	420.4	
LCSD 380-208540/42	Lab Control Sample Dup	Total/NA	Bottled Water	420.4	
MRL 380-208540/34	Lab Control Sample	Total/NA	Bottled Water	420.4	
380-199432-1 MS	DMW TEST	Total/NA	Bottled Water	420.4	

# QC Association Summary

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## General Chemistry (Continued)

### Analysis Batch: 208540 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1 MSD	DMW TEST	Total/NA	Bottled Water	420.4	

### Analysis Batch: 208703

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	SM 5540C	
MB 380-208703/2	Method Blank	Total/NA	Bottled Water	SM 5540C	
LCS 380-208703/4	Lab Control Sample	Total/NA	Bottled Water	SM 5540C	
LCSD 380-208703/5	Lab Control Sample Dup	Total/NA	Bottled Water	SM 5540C	
MRL 380-208703/3	Lab Control Sample	Total/NA	Bottled Water	SM 5540C	
380-199432-1 MS	DMW TEST	Total/NA	Bottled Water	SM 5540C	
380-199432-1 MSD	DMW TEST	Total/NA	Bottled Water	SM 5540C	

### Analysis Batch: 208891

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	SM 2330B	

### Analysis Batch: 208983

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	SM 4500 F C	
MB 380-208983/6	Method Blank	Total/NA	Bottled Water	SM 4500 F C	
LCS 380-208983/8	Lab Control Sample	Total/NA	Bottled Water	SM 4500 F C	
LCSD 380-208983/9	Lab Control Sample Dup	Total/NA	Bottled Water	SM 4500 F C	
MRL 380-208983/7	Lab Control Sample	Total/NA	Bottled Water	SM 4500 F C	

### Analysis Batch: 208984

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	SM 2320B	
MB 380-208984/1	Method Blank	Total/NA	Bottled Water	SM 2320B	
LCS 380-208984/4	Lab Control Sample	Total/NA	Bottled Water	SM 2320B	
LCSD 380-208984/19	Lab Control Sample Dup	Total/NA	Bottled Water	SM 2320B	
LLCS 380-208984/5	Lab Control Sample	Total/NA	Bottled Water	SM 2320B	
MRL 380-208984/3	Lab Control Sample	Total/NA	Bottled Water	SM 2320B	

### Analysis Batch: 208987

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	SM 2510B	
MB 380-208987/3	Method Blank	Total/NA	Bottled Water	SM 2510B	
LCS 380-208987/5	Lab Control Sample	Total/NA	Bottled Water	SM 2510B	
LCSD 380-208987/17	Lab Control Sample Dup	Total/NA	Bottled Water	SM 2510B	
MRL 380-208987/4	Lab Control Sample	Total/NA	Bottled Water	SM 2510B	

### Analysis Batch: 208989

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	SM 4500 H+ B	
MB 380-208989/5	Method Blank	Total/NA	Bottled Water	SM 4500 H+ B	
LCS 380-208989/6	Lab Control Sample	Total/NA	Bottled Water	SM 4500 H+ B	
LCSD 380-208989/18	Lab Control Sample Dup	Total/NA	Bottled Water	SM 4500 H+ B	

### Analysis Batch: 209176

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	SM 4500 CI G	

# QC Association Summary

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## General Chemistry (Continued)

### Analysis Batch: 209176 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 380-209176/8	Method Blank	Total/NA	Bottled Water	SM 4500 CI G	
LCS 380-209176/10	Lab Control Sample	Total/NA	Bottled Water	SM 4500 CI G	
LCSD 380-209176/11	Lab Control Sample Dup	Total/NA	Bottled Water	SM 4500 CI G	
MRL 380-209176/9	Lab Control Sample	Total/NA	Bottled Water	SM 4500 CI G	

### Analysis Batch: 209177

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	4500 ClO2 D	
MB 380-209177/8	Method Blank	Total/NA	Bottled Water	4500 ClO2 D	
LCS 380-209177/10	Lab Control Sample	Total/NA	Bottled Water	4500 ClO2 D	
LCSD 380-209177/11	Lab Control Sample Dup	Total/NA	Bottled Water	4500 ClO2 D	
MRL 380-209177/9	Lab Control Sample	Total/NA	Bottled Water	4500 ClO2 D	

### Analysis Batch: 209311

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	4500 CN F	
MB 380-209311/3	Method Blank	Total/NA	Bottled Water	4500 CN F	
LCS 380-209311/5	Lab Control Sample	Total/NA	Bottled Water	4500 CN F	
LCSD 380-209311/6	Lab Control Sample Dup	Total/NA	Bottled Water	4500 CN F	
MRL 380-209311/4	Lab Control Sample	Total/NA	Bottled Water	4500 CN F	

## Rad

### Prep Batch: 759170

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	PrecSep_0	
MB 160-759170/1-A	Method Blank	Total/NA	Bottled Water	PrecSep_0	
LCS 160-759170/2-A	Lab Control Sample	Total/NA	Bottled Water	PrecSep_0	

### Prep Batch: 759488

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	PrecSep-7	
MB 160-759488/1-A	Method Blank	Total/NA	Bottled Water	PrecSep-7	
LCS 160-759488/2-A	Lab Control Sample	Total/NA	Bottled Water	PrecSep-7	

### Prep Batch: 759534

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	Evaporation	
MB 160-759534/1-A	Method Blank	Total/NA	Bottled Water	Evaporation	
LCS 160-759534/2-A	Lab Control Sample	Total/NA	Bottled Water	Evaporation	
LCSB 160-759534/3-A	Lab Control Sample	Total/NA	Bottled Water	Evaporation	

### Prep Batch: 761172

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-202240-1	DMW Test	Total/NA	Bottled Water	NONE	
MB 160-761172/2-A	Method Blank	Total/NA	Bottled Water	NONE	
LCS 160-761172/3-A	Lab Control Sample	Total/NA	Bottled Water	NONE	
LCSD 160-761172/7-A	Lab Control Sample Dup	Total/NA	Bottled Water	NONE	
380-202240-1 DU	DMW Test	Total/NA	Bottled Water	NONE	

# QC Association Summary

Client: Drinkmore Water/Drinkmore Delivery Inc  
Project/Site: Annual 50-State

Job ID: 380-199432-1

## Biology

### Analysis Batch: 208681

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-199432-1	DMW TEST	Total/NA	Bottled Water	9223B	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

# Accreditation/Certification and Definitions Summary

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Laboratory: Eurofins Pomona

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
A2LA	ISO/IEC 17025	5890.01 & 5890.02	06-30-27

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
524.2		Bottled Water	1,3-Dichloropropene, Total
524.2		Bottled Water	2-Butanone (MEK)
524.2		Bottled Water	Bromoethane
525.2	525.2	Bottled Water	Caffeine
525.2	525.2	Bottled Water	Chlorobenzilate
525.2	525.2	Bottled Water	Chloroneb
525.2	525.2	Bottled Water	Chlorothalonil (Draconil, Bravo)
525.2	525.2	Bottled Water	Diclorvos (DDVP)
525.2	525.2	Bottled Water	Endosulfan I (Alpha)
525.2	525.2	Bottled Water	Endosulfan II (Beta)
525.2	525.2	Bottled Water	Endosulfan sulfate
525.2	525.2	Bottled Water	Endrin aldehyde
525.2	525.2	Bottled Water	Isophorone
525.2	525.2	Bottled Water	Malathion
525.2	525.2	Bottled Water	Parathion
525.2	525.2	Bottled Water	Total Permethrin (mixed isomers)
SM 2320B		Bottled Water	Bicarbonate Alkalinity as CaCO3
SM 2320B		Bottled Water	Carbonate Alkalinity as CaCO3
SM 2320B		Bottled Water	Hydroxide Alkalinity as CaCO3
SM 2340B		Bottled Water	Calcium hardness as CaCO3
SM 2340B		Bottled Water	Magnesium hardness as calcium carbonate

Arizona	State	AZ0833	02-27-27
---------	-------	--------	----------

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
200.7		Bottled Water	Boron
200.7		Bottled Water	Potassium
300.0		Bottled Water	Nitrate Nitrite as N
420.4		Bottled Water	Phenols, Total
4500 ClO2 D		Bottled Water	Chlorine dioxide
505	505	Bottled Water	Polychlorinated biphenyls, Total
524.2		Bottled Water	1,3-Dichloropropene, Total
524.2		Bottled Water	Bromoethane
525.2	525.2	Bottled Water	2,4'-DDD
525.2	525.2	Bottled Water	2,4'-DDE
525.2	525.2	Bottled Water	2,4'-DDT
525.2	525.2	Bottled Water	Acetochlor
525.2	525.2	Bottled Water	Caffeine
525.2	525.2	Bottled Water	Dimethoate
525.2	525.2	Bottled Water	Malathion
525.2	525.2	Bottled Water	Parathion
525.2	525.2	Bottled Water	Pendimethalin (Penoxaline)
525.2	525.2	Bottled Water	Terbutylazine
525.2	525.2	Bottled Water	Total Permethrin (mixed isomers)

# Accreditation/Certification and Definitions Summary

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Laboratory: Eurofins Pomona (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
9223B		Bottled Water	Coliform, Total
9223B		Bottled Water	E. Coli
SM 2320B		Bottled Water	Bicarbonate Alkalinity as CaCO3
SM 2320B		Bottled Water	Carbonate Alkalinity as CaCO3
SM 2320B		Bottled Water	Hydroxide Alkalinity as CaCO3
California	State	2813	06-18-27
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
300.0		Bottled Water	Nitrate Nitrite as N
420.4		Bottled Water	Phenols, Total
504.1	504.1	Bottled Water	1,2,3-Trichloropropane
505	505	Bottled Water	Polychlorinated biphenyls, Total
515.4	515.4	Bottled Water	2,4,5-T
515.4	515.4	Bottled Water	2,4-DB
515.4	515.4	Bottled Water	3,5-Dichlorobenzoic acid
515.4	515.4	Bottled Water	Acifluorfen
515.4	515.4	Bottled Water	Dichlorprop
524.2		Bottled Water	1,1-Dichloropropene
524.2		Bottled Water	1,2,3-Trichloropropane
524.2		Bottled Water	1,3-Dichloropropane
524.2		Bottled Water	1,3-Dichloropropene, Total
524.2		Bottled Water	2,2-Dichloropropane
524.2		Bottled Water	2-Butanone (MEK)
524.2		Bottled Water	Bromobenzene
524.2		Bottled Water	Bromochloromethane
524.2		Bottled Water	Bromoethane
524.2		Bottled Water	Bromomethane (Methyl Bromide)
524.2		Bottled Water	Chloroethane
524.2		Bottled Water	Chloromethane (methyl chloride)
524.2		Bottled Water	Dibromomethane
524.2		Bottled Water	Diisopropyl ether
524.2		Bottled Water	Hexachlorobutadiene
524.2		Bottled Water	p-Isopropyltoluene
524.2		Bottled Water	Trihalomethanes, Total
524.2		Bottled Water	Xylenes, Total
525.2	525.2	Bottled Water	2,4'-DDD
525.2	525.2	Bottled Water	2,4'-DDE
525.2	525.2	Bottled Water	2,4'-DDT
525.2	525.2	Bottled Water	2,4-Dinitrotoluene
525.2	525.2	Bottled Water	2,6-Dinitrotoluene
525.2	525.2	Bottled Water	4,4'-DDD
525.2	525.2	Bottled Water	4,4'-DDE
525.2	525.2	Bottled Water	4,4'-DDT
525.2	525.2	Bottled Water	Acenaphthene
525.2	525.2	Bottled Water	Acenaphthylene

# Accreditation/Certification and Definitions Summary

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Laboratory: Eurofins Pomona (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
-----------	---------	-----------------------	-----------------

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
525.2	525.2	Bottled Water	Acetochlor
525.2	525.2	Bottled Water	alpha-BHC
525.2	525.2	Bottled Water	alpha-Chlordane
525.2	525.2	Bottled Water	Anthracene
525.2	525.2	Bottled Water	Benz(a)anthracene
525.2	525.2	Bottled Water	Benzo[b]fluoranthene
525.2	525.2	Bottled Water	Benzo[g,h,i]perylene
525.2	525.2	Bottled Water	Benzo[k]fluoranthene
525.2	525.2	Bottled Water	beta-BHC
525.2	525.2	Bottled Water	Bromacil
525.2	525.2	Bottled Water	Butylbenzylphthalate
525.2	525.2	Bottled Water	Caffeine
525.2	525.2	Bottled Water	Chlorobenzilate
525.2	525.2	Bottled Water	Chloroneb
525.2	525.2	Bottled Water	Chlorothalonil (Draconil, Bravo)
525.2	525.2	Bottled Water	Chlorpyrifos
525.2	525.2	Bottled Water	Chrysene
525.2	525.2	Bottled Water	delta-BHC
525.2	525.2	Bottled Water	Dibenz(a,h)anthracene
525.2	525.2	Bottled Water	Diclorvos (DDVP)
525.2	525.2	Bottled Water	Diethylphthalate
525.2	525.2	Bottled Water	Dimethoate
525.2	525.2	Bottled Water	Dimethylphthalate
525.2	525.2	Bottled Water	Di-n-butyl phthalate
525.2	525.2	Bottled Water	Di-n-octyl phthalate
525.2	525.2	Bottled Water	Endosulfan I (Alpha)
525.2	525.2	Bottled Water	Endosulfan II (Beta)
525.2	525.2	Bottled Water	Endosulfan sulfate
525.2	525.2	Bottled Water	Endrin aldehyde
525.2	525.2	Bottled Water	EPTC
525.2	525.2	Bottled Water	Fluoranthene
525.2	525.2	Bottled Water	Fluorene
525.2	525.2	Bottled Water	gamma-Chlordane
525.2	525.2	Bottled Water	Indeno[1,2,3-cd]pyrene
525.2	525.2	Bottled Water	Isophorone
525.2	525.2	Bottled Water	Malathion
525.2	525.2	Bottled Water	Metolachlor
525.2	525.2	Bottled Water	Metribuzin
525.2	525.2	Bottled Water	Naphthalene
525.2	525.2	Bottled Water	Parathion
525.2	525.2	Bottled Water	Pendimethalin (Penoxaline)
525.2	525.2	Bottled Water	Phenanthrene
525.2	525.2	Bottled Water	Propachlor
525.2	525.2	Bottled Water	Pyrene
525.2	525.2	Bottled Water	Terbacil
525.2	525.2	Bottled Water	Terbutylazine
525.2	525.2	Bottled Water	Total Permethrin (mixed isomers)

# Accreditation/Certification and Definitions Summary

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Laboratory: Eurofins Pomona (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
525.2	525.2	Bottled Water	trans-Nonachlor
525.2	525.2	Bottled Water	Trifluralin
531.2		Bottled Water	Baygon
531.2		Bottled Water	Methiocarb
6251B		Bottled Water	Total Haloacetic Acids 5
6251B	6251B	Bottled Water	Bromochloroacetic acid
SM 2120B		Bottled Water	Color, Apparent
SM 2150B		Bottled Water	Odor
SM 2320B		Bottled Water	Bicarbonate Alkalinity as CaCO3
SM 2320B		Bottled Water	Carbonate Alkalinity as CaCO3
SM 2320B		Bottled Water	Hydroxide Alkalinity as CaCO3
SM 2330B		Bottled Water	Langelier Index
SM 2340B		Bottled Water	Calcium hardness as CaCO3
SM 2340B		Bottled Water	Magnesium hardness as calcium carbonate
SM 4500 Cl G		Bottled Water	Chloramines, Total
Connecticut	State	PH-0107	03-31-26

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
420.4		Bottled Water	Phenols, Total
4500 ClO2 D		Bottled Water	Chlorine dioxide
504.1	504.1	Bottled Water	1,2,3-Trichloropropane
505	505	Bottled Water	Polychlorinated biphenyls, Total
515.4	515.4	Bottled Water	3,5-Dichlorobenzoic acid
515.4	515.4	Bottled Water	Bentazon
524.2		Bottled Water	1,3-Dichloropropene, Total
524.2		Bottled Water	2-Butanone (MEK)
524.2		Bottled Water	Bromoethane
524.2		Bottled Water	m,p-Xylenes
524.2		Bottled Water	o-Xylene
524.2		Bottled Water	Trichlorotrifluoroethane
525.2	525.2	Bottled Water	2,4'-DDD
525.2	525.2	Bottled Water	2,4'-DDE
525.2	525.2	Bottled Water	2,4'-DDT
525.2	525.2	Bottled Water	2,4-Dinitrotoluene
525.2	525.2	Bottled Water	2,6-Dinitrotoluene
525.2	525.2	Bottled Water	4,4'-DDD
525.2	525.2	Bottled Water	4,4'-DDE
525.2	525.2	Bottled Water	4,4'-DDT
525.2	525.2	Bottled Water	Acenaphthene
525.2	525.2	Bottled Water	Acenaphthylene
525.2	525.2	Bottled Water	Acetochlor
525.2	525.2	Bottled Water	Aldrin
525.2	525.2	Bottled Water	alpha-BHC
525.2	525.2	Bottled Water	alpha-Chlordane

# Accreditation/Certification and Definitions Summary

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Laboratory: Eurofins Pomona (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
525.2	525.2	Bottled Water	Anthracene
525.2	525.2	Bottled Water	Benz(a)anthracene
525.2	525.2	Bottled Water	Benzo[b]fluoranthene
525.2	525.2	Bottled Water	Benzo[g,h,i]perylene
525.2	525.2	Bottled Water	Benzo[k]fluoranthene
525.2	525.2	Bottled Water	beta-BHC
525.2	525.2	Bottled Water	Bromacil
525.2	525.2	Bottled Water	Butylbenzylphthalate
525.2	525.2	Bottled Water	Caffeine
525.2	525.2	Bottled Water	Chlorobenzilate
525.2	525.2	Bottled Water	Chloroneb
525.2	525.2	Bottled Water	Chlorothalonil (Draconil, Bravo)
525.2	525.2	Bottled Water	Chlorpyrifos
525.2	525.2	Bottled Water	Chrysene
525.2	525.2	Bottled Water	delta-BHC
525.2	525.2	Bottled Water	Dibenz(a,h)anthracene
525.2	525.2	Bottled Water	Diclorvos (DDVP)
525.2	525.2	Bottled Water	Diethylphthalate
525.2	525.2	Bottled Water	Dimethoate
525.2	525.2	Bottled Water	Dimethylphthalate
525.2	525.2	Bottled Water	Di-n-butyl phthalate
525.2	525.2	Bottled Water	Di-n-octyl phthalate
525.2	525.2	Bottled Water	Endosulfan I (Alpha)
525.2	525.2	Bottled Water	Endosulfan II (Beta)
525.2	525.2	Bottled Water	Endosulfan sulfate
525.2	525.2	Bottled Water	Endrin aldehyde
525.2	525.2	Bottled Water	EPTC
525.2	525.2	Bottled Water	Fluoranthene
525.2	525.2	Bottled Water	Fluorene
525.2	525.2	Bottled Water	gamma-Chlordane
525.2	525.2	Bottled Water	Indeno[1,2,3-cd]pyrene
525.2	525.2	Bottled Water	Isophorone
525.2	525.2	Bottled Water	Malathion
525.2	525.2	Bottled Water	Metolachlor
525.2	525.2	Bottled Water	Molinate
525.2	525.2	Bottled Water	Naphthalene
525.2	525.2	Bottled Water	Parathion
525.2	525.2	Bottled Water	Pendimethalin (Penoxaline)
525.2	525.2	Bottled Water	Phenanthrene
525.2	525.2	Bottled Water	Pyrene
525.2	525.2	Bottled Water	Terbacil
525.2	525.2	Bottled Water	Terbutylazine
525.2	525.2	Bottled Water	Thiobencarb
525.2	525.2	Bottled Water	Total Permethrin (mixed isomers)
525.2	525.2	Bottled Water	trans-Nonachlor
525.2	525.2	Bottled Water	Trifluralin
531.2		Bottled Water	3-Hydroxycarbofuran

# Accreditation/Certification and Definitions Summary

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Laboratory: Eurofins Pomona (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
<u>Analysis Method</u>	<u>Prep Method</u>	<u>Matrix</u>	<u>Analyte</u>
531.2		Bottled Water	Baygon
531.2		Bottled Water	Methiocarb
6251B	6251B	Bottled Water	Bromochloroacetic acid
SM 2320B		Bottled Water	Bicarbonate Alkalinity as CaCO3
SM 2320B		Bottled Water	Carbonate Alkalinity as CaCO3
SM 2320B		Bottled Water	Hydroxide Alkalinity as CaCO3
SM 2330B		Bottled Water	Langelier Index
SM 2340B		Bottled Water	Magnesium hardness as calcium carbonate
SM 4500 Cl G		Bottled Water	Chloramines, Total
Massachusetts	State	M-CA006	06-30-26
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
<u>Analysis Method</u>	<u>Prep Method</u>	<u>Matrix</u>	<u>Analyte</u>
1613B	1613B	Bottled Water	2,3,7,8-TCDD
200.7		Bottled Water	Boron
200.7		Bottled Water	Magnesium
200.7		Bottled Water	Potassium
300.0		Bottled Water	Bromide
300.0		Bottled Water	Nitrate Nitrite as N
420.4		Bottled Water	Phenols, Total
4500 ClO2 D		Bottled Water	Chlorine dioxide
504.1	504.1	Bottled Water	1,2,3-Trichloropropane
505	505	Bottled Water	PCB-1016
505	505	Bottled Water	PCB-1221
505	505	Bottled Water	PCB-1232
505	505	Bottled Water	PCB-1242
505	505	Bottled Water	PCB-1248
505	505	Bottled Water	PCB-1254
505	505	Bottled Water	PCB-1260
505	505	Bottled Water	Polychlorinated biphenyls, Total
515.4	515.4	Bottled Water	2,4,5-T
515.4	515.4	Bottled Water	2,4-DB
515.4	515.4	Bottled Water	3,5-Dichlorobenzoic acid
515.4	515.4	Bottled Water	Acifluorfen
515.4	515.4	Bottled Water	Bentazon
515.4	515.4	Bottled Water	Dicamba
515.4	515.4	Bottled Water	Dichlorprop
524.2		Bottled Water	1,1-Dichloropropene
524.2		Bottled Water	1,2,3-Trichloropropane
524.2		Bottled Water	1,3-Dichloropropane
524.2		Bottled Water	1,3-Dichloropropene, Total
524.2		Bottled Water	2,2-Dichloropropane
524.2		Bottled Water	2-Butanone (MEK)
524.2		Bottled Water	Bromobenzene
524.2		Bottled Water	Bromochloromethane

# Accreditation/Certification and Definitions Summary

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Laboratory: Eurofins Pomona (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
-----------	---------	-----------------------	-----------------

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
524.2		Bottled Water	Bromoethane
524.2		Bottled Water	Bromomethane (Methyl Bromide)
524.2		Bottled Water	Chloroethane
524.2		Bottled Water	Chloromethane (methyl chloride)
524.2		Bottled Water	Dibromomethane
524.2		Bottled Water	Diisopropyl ether
524.2		Bottled Water	Hexachlorobutadiene
524.2		Bottled Water	p-Isopropyltoluene
524.2		Bottled Water	Xylenes, Total
525.2	525.2	Bottled Water	2,4'-DDD
525.2	525.2	Bottled Water	2,4'-DDE
525.2	525.2	Bottled Water	2,4'-DDT
525.2	525.2	Bottled Water	2,4-Dinitrotoluene
525.2	525.2	Bottled Water	2,6-Dinitrotoluene
525.2	525.2	Bottled Water	4,4'-DDD
525.2	525.2	Bottled Water	4,4'-DDE
525.2	525.2	Bottled Water	4,4'-DDT
525.2	525.2	Bottled Water	Acenaphthene
525.2	525.2	Bottled Water	Acenaphthylene
525.2	525.2	Bottled Water	Acetochlor
525.2	525.2	Bottled Water	Aldrin
525.2	525.2	Bottled Water	alpha-BHC
525.2	525.2	Bottled Water	alpha-Chlordane
525.2	525.2	Bottled Water	Anthracene
525.2	525.2	Bottled Water	Benz(a)anthracene
525.2	525.2	Bottled Water	Benzo[b]fluoranthene
525.2	525.2	Bottled Water	Benzo[g,h,i]perylene
525.2	525.2	Bottled Water	Benzo[k]fluoranthene
525.2	525.2	Bottled Water	beta-BHC
525.2	525.2	Bottled Water	Bromacil
525.2	525.2	Bottled Water	Butachlor
525.2	525.2	Bottled Water	Butylbenzylphthalate
525.2	525.2	Bottled Water	Caffeine
525.2	525.2	Bottled Water	Chlorobenzilate
525.2	525.2	Bottled Water	Chloroneb
525.2	525.2	Bottled Water	Chlorothalonil (Draconil, Bravo)
525.2	525.2	Bottled Water	Chlorpyrifos
525.2	525.2	Bottled Water	Chrysene
525.2	525.2	Bottled Water	delta-BHC
525.2	525.2	Bottled Water	Dibenz(a,h)anthracene
525.2	525.2	Bottled Water	Diclorvos (DDVP)
525.2	525.2	Bottled Water	Dieldrin
525.2	525.2	Bottled Water	Diethylphthalate
525.2	525.2	Bottled Water	Dimethoate
525.2	525.2	Bottled Water	Dimethylphthalate
525.2	525.2	Bottled Water	Di-n-butyl phthalate
525.2	525.2	Bottled Water	Di-n-octyl phthalate

# Accreditation/Certification and Definitions Summary

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Laboratory: Eurofins Pomona (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
-----------	---------	-----------------------	-----------------

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
525.2	525.2	Bottled Water	Endosulfan I (Alpha)
525.2	525.2	Bottled Water	Endosulfan II (Beta)
525.2	525.2	Bottled Water	Endosulfan sulfate
525.2	525.2	Bottled Water	Endrin aldehyde
525.2	525.2	Bottled Water	EPTC
525.2	525.2	Bottled Water	Fluoranthene
525.2	525.2	Bottled Water	Fluorene
525.2	525.2	Bottled Water	gamma-Chlordane
525.2	525.2	Bottled Water	Indeno[1,2,3-cd]pyrene
525.2	525.2	Bottled Water	Isophorone
525.2	525.2	Bottled Water	Malathion
525.2	525.2	Bottled Water	Metolachlor
525.2	525.2	Bottled Water	Metribuzin
525.2	525.2	Bottled Water	Molinate
525.2	525.2	Bottled Water	Naphthalene
525.2	525.2	Bottled Water	Parathion
525.2	525.2	Bottled Water	Pendimethalin (Penoxaline)
525.2	525.2	Bottled Water	Phenanthrene
525.2	525.2	Bottled Water	Propachlor
525.2	525.2	Bottled Water	Pyrene
525.2	525.2	Bottled Water	Terbacil
525.2	525.2	Bottled Water	Terbutylazine
525.2	525.2	Bottled Water	Thiobencarb
525.2	525.2	Bottled Water	Total Permethrin (mixed isomers)
525.2	525.2	Bottled Water	trans-Nonachlor
525.2	525.2	Bottled Water	Trifluralin
531.2		Bottled Water	3-Hydroxycarbofuran
531.2		Bottled Water	Baygon
531.2		Bottled Water	Carbaryl
531.2		Bottled Water	Methiocarb
531.2		Bottled Water	Methomyl
6251B		Bottled Water	Total Haloacetic Acids 5
6251B	6251B	Bottled Water	Bromochloroacetic acid
9223B		Bottled Water	Coliform, Total
9223B		Bottled Water	E. Coli
SM 2120B		Bottled Water	Color, Apparent
SM 2150B		Bottled Water	Odor
SM 2320B		Bottled Water	Bicarbonate Alkalinity as CaCO3
SM 2320B		Bottled Water	Carbonate Alkalinity as CaCO3
SM 2320B		Bottled Water	Hydroxide Alkalinity as CaCO3
SM 2330B		Bottled Water	Langelier Index
SM 2340B		Bottled Water	Calcium hardness as CaCO3
SM 2340B		Bottled Water	Hardness (as CaCO3)
SM 2340B		Bottled Water	Magnesium hardness as calcium carbonate
SM 2510B		Bottled Water	Specific Conductance
SM 4500 Cl G		Bottled Water	Chloramines, Total

# Accreditation/Certification and Definitions Summary

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Laboratory: Eurofins Pomona (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
-----------	---------	-----------------------	-----------------

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
SM 4500 Cl G		Bottled Water	Chlorine, Total Residual
SM 5540C		Bottled Water	Methylene Blue Active Substances
Nevada	State	CA00006	07-31-26

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
300.0		Bottled Water	Nitrate Nitrite as N
420.4		Bottled Water	Phenols, Total
505	505	Bottled Water	Polychlorinated biphenyls, Total
515.4	515.4	Bottled Water	2,4,5-T
515.4	515.4	Bottled Water	2,4-DB
515.4	515.4	Bottled Water	3,5-Dichlorobenzoic acid
515.4	515.4	Bottled Water	Acifluorfen
515.4	515.4	Bottled Water	Bentazon
515.4	515.4	Bottled Water	Dichlorprop
524.2		Bottled Water	1,1,1,2-Tetrachloroethane
524.2		Bottled Water	1,1,2,2-Tetrachloroethane
524.2		Bottled Water	1,1-Dichloroethane
524.2		Bottled Water	1,1-Dichloropropene
524.2		Bottled Water	1,2,3-Trichlorobenzene
524.2		Bottled Water	1,2,3-Trichloropropane
524.2		Bottled Water	1,2,4-Trimethylbenzene
524.2		Bottled Water	1,3,5-Trimethylbenzene
524.2		Bottled Water	1,3-Dichloropropane
524.2		Bottled Water	1,3-Dichloropropene, Total
524.2		Bottled Water	2,2-Dichloropropane
524.2		Bottled Water	2-Butanone (MEK)
524.2		Bottled Water	Bromobenzene
524.2		Bottled Water	Bromochloromethane
524.2		Bottled Water	Bromoethane
524.2		Bottled Water	Bromomethane (Methyl Bromide)
524.2		Bottled Water	Carbon disulfide
524.2		Bottled Water	Chloroethane
524.2		Bottled Water	Chloromethane (methyl chloride)
524.2		Bottled Water	cis-1,3-Dichloropropene
524.2		Bottled Water	Dibromomethane
524.2		Bottled Water	Dichlorodifluoromethane
524.2		Bottled Water	Diisopropyl ether
524.2		Bottled Water	Hexachlorobutadiene
524.2		Bottled Water	Isopropylbenzene
524.2		Bottled Water	m,p-Xylenes
524.2		Bottled Water	m-Dichlorobenzene (1,3-DCB)
524.2		Bottled Water	Methyl-tert-butyl Ether (MTBE)
524.2		Bottled Water	Naphthalene
524.2		Bottled Water	n-Butylbenzene
524.2		Bottled Water	N-Propylbenzene

# Accreditation/Certification and Definitions Summary

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Laboratory: Eurofins Pomona (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
524.2		Bottled Water	o-Chlorotoluene
524.2		Bottled Water	o-Xylene
524.2		Bottled Water	p-Chlorotoluene
524.2		Bottled Water	p-Isopropyltoluene
524.2		Bottled Water	sec-Butylbenzene
524.2		Bottled Water	Tert-amyl methyl ether
524.2		Bottled Water	Tert-butyl ethyl ether
524.2		Bottled Water	tert-Butylbenzene
524.2		Bottled Water	trans-1,3-Dichloropropene
524.2		Bottled Water	Trichlorofluoromethane (Freon 11)
524.2		Bottled Water	Trichlorotrifluoroethane
525.2	525.2	Bottled Water	2,4'-DDD
525.2	525.2	Bottled Water	2,4'-DDE
525.2	525.2	Bottled Water	2,4'-DDT
525.2	525.2	Bottled Water	2,4-Dinitrotoluene
525.2	525.2	Bottled Water	2,6-Dinitrotoluene
525.2	525.2	Bottled Water	4,4'-DDD
525.2	525.2	Bottled Water	4,4'-DDE
525.2	525.2	Bottled Water	4,4'-DDT
525.2	525.2	Bottled Water	Acenaphthene
525.2	525.2	Bottled Water	Acenaphthylene
525.2	525.2	Bottled Water	Acetochlor
525.2	525.2	Bottled Water	Aldrin
525.2	525.2	Bottled Water	alpha-BHC
525.2	525.2	Bottled Water	alpha-Chlordane
525.2	525.2	Bottled Water	Anthracene
525.2	525.2	Bottled Water	Benz(a)anthracene
525.2	525.2	Bottled Water	Benzo[b]fluoranthene
525.2	525.2	Bottled Water	Benzo[g,h,i]perylene
525.2	525.2	Bottled Water	Benzo[k]fluoranthene
525.2	525.2	Bottled Water	beta-BHC
525.2	525.2	Bottled Water	Bromacil
525.2	525.2	Bottled Water	Butachlor
525.2	525.2	Bottled Water	Butylbenzylphthalate
525.2	525.2	Bottled Water	Caffeine
525.2	525.2	Bottled Water	Chlorobenzilate
525.2	525.2	Bottled Water	Chloroneb
525.2	525.2	Bottled Water	Chlorothalonil (Draconil, Bravo)
525.2	525.2	Bottled Water	Chlorpyrifos
525.2	525.2	Bottled Water	Chrysene
525.2	525.2	Bottled Water	delta-BHC
525.2	525.2	Bottled Water	Dibenz(a,h)anthracene
525.2	525.2	Bottled Water	Diclorvos (DDVP)
525.2	525.2	Bottled Water	Dieldrin
525.2	525.2	Bottled Water	Diethylphthalate
525.2	525.2	Bottled Water	Dimethoate
525.2	525.2	Bottled Water	Dimethylphthalate

# Accreditation/Certification and Definitions Summary

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Laboratory: Eurofins Pomona (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
-----------	---------	-----------------------	-----------------

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
525.2	525.2	Bottled Water	Di-n-butyl phthalate
525.2	525.2	Bottled Water	Di-n-octyl phthalate
525.2	525.2	Bottled Water	Endosulfan I (Alpha)
525.2	525.2	Bottled Water	Endosulfan II (Beta)
525.2	525.2	Bottled Water	Endosulfan sulfate
525.2	525.2	Bottled Water	Endrin aldehyde
525.2	525.2	Bottled Water	EPTC
525.2	525.2	Bottled Water	Fluoranthene
525.2	525.2	Bottled Water	Fluorene
525.2	525.2	Bottled Water	gamma-Chlordane
525.2	525.2	Bottled Water	Indeno[1,2,3-cd]pyrene
525.2	525.2	Bottled Water	Isophorone
525.2	525.2	Bottled Water	Malathion
525.2	525.2	Bottled Water	Metribuzin
525.2	525.2	Bottled Water	Molinate
525.2	525.2	Bottled Water	Naphthalene
525.2	525.2	Bottled Water	Parathion
525.2	525.2	Bottled Water	Pendimethalin (Penoxaline)
525.2	525.2	Bottled Water	Phenanthrene
525.2	525.2	Bottled Water	Propachlor
525.2	525.2	Bottled Water	Pyrene
525.2	525.2	Bottled Water	Terbacil
525.2	525.2	Bottled Water	Terbutylazine
525.2	525.2	Bottled Water	Thiobencarb
525.2	525.2	Bottled Water	Total Permethrin (mixed isomers)
525.2	525.2	Bottled Water	trans-Nonachlor
525.2	525.2	Bottled Water	Trifluralin
531.2		Bottled Water	3-Hydroxycarbofuran
531.2		Bottled Water	Aldicarb
531.2		Bottled Water	Aldicarb sulfone
531.2		Bottled Water	Aldicarb sulfoxide
531.2		Bottled Water	Baygon
531.2		Bottled Water	Carbaryl
531.2		Bottled Water	Methiocarb
531.2		Bottled Water	Methomyl
SM 2320B		Bottled Water	Bicarbonate Alkalinity as CaCO3
SM 2320B		Bottled Water	Carbonate Alkalinity as CaCO3
SM 2320B		Bottled Water	Hydroxide Alkalinity as CaCO3
SM 2340B		Bottled Water	Magnesium hardness as calcium carbonate
SM 4500 Cl G		Bottled Water	Chloramines, Total

New Jersey	NELAP	CA008	06-30-26
------------	-------	-------	----------

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
300.0		Bottled Water	Nitrate Nitrite as N

# Accreditation/Certification and Definitions Summary

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Laboratory: Eurofins Pomona (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
-----------	---------	-----------------------	-----------------

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
420.4		Bottled Water	Phenols, Total
505	505	Bottled Water	Polychlorinated biphenyls, Total
524.2		Bottled Water	1,3-Dichloropropene, Total
524.2		Bottled Water	2-Butanone (MEK)
524.2		Bottled Water	Bromoethane
524.2		Bottled Water	m,p-Xylenes
524.2		Bottled Water	o-Xylene
524.2		Bottled Water	Trichlorotrifluoroethane
524.2		Bottled Water	Trihalomethanes, Total
525.2	525.2	Bottled Water	2,4'-DDD
525.2	525.2	Bottled Water	2,4'-DDE
525.2	525.2	Bottled Water	2,4'-DDT
525.2	525.2	Bottled Water	Acetochlor
525.2	525.2	Bottled Water	alpha-BHC
525.2	525.2	Bottled Water	alpha-Chlordane
525.2	525.2	Bottled Water	beta-BHC
525.2	525.2	Bottled Water	Caffeine
525.2	525.2	Bottled Water	Chlorobenzilate
525.2	525.2	Bottled Water	Chloroneb
525.2	525.2	Bottled Water	Chlorothalonil (Draconil, Bravo)
525.2	525.2	Bottled Water	Chlorpyrifos
525.2	525.2	Bottled Water	delta-BHC
525.2	525.2	Bottled Water	Diclorvos (DDVP)
525.2	525.2	Bottled Water	Dimethoate
525.2	525.2	Bottled Water	Di-n-octyl phthalate
525.2	525.2	Bottled Water	Endosulfan I (Alpha)
525.2	525.2	Bottled Water	Endosulfan II (Beta)
525.2	525.2	Bottled Water	Endosulfan sulfate
525.2	525.2	Bottled Water	Endrin aldehyde
525.2	525.2	Bottled Water	Fluoranthene
525.2	525.2	Bottled Water	gamma-Chlordane
525.2	525.2	Bottled Water	Isophorone
525.2	525.2	Bottled Water	Malathion
525.2	525.2	Bottled Water	Naphthalene
525.2	525.2	Bottled Water	Parathion
525.2	525.2	Bottled Water	Pendimethalin (Penoxaline)
525.2	525.2	Bottled Water	Terbutylazine
525.2	525.2	Bottled Water	Thiobencarb
525.2	525.2	Bottled Water	Total Permethrin (mixed isomers)
525.2	525.2	Bottled Water	trans-Nonachlor
6251B		Bottled Water	Total Haloacetic Acids 5
SM 2320B		Bottled Water	Bicarbonate Alkalinity as CaCO3
SM 2320B		Bottled Water	Carbonate Alkalinity as CaCO3
SM 2320B		Bottled Water	Hydroxide Alkalinity as CaCO3
SM 2330B		Bottled Water	Langelier Index
SM 2340B		Bottled Water	Magnesium hardness as calcium carbonate

# Accreditation/Certification and Definitions Summary

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Laboratory: Eurofins Pomona (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
-----------	---------	-----------------------	-----------------

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
SM 4500 Cl G		Bottled Water	Chloramines, Total
New Mexico	State	CA00006	01-31-27

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
180.1		Bottled Water	Turbidity
200.7		Bottled Water	Boron
200.7		Bottled Water	Calcium
200.8		Bottled Water	Uranium
300.0		Bottled Water	Chlorite
331.0		Bottled Water	Perchlorate
420.4		Bottled Water	Phenols, Total
504.1	504.1	Bottled Water	1,2,3-Trichloropropane
505	505	Bottled Water	Polychlorinated biphenyls, Total
515.4	515.4	Bottled Water	2,4,5-T
515.4	515.4	Bottled Water	2,4-DB
515.4	515.4	Bottled Water	3,5-Dichlorobenzoic acid
515.4	515.4	Bottled Water	Acifluorfen
515.4	515.4	Bottled Water	Bentazon
515.4	515.4	Bottled Water	Dicamba
515.4	515.4	Bottled Water	Dichlorprop
524.2		Bottled Water	1,1,1,2-Tetrachloroethane
524.2		Bottled Water	1,1,2,2-Tetrachloroethane
524.2		Bottled Water	1,1-Dichloroethane
524.2		Bottled Water	1,1-Dichloropropene
524.2		Bottled Water	1,2,3-Trichlorobenzene
524.2		Bottled Water	1,2,3-Trichloropropane
524.2		Bottled Water	1,2,4-Trimethylbenzene
524.2		Bottled Water	1,3,5-Trimethylbenzene
524.2		Bottled Water	1,3-Dichloropropane
524.2		Bottled Water	1,3-Dichloropropene, Total
524.2		Bottled Water	2,2-Dichloropropane
524.2		Bottled Water	2-Butanone (MEK)
524.2		Bottled Water	Bromobenzene
524.2		Bottled Water	Bromochloromethane
524.2		Bottled Water	Bromoethane
524.2		Bottled Water	Bromomethane (Methyl Bromide)
524.2		Bottled Water	Carbon disulfide
524.2		Bottled Water	Chloroethane
524.2		Bottled Water	Chloromethane (methyl chloride)
524.2		Bottled Water	cis-1,3-Dichloropropene
524.2		Bottled Water	Dibromomethane
524.2		Bottled Water	Dichlorodifluoromethane
524.2		Bottled Water	Diisopropyl ether
524.2		Bottled Water	Hexachlorobutadiene
524.2		Bottled Water	Isopropylbenzene

# Accreditation/Certification and Definitions Summary

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Laboratory: Eurofins Pomona (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
524.2		Bottled Water	m,p-Xylenes
524.2		Bottled Water	m-Dichlorobenzene (1,3-DCB)
524.2		Bottled Water	Methyl-tert-butyl Ether (MTBE)
524.2		Bottled Water	Naphthalene
524.2		Bottled Water	n-Butylbenzene
524.2		Bottled Water	N-Propylbenzene
524.2		Bottled Water	o-Chlorotoluene
524.2		Bottled Water	o-Xylene
524.2		Bottled Water	p-Chlorotoluene
524.2		Bottled Water	p-Isopropyltoluene
524.2		Bottled Water	sec-Butylbenzene
524.2		Bottled Water	Tert-amyl methyl ether
524.2		Bottled Water	Tert-butyl ethyl ether
524.2		Bottled Water	tert-Butylbenzene
524.2		Bottled Water	trans-1,3-Dichloropropene
524.2		Bottled Water	Trichlorofluoromethane (Freon 11)
524.2		Bottled Water	Trichlorotrifluoroethane
525.2	525.2	Bottled Water	2,4'-DDD
525.2	525.2	Bottled Water	2,4'-DDE
525.2	525.2	Bottled Water	2,4'-DDT
525.2	525.2	Bottled Water	2,4-Dinitrotoluene
525.2	525.2	Bottled Water	2,6-Dinitrotoluene
525.2	525.2	Bottled Water	4,4'-DDD
525.2	525.2	Bottled Water	4,4'-DDE
525.2	525.2	Bottled Water	4,4'-DDT
525.2	525.2	Bottled Water	Acenaphthene
525.2	525.2	Bottled Water	Acenaphthylene
525.2	525.2	Bottled Water	Acetochlor
525.2	525.2	Bottled Water	Aldrin
525.2	525.2	Bottled Water	alpha-BHC
525.2	525.2	Bottled Water	alpha-Chlordane
525.2	525.2	Bottled Water	Anthracene
525.2	525.2	Bottled Water	Benz(a)anthracene
525.2	525.2	Bottled Water	Benzo[b]fluoranthene
525.2	525.2	Bottled Water	Benzo[g,h,i]perylene
525.2	525.2	Bottled Water	Benzo[k]fluoranthene
525.2	525.2	Bottled Water	beta-BHC
525.2	525.2	Bottled Water	Bromacil
525.2	525.2	Bottled Water	Butachlor
525.2	525.2	Bottled Water	Butylbenzylphthalate
525.2	525.2	Bottled Water	Caffeine
525.2	525.2	Bottled Water	Chlorobenzilate
525.2	525.2	Bottled Water	Chloroneb
525.2	525.2	Bottled Water	Chlorothalonil (Draconil, Bravo)
525.2	525.2	Bottled Water	Chlorpyrifos
525.2	525.2	Bottled Water	Chrysene
525.2	525.2	Bottled Water	delta-BHC

# Accreditation/Certification and Definitions Summary

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Laboratory: Eurofins Pomona (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
-----------	---------	-----------------------	-----------------

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
525.2	525.2	Bottled Water	Dibenz(a,h)anthracene
525.2	525.2	Bottled Water	Diclorvos (DDVP)
525.2	525.2	Bottled Water	Dieldrin
525.2	525.2	Bottled Water	Diethylphthalate
525.2	525.2	Bottled Water	Dimethoate
525.2	525.2	Bottled Water	Dimethylphthalate
525.2	525.2	Bottled Water	Di-n-butyl phthalate
525.2	525.2	Bottled Water	Di-n-octyl phthalate
525.2	525.2	Bottled Water	Endosulfan I (Alpha)
525.2	525.2	Bottled Water	Endosulfan II (Beta)
525.2	525.2	Bottled Water	Endosulfan sulfate
525.2	525.2	Bottled Water	Endrin aldehyde
525.2	525.2	Bottled Water	EPTC
525.2	525.2	Bottled Water	Fluoranthene
525.2	525.2	Bottled Water	Fluorene
525.2	525.2	Bottled Water	gamma-Chlordane
525.2	525.2	Bottled Water	Indeno[1,2,3-cd]pyrene
525.2	525.2	Bottled Water	Isophorone
525.2	525.2	Bottled Water	Malathion
525.2	525.2	Bottled Water	Metolachlor
525.2	525.2	Bottled Water	Metribuzin
525.2	525.2	Bottled Water	Molinat
525.2	525.2	Bottled Water	Naphthalene
525.2	525.2	Bottled Water	Parathion
525.2	525.2	Bottled Water	Pendimethalin (Penoxaline)
525.2	525.2	Bottled Water	Phenanthrene
525.2	525.2	Bottled Water	Propachlor
525.2	525.2	Bottled Water	Pyrene
525.2	525.2	Bottled Water	Terbacil
525.2	525.2	Bottled Water	Terbutylazine
525.2	525.2	Bottled Water	Thiobencarb
525.2	525.2	Bottled Water	Total Permethrin (mixed isomers)
525.2	525.2	Bottled Water	trans-Nonachlor
525.2	525.2	Bottled Water	Trifluralin
531.2		Bottled Water	3-Hydroxycarbofuran
531.2		Bottled Water	Aldicarb
531.2		Bottled Water	Aldicarb sulfone
531.2		Bottled Water	Aldicarb sulfoxide
531.2		Bottled Water	Baygon
531.2		Bottled Water	Carbaryl
531.2		Bottled Water	Methiocarb
531.2		Bottled Water	Methomyl
6251B	6251B	Bottled Water	Bromochloroacetic acid
SM 2320B		Bottled Water	Alkalinity as CaCO3
SM 2320B		Bottled Water	Bicarbonate Alkalinity as CaCO3
SM 2320B		Bottled Water	Carbonate Alkalinity as CaCO3
SM 2320B		Bottled Water	Hydroxide Alkalinity as CaCO3

# Accreditation/Certification and Definitions Summary

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Laboratory: Eurofins Pomona (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
SM 2330B		Bottled Water	Langelier Index
SM 2340B		Bottled Water	Calcium hardness as CaCO <sub>3</sub>
SM 2340B		Bottled Water	Magnesium hardness as calcium carbonate
SM 2510B		Bottled Water	Specific Conductance
SM 4500 Cl G		Bottled Water	Chloramines, Total
SM 4500 Cl G		Bottled Water	Chlorine, free
SM 4500 Cl G		Bottled Water	Chlorine, Total Residual
SM 4500 H+ B		Bottled Water	pH
New York	NELAP	11320	04-01-26
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
300.0		Bottled Water	Nitrate Nitrite as N
420.4		Bottled Water	Phenols, Total
4500 ClO <sub>2</sub> D		Bottled Water	Chlorine dioxide
505	505	Bottled Water	Polychlorinated biphenyls, Total
515.4	515.4	Bottled Water	2,4,5-T
515.4	515.4	Bottled Water	2,4-DB
515.4	515.4	Bottled Water	3,5-Dichlorobenzoic acid
515.4	515.4	Bottled Water	Bentazon
515.4	515.4	Bottled Water	Dichlorprop
524.2		Bottled Water	1,3-Dichloropropene, Total
524.2		Bottled Water	2-Butanone (MEK)
524.2		Bottled Water	Bromoethane
524.2		Bottled Water	Carbon disulfide
524.2		Bottled Water	Diisopropyl ether
524.2		Bottled Water	m,p-Xylenes
524.2		Bottled Water	o-Xylene
524.2		Bottled Water	Tert-amyl methyl ether
524.2		Bottled Water	Tert-butyl ethyl ether
524.2		Bottled Water	Trichlorotrifluoroethane
525.2	525.2	Bottled Water	2,4'-DDD
525.2	525.2	Bottled Water	2,4'-DDE
525.2	525.2	Bottled Water	2,4'-DDT
525.2	525.2	Bottled Water	2,4-Dinitrotoluene
525.2	525.2	Bottled Water	2,6-Dinitrotoluene
525.2	525.2	Bottled Water	4,4'-DDD
525.2	525.2	Bottled Water	4,4'-DDE
525.2	525.2	Bottled Water	4,4'-DDT
525.2	525.2	Bottled Water	Acenaphthene
525.2	525.2	Bottled Water	Acenaphthylene
525.2	525.2	Bottled Water	Acetochlor
525.2	525.2	Bottled Water	alpha-BHC
525.2	525.2	Bottled Water	alpha-Chlordane
525.2	525.2	Bottled Water	Anthracene

# Accreditation/Certification and Definitions Summary

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Laboratory: Eurofins Pomona (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
-----------	---------	-----------------------	-----------------

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
525.2	525.2	Bottled Water	Benz(a)anthracene
525.2	525.2	Bottled Water	Benzo[b]fluoranthene
525.2	525.2	Bottled Water	Benzo[g,h,i]perylene
525.2	525.2	Bottled Water	Benzo[k]fluoranthene
525.2	525.2	Bottled Water	beta-BHC
525.2	525.2	Bottled Water	Bromacil
525.2	525.2	Bottled Water	Butylbenzylphthalate
525.2	525.2	Bottled Water	Caffeine
525.2	525.2	Bottled Water	Chlorobenzilate
525.2	525.2	Bottled Water	Chloroneb
525.2	525.2	Bottled Water	Chlorothalonil (Draconil, Bravo)
525.2	525.2	Bottled Water	Chlorpyrifos
525.2	525.2	Bottled Water	Chrysene
525.2	525.2	Bottled Water	delta-BHC
525.2	525.2	Bottled Water	Dibenz(a,h)anthracene
525.2	525.2	Bottled Water	Diclorvos (DDVP)
525.2	525.2	Bottled Water	Diethylphthalate
525.2	525.2	Bottled Water	Dimethoate
525.2	525.2	Bottled Water	Dimethylphthalate
525.2	525.2	Bottled Water	Di-n-butyl phthalate
525.2	525.2	Bottled Water	Di-n-octyl phthalate
525.2	525.2	Bottled Water	Endosulfan I (Alpha)
525.2	525.2	Bottled Water	Endosulfan II (Beta)
525.2	525.2	Bottled Water	Endosulfan sulfate
525.2	525.2	Bottled Water	Endrin aldehyde
525.2	525.2	Bottled Water	EPTC
525.2	525.2	Bottled Water	Fluoranthene
525.2	525.2	Bottled Water	Fluorene
525.2	525.2	Bottled Water	gamma-Chlordane
525.2	525.2	Bottled Water	Indeno[1,2,3-cd]pyrene
525.2	525.2	Bottled Water	Isophorone
525.2	525.2	Bottled Water	Malathion
525.2	525.2	Bottled Water	Molinate
525.2	525.2	Bottled Water	Naphthalene
525.2	525.2	Bottled Water	Parathion
525.2	525.2	Bottled Water	Pendimethalin (Penoxaline)
525.2	525.2	Bottled Water	Phenanthrene
525.2	525.2	Bottled Water	Pyrene
525.2	525.2	Bottled Water	Terbacil
525.2	525.2	Bottled Water	Terbutylazine
525.2	525.2	Bottled Water	Thiobencarb
525.2	525.2	Bottled Water	Total Permethrin (mixed isomers)
525.2	525.2	Bottled Water	trans-Nonachlor
531.2		Bottled Water	Baygon
531.2		Bottled Water	Methiocarb
6251B		Bottled Water	Total Haloacetic Acids 5
9223B		Bottled Water	Coliform, Total

# Accreditation/Certification and Definitions Summary

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Laboratory: Eurofins Pomona (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
-----------	---------	-----------------------	-----------------

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
9223B		Bottled Water	E. Coli
SM 2320B		Bottled Water	Bicarbonate Alkalinity as CaCO3
SM 2320B		Bottled Water	Carbonate Alkalinity as CaCO3
SM 2320B		Bottled Water	Hydroxide Alkalinity as CaCO3
SM 2340B		Bottled Water	Hardness (as CaCO3)
SM 2340B		Bottled Water	Magnesium hardness as calcium carbonate
SM 4500 Cl G		Bottled Water	Chloramines, Total
SM 4500 Cl G		Bottled Water	Chlorine, free
SM 4500 Cl G		Bottled Water	Chlorine, Total Residual
SM 4500 H+ B		Bottled Water	pH

Pennsylvania	NELAP	68-00565	10-31-26
--------------	-------	----------	----------

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
300.0		Bottled Water	Nitrate Nitrite as N
420.4		Bottled Water	Phenols, Total
505	505	Bottled Water	Polychlorinated biphenyls, Total
524.2		Bottled Water	1,3-Dichloropropene, Total
524.2		Bottled Water	2-Butanone (MEK)
524.2		Bottled Water	Bromoethane
524.2		Bottled Water	m,p-Xylenes
524.2		Bottled Water	o-Xylene
525.2	525.2	Bottled Water	2,4'-DDD
525.2	525.2	Bottled Water	2,4'-DDE
525.2	525.2	Bottled Water	2,4'-DDT
525.2	525.2	Bottled Water	Acetochlor
525.2	525.2	Bottled Water	alpha-BHC
525.2	525.2	Bottled Water	alpha-Chlordane
525.2	525.2	Bottled Water	beta-BHC
525.2	525.2	Bottled Water	Caffeine
525.2	525.2	Bottled Water	Chlorobenzilate
525.2	525.2	Bottled Water	Chloroneb
525.2	525.2	Bottled Water	Chlorothalonil (Draconil, Bravo)
525.2	525.2	Bottled Water	Chlorpyrifos
525.2	525.2	Bottled Water	delta-BHC
525.2	525.2	Bottled Water	Diclorvos (DDVP)
525.2	525.2	Bottled Water	Dimethoate
525.2	525.2	Bottled Water	Endosulfan I (Alpha)
525.2	525.2	Bottled Water	Endosulfan II (Beta)
525.2	525.2	Bottled Water	Endosulfan sulfate
525.2	525.2	Bottled Water	Endrin aldehyde
525.2	525.2	Bottled Water	gamma-Chlordane
525.2	525.2	Bottled Water	Isophorone
525.2	525.2	Bottled Water	Malathion
525.2	525.2	Bottled Water	Parathion

# Accreditation/Certification and Definitions Summary

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Laboratory: Eurofins Pomona (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
525.2	525.2	Bottled Water	Pendimethalin (Penoxaline)
525.2	525.2	Bottled Water	Terbuthylazine
525.2	525.2	Bottled Water	Total Permethrin (mixed isomers)
525.2	525.2	Bottled Water	trans-Nonachlor
SM 2320B		Bottled Water	Bicarbonate Alkalinity as CaCO3
SM 2320B		Bottled Water	Carbonate Alkalinity as CaCO3
SM 2320B		Bottled Water	Hydroxide Alkalinity as CaCO3
SM 2340B		Bottled Water	Calcium hardness as CaCO3
SM 2340B		Bottled Water	Hardness (as CaCO3)
SM 2340B		Bottled Water	Magnesium hardness as calcium carbonate
SM 4500 Cl G		Bottled Water	Chloramines, Total
Utah	NELAP	CA00006	01-31-27
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
420.4		Bottled Water	Phenols, Total
505	505	Bottled Water	Polychlorinated biphenyls, Total
524.2		Bottled Water	1,3-Dichloropropene, Total
524.2		Bottled Water	2-Butanone (MEK)
524.2		Bottled Water	Bromoethane
525.2	525.2	Bottled Water	2,4'-DDD
525.2	525.2	Bottled Water	2,4'-DDE
525.2	525.2	Bottled Water	2,4'-DDT
525.2	525.2	Bottled Water	Acetochlor
525.2	525.2	Bottled Water	alpha-BHC
525.2	525.2	Bottled Water	alpha-Chlordane
525.2	525.2	Bottled Water	beta-BHC
525.2	525.2	Bottled Water	Caffeine
525.2	525.2	Bottled Water	Chlorobenzilate
525.2	525.2	Bottled Water	Chloroneb
525.2	525.2	Bottled Water	Chlorothalonil (Draconil, Bravo)
525.2	525.2	Bottled Water	Chlorpyrifos
525.2	525.2	Bottled Water	delta-BHC
525.2	525.2	Bottled Water	Diclorvos (DDVP)
525.2	525.2	Bottled Water	Dimethoate
525.2	525.2	Bottled Water	Endosulfan I (Alpha)
525.2	525.2	Bottled Water	Endosulfan II (Beta)
525.2	525.2	Bottled Water	Endosulfan sulfate
525.2	525.2	Bottled Water	Endrin aldehyde
525.2	525.2	Bottled Water	gamma-Chlordane
525.2	525.2	Bottled Water	Isophorone
525.2	525.2	Bottled Water	Malathion
525.2	525.2	Bottled Water	Parathion
525.2	525.2	Bottled Water	Pendimethalin (Penoxaline)
525.2	525.2	Bottled Water	Terbuthylazine

# Accreditation/Certification and Definitions Summary

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Laboratory: Eurofins Pomona (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
525.2	525.2	Bottled Water	Total Permethrin (mixed isomers)
525.2	525.2	Bottled Water	trans-Nonachlor
SM 2320B		Bottled Water	Bicarbonate Alkalinity as CaCO3
SM 2320B		Bottled Water	Carbonate Alkalinity as CaCO3
SM 2320B		Bottled Water	Hydroxide Alkalinity as CaCO3
SM 2340B		Bottled Water	Magnesium hardness as calcium carbonate
SM 4500 Cl G		Bottled Water	Chloramines, Total

## Laboratory: Eurofins South Bend

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
A2LA	ISO/IEC 17025	5794.01	07-31-26
Alabama	State	40700	06-30-26
Alaska	State	IN00035	03-08-26
Arizona	State	AZ0432	07-26-26
Arkansas (DW)	State	EPA IN00035	06-30-26
California	State	2920	03-04-26
Colorado	State	IN00035	02-28-26
Connecticut	State	PH-0132	03-31-26
Delaware (DW)	State	IN00035	06-30-26
Florida	NELAP	E87775	06-30-26
Georgia (DW)	State	929	06-30-26
Guam	State	25-08R	07-15-26
Hawaii	State	IN00035	06-30-26
Idaho (DW)	State	IN00035	12-31-26
IL Dept. of Public Health (Micro)	State	17767	06-30-26
Illinois	NELAP	200001	03-04-26
Indiana	State	C-71-01	03-03-26
Indiana (Micro)	State	M-76-07	03-03-26
Iowa	State	098	11-01-27
Kansas	NELAP	E-10233	10-31-26
Kentucky (DW)	State	KY90056	12-31-26
Louisiana (DW)	State	LA014	12-31-26
Maine	State	IN00035	05-01-27
Maryland	State	209	06-30-26
Massachusetts	State	M-IN035	06-30-26
MI - RadChem Recognition	State	9926	06-30-26
Michigan	State	9926	03-30-26
Minnesota	NELAP	018-999-338	12-31-26
Mississippi	State	IN00035	03-04-26
Missouri	State	880	09-30-27
Montana (DW)	State	CERT0026	01-01-27
Nebraska	State	NE-OS-05-04	06-30-26
Nevada	State	IN00035	07-31-26
New Hampshire	NELAP	2124	11-05-26

# Accreditation/Certification and Definitions Summary

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Laboratory: Eurofins South Bend (Continued)

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
New Jersey	NELAP	IN598	06-30-26
New Mexico	State	IN00035	06-30-26
New York	NELAP	11398	04-01-26
North Carolina (DW)	State	18700	07-31-26
North Dakota	State	R-035	06-30-26
Northern Mariana Islands (DW)	State	IN00035	06-30-26
Ohio	State	87775	06-30-26
Oklahoma	NELAP	D9508	12-31-26
Oregon	NELAP	4156	09-16-26
Pennsylvania	NELAP	68-00466	04-30-26
Puerto Rico	State	IN00035	03-03-26
Rhode Island	State	LAO00391	12-30-26
South Carolina	State	95005001	06-30-26
South Dakota (DW)	State	IN00035	06-30-26
Tennessee	State	TN02973	06-30-26
Texas	NELAP	T104704187	12-31-26
Texas	TCEQ Water Supply	TX207	06-30-26
Utah	NELAP	IN00035	07-31-26
Vermont	State	VT-8775	11-15-26
Virginia	NELAP	460275	03-14-26
Washington	State	C837	01-01-27
West Virginia (DW)	State	9927 C	01-31-27
Wisconsin	State	999766900	08-31-26
Wisconsin (Micro)	State	10121	12-31-26
Wyoming	State	8TMS-L	06-30-26

## Laboratory: Eurofins St. Louis

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Alaska (UST)	State	20-001	05-06-27
ANAB	Dept. of Defense ELAP	L2305	04-06-27
ANAB	Dept. of Energy	L2305.01	04-06-27
ANAB	ISO/IEC 17025	L2305	04-06-27
Arizona	State	AZ0813	12-08-26
California	Los Angeles County Sanitation Districts	10259	06-30-22 *
California	State	2886	07-01-26
Connecticut	State	PH-0241	03-31-27
Florida	NELAP	E87689	06-30-26
Georgia (DW)	State	C061	06-30-26
HI - RadChem Recognition	State	n/a	06-30-26
Illinois	NELAP	200023	11-30-26
Iowa	State	373	12-01-26
Kansas	NELAP	E-10236	10-31-26
Kentucky (DW)	State	KY90125	12-31-26
Kentucky (WW)	State	KY90125 (Permit KY0004049)	12-31-26
Louisiana (All)	NELAP	106151	06-30-26
Louisiana (DW)	State	LA011	12-31-26
Maine	State	MO00054	03-05-28

\* Accreditation/Certification renewal pending - accreditation/certification considered valid.

# Accreditation/Certification and Definitions Summary

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Laboratory: Eurofins St. Louis (Continued)

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Maryland	State	310	10-01-26
Massachusetts	State	M-MO054	06-30-26
MI - RadChem Recognition	State	9005	06-30-26
Missouri	State	780	06-30-28
Nevada	State	MO00054	07-31-26
New Hampshire	NELAP	2100	02-04-27
New Jersey	NELAP	MO002	06-30-26
New Mexico	State	MO00054	06-30-26
New York	NELAP	11616	04-01-26
North Carolina (DW)	State	29700	06-30-26
North Dakota	State	R-207	06-30-26
Oklahoma	NELAP	9997	12-31-26
Oregon	NELAP	4157	09-01-26
Pennsylvania	NELAP	68-00540	02-28-27
Rhode Island	State	LAO00392	12-30-26
South Carolina	State	85002	06-30-26
Texas	NELAP	T104704193	07-31-26
US Fish & Wildlife	US Federal Programs	058448	07-31-26
USDA	US Federal Programs	525-23-138-94730	05-18-26
Utah	NELAP	MO00054	07-31-26
Vermont	State	VT 87689	03-20-27
Virginia	NELAP	460230	06-14-26
Washington	State	C592	08-31-26
West Virginia DEP	State	381	10-31-26

## Qualifiers

### GC/MS VOA

Qualifier	Qualifier Description
*+	LCS and/or LCSD is outside acceptance limits, high biased.
*1	LCS/LCSD RPD exceeds control limits.
^3+	Reporting Limit Check Standard is outside acceptance limits, high biased
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

### GC/MS Semi VOA

Qualifier	Qualifier Description
*+	LCS and/or LCSD is outside acceptance limits, high biased.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

### GC Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

### HPLC/IC

Qualifier	Qualifier Description
^2	Calibration Blank (ICB and/or CCB) is outside acceptance limits.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

### LCMS

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

\* Accreditation/Certification renewal pending - accreditation/certification considered valid.

# Accreditation/Certification and Definitions Summary

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

## Qualifiers (Continued)

### Dioxin

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

### Metals

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

### General Chemistry

Qualifier	Qualifier Description
HF	Parameter with a holding time of 15 minutes. Test performed by laboratory at client's request. Sample was analyzed outside of hold time.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

### Rad

Qualifier	Qualifier Description
*	LCS or LCSD is outside acceptance limits.
H	Sample was prepped or analyzed beyond the specified holding time. This does not meet regulatory requirements.
U	Result is less than the sample detection limit.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
1C	Result is from the primary column on a dual-column method.
2C	Result is from the confirmation column on a dual-column method.
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
MRL	Method Reporting Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)

\* Accreditation/Certification renewal pending - accreditation/certification considered valid.

# Accreditation/Certification and Definitions Summary

Client: Drinkmore Water/Drinkmore Delivery Inc  
Project/Site: Annual 50-State

Job ID: 380-199432-1

## Glossary (Continued)

Abbreviation	These commonly used abbreviations may or may not be present in this report.
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
SDL	Sample Detection Limit
SDL	Sample Detection Limit
SDL	Sample Detection Limit
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

1

2

3

4

5

6

7

8

9

10

11

12

13

\* Accreditation/Certification renewal pending - accreditation/certification considered valid.

# Method Summary

Client: Drinkmore Water/Drinkmore Delivery Inc  
 Project/Site: Annual 50-State

Job ID: 380-199432-1

Method	Method Description	Protocol	Laboratory
524.2	Total Trihalomethanes	EPA-DW	EA POM
524.2	Volatile Organic Compounds (GC/MS)	EPA-DW	EA POM
525.2	Semivolatile Organic Compounds (GC/MS)	EPA	EA POM
548.1	Endothall (GC/MS)	EPA	EA SB
504.1	EDB, DBCP and 1,2,3-TCP (GC)	EPA-DW2	EA POM
505	Organochlorine Pesticides/PCBs (GC)	EPA	EA POM
515.4	Herbicides (GC)	EPA-DW	EA POM
6251B	Haloacetic Acids (HAAs) (GC)	SM	EA POM
6251B	Total Haloacetic Acids (GC)	SM	EA POM
300.0	Anions, Ion Chromatography	EPA	EA POM
300.0	Nitrogen, Nitrate-Nitrite	EPA	EA POM
317	Bromate, Ion Chromatography	EPA	EA POM
531.2	Carbamate Pesticides (HPLC)	EPA	EA POM
547	Glyphosate (DAI HPLC)	EPA	EA POM
549.2	Diquat and Paraquat (HPLC)	EPA	EA POM
331.0	Perchlorate (LC/MS/MS)	EPA	EA POM
EPA 537.1 V2	EPA 537.1 Ver. 2.0 March 2020	EPA	EA POM
1613B	Tetra Chlorinated Dioxin (GC/MS/MS)	EPA	EA POM
200.7	Metals (ICP)	EPA	EA POM
200.8	Mercury (ICP/MS)	EPA	EA POM
200.8	Metals (ICP/MS)	EPA	EA POM
SM 2340B	Total Hardness (as CaCO3) by calculation	SM	EA POM
180.1	Turbidity, Nephelometric	EPA	EA POM
420.4	Phenolics, Total Recoverable	EPA	EA POM
4500 ClO2 D	Chlorine Dioxide	SM	EA POM
4500 CN F	Cyanide, Free	SM	EA POM
SM 2120B	Color, Colorimetric	SM	EA POM
SM 2150B	Odor	SM	EA POM
SM 2320B	Alkalinity	SM	EA POM
SM 2330B	Corrosivity, LSI Calculation	SM	EA POM
SM 2510B	Conductivity, Specific Conductance	SM	EA POM
SM 2540C	Solids, Total Dissolved (TDS)	SM	EA POM
SM 4500 Cl G	Chlorine, Residual	SM	EA POM
SM 4500 F C	Fluoride	SM	EA POM
SM 4500 H+ B	pH	SM	EA POM
SM 5540C	Methylene Blue Active Substances (MBAS)	SM	EA POM
900.0	Gross Alpha and Gross Beta Radioactivity	EPA	EET SL
903.0	Radium-226 (GFPC)	EPA	EET SL
904.0	Radium-228 (GFPC)	EPA	EET SL
Ra226_Ra228 Pos	Combined Radium-226 and Radium-228	TAL-STL	EET SL
SM 7500-Rn B	Radon-222 (LSC)	TAL-STL	EET SL
9223B	Coliforms, Total, and E.Coll (Colilert - Quanti Tray)	SM	EA POM
100.2	EPA 100.2 Asbestos in Drinking Water	EPA	E. CEI
1613B	Solid-Phase Extraction (SPE)	EPA	EA POM
504.1	Microextraction	EPA-DW	EA POM
505	Extraction, Organohalide Pesticides	EPA	EA POM
515.4	Extraction of Chlorinated Acids	EPA-DW	EA POM
525.2	Extraction of Semivolatile Compounds	EPA	EA POM
537.1 DW	Extraction of Perfluorinated Alkyl Acids	EPA	EA POM
548.1	Extraction of Endothall	EPA-DW	EA SB
549.2	Extraction of Diquat and Paraquat	EPA	EA POM
6251B	Microextraction	SM	EA POM

Eurofins Pomona

# Method Summary

Client: Drinkmore Water/Drinkmore Delivery Inc  
Project/Site: Annual 50-State

Job ID: 380-199432-1

Method	Method Description	Protocol	Laboratory
Evaporation	Preparation, Evaporation	None	EET SL
Filtration	Sample Filtration	None	EA POM
None	Autoccomplete - Metals - No Digestion required	None	EA POM
NONE	Direct Addition Preparation for LSC	None	EET SL
PrecSep_0	Preparation, Precipitate Separation	None	EET SL
PrecSep-7	Preparation, Precipitate Separation (7-Day In-Growth)	None	EET SL

### Protocol References:

EPA = US Environmental Protection Agency

EPA-DW = "Methods For The Determination Of Organic Compounds In Drinking Water", EPA/600/4-88/039, December 1988 And Its Supplements.

EPA-DW2 = "Methods For The Determination of Organic Compounds in Drinking Water - Supplement III ", EPA/600/R-95-131, August 1995

None = None

SM = "Standard Methods For The Examination Of Water And Wastewater"

TAL-STL = TestAmerica Laboratories, St. Louis, Facility Standard Operating Procedure.

### Laboratory References:

E. CEI = Eurofins CEI Inc, 730 SE Maynard Road, Cary, NC 27511

EA POM = Eurofins Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100

EA SB = Eurofins South Bend, 110 S Hill Street, South Bend, IN 46617, TEL (574)233-4777

EET SL = Eurofins St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

March 12, 2026

Dinora Sanchez  
Eurofins Drinking Water and Wastewater West (Pomona)  
941 Corporate Center Drive  
Pomona, CA 91768

**CLIENT PROJECT:** Annual, 38010730, 380-199432-1  
**LAB CODE:** 728217-1

Dear Dinora,

Enclosed are asbestos analysis results for TEM water samples received at our laboratory on 02/25/26. The samples were analyzed for asbestos using transmission electron microscopy (TEM) per the US EPA 100.2 Method.

The current EPA regulatory limit for asbestos in water is 7 million fibers per liter (MFL, > 10 µm in length). The analytical sensitivity for the EPA 100.2 method is 0.2 MFL.

Thank you for your business and we look forward to continuing good relations.

Kind Regards,



Kamila Reichert,  
Laboratory Director

---

**ASBESTOS ANALYTICAL REPORT**  
**By: Transmission Electron Microscopy**

Prepared for

**Eurofins Drinking Water and Wastewater West (Pomona)**

---

CLIENT PROJECT: Annual, 38010730, 380-199432-1

LAB CODE: 728217-1

TEST METHOD: EPA 100.2

REPORT DATE: 03/12/26



**Client:** Eurofins Drinking Water and Wastewater West (Pomona)  
941 Corporate Center Drive  
Pomona, CA 91768

**Lab Code:** 728217-1  
**Date Received:** 02/25/26  
**Date Analyzed:** 03/10/26  
**Date Reported:** 03/12/26

**Project:** Annual, 38010730, 380-199432-1

**Method:** TEM EPA 100.2 (DRINKING WATER)

Client ID	Date Collected	Date Filtered	Sample Volume Filtered (mL)	Dilution Factor	Effective Filter Area (mm <sup>2</sup> )	# of Grids Openings Analyzed	Total Area Of Filter Examined	Analytical Sensitivity (MFL)	Asbestos Type	>10µm	Concentration (MFL)	Confidence Limit	
Lab ID												Lower	Upper
DMW TEST (380-199432-1) 4166855	02/24/26 05:40	02/25/26 12:53	100	1	1060	6	0.0594	0.178	None Detected	0	<0.178	0	<0.66



1
2
3
4
5
6
7
8
9
10
11
12
13

---

**LEGEND:** MFL = million fibers per liter, > 10 µm in length

---

**METHOD:** EPA 100.2

---

**AVERAGE GRID OPENING SIZE:** 0.0099 mm<sup>2</sup>

---

**ANALYTICAL SENSITIVITY:** 0.2 MFL

---

**MAXIMUM CONTAMINANT LEVEL:** 7 MFL

---

Eurofins Built Environment Testing East, LLC makes no warranty representation regarding the accuracy of client submitted information in preparing and presenting analytical results. Interpretation of the analytical results is the sole responsibility of the client. This report relates only to the samples tested or analyzed and may not be reproduced, except in full, without written approval by Eurofins Built Environment Testing East, LLC. Estimated measurement of uncertainty is available on request. Samples were received in acceptable condition unless otherwise noted.

Information provided by customer includes customer sample ID, location, volume and area as well as date and time of sampling.

Sample bottle was not provided by Eurofins Built Environment Testing East, LLC.

For the current states of certification please refer to the website: [www.eurofinsus.com/environment-testing/built-environment/locations/eurofins-cei/](http://www.eurofinsus.com/environment-testing/built-environment/locations/eurofins-cei/)



Partima Poudel Acharya  
Analyst

**DATA QA:**



Alyssa Thompson  
3/12/2026

**APPROVED BY:**



Kamila Reichert,  
Laboratory Director



SUBMITTED BY	INVOICE TO	CONTACT INFORMATION	SERIES
Company: Eurofins Drinking Water and Wastewater West (...) Address: 941 Corporate Center Drive Pomona, CA 91768	Company: Eurofins Drinking Water and Wastewater West (...) Address: 941 Corporate Center Drive Pomona, CA 91768	Contact: Dinora Sanchez Phone: (626) 386-1100 Fax: Cell:	-1 TEM Standard
Project Number and/or P.O. #: None Given	Project Zip Code:	Final Data Deliverable Email Address: dinora.sanchez@et.eurofinsus.com (+ 2 ADDNL. CONTACTS)	
Project Description/Location: Annual, 38010730, 380-199432-1			

ASBESTOS LABORATORY	REQUESTED ANALYSIS							VALID MATRIX CODES				LAB NOTES				
PLM / PCM / <b>TEM</b> / NYS DTL RUSH PRIORITY <b>STANDARD</b>								Air = A	Bulk = B			2.8 C				
<b>CHEMISTRY LABORATORY</b>								Dust = D	Food = F							
Dust RUSH PRIORITY STANDARD								Paint = P	Soil = S							
Metals RUSH PRIORITY STANDARD *PRIOR NOTICE REQUIRED FOR SAME DAY TAT								Surface = SU	Swab = SW							
Organics* SAME DAY RUSH PRIORITY STANDARD								Tape = T	Wipe = W							
<b>MICROBIOLOGY LABORATORY</b>								Drinking Water = DW								
Viable Analysis** PRIORITY STANDARD **TAT DEPENDENT ON SPEED OF MICROBIAL GROWTH								Waste Water = WW								
Medical Device Analysis RUSH STANDARD								**ASTM E1792 approved wipe media only**								
Mold Analysis RUSH PRIORITY STANDARD																
<b>**Turnaround times establish a laboratory priority, subject to laboratory volume and are not guaranteed. Additional fees apply for afterhours, weekends and holidays.**</b>																
Special Instructions: W12271	PLM	TEM - EPA 100.2	PCM	NYS	DUST	METALS	ORGANICS	VIABLES	MEDICAL	MOLD	Sample Volume (L) / Area	Matrix Code	# of Containers	Date Collected mm/dd/yy	Time Collected hh:mm	Laboratory Analysis Instructions
Client Sample ID Number (Sample ID's must be unique)	ASBESTOS	CHEMISTRY	MICROBIOLOGY	ICO												
1 DMW TEST (380-199432-1)	X										1L	DW		02/24/26	05:40	

Eurofins Built Environment Testing East, LLC establishes a unique Lab Sample ID, for each sample, by preceding each unique Client Sample ID with the laboratory RES Job Number. Eurofins Built Environment Testing East, LLC will analyze incoming samples based on information received and will not be responsible for errors or omissions in calculations resulting from the inaccuracy of original data. By signing, client/company representative agrees that submission of the following samples for requested analysis as indicated on this Chain of Custody shall constitute an analytical services agreement with payment terms of INTERCO. Failure to comply with payment terms may result in a 18% APR finance charge.

Relinquished By:	Date/Time: 02/25/2026 9:41:11	Sample Condition: <b>Acceptable</b>
Received By:	Cassidy Garner Date/Time: 02/25/2026 12:51:31	Carrier: <b>Fed-Ex</b>



1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13

**Eurofins Pomona**  
941 Corporate Center Drive  
Pomona, CA 91768-2642  
Phone: 626-386-1100

**Chain of Custody Record**




W12271  
eurofins  
Environment Testing

4915 2797 1323

<b>Client Information (Sub Contract Lab)</b>		Sampler:	Lab PM:	Carrier Tracking No(s):	COC No:
Shipping/Receiving		N/A	Sanchez, Dinaora	N/A	380-307674-1
Company: Eurofins CEI Inc		Phone:	E-Mail:	State of Origin:	Page:
Address: 730 SE Maynard Road		N/A	Dinaora.Sanchez@et.eurofins.com	Maryland	Page 1 of 1
City: Cary		Due Date Requested:	Accreditations Required (See note):		Job #:
State, Zip: NC, 27511		3/23/2026	ISO/IEC 17025 - AZLA; NELAP - New Jersey, NELAP - New Y		380-199432-1
Phone: N/A		TAT Requested (days):	Analysis Requested		
Email: N/A		N/A	Perform MS/MSD (Yes or No)		
Project Name: Annual		PO #:	SUB - 100.2 - Asbestos		
Site: N/A		WO #:	Field Filtered Sample (Yes or No)		
SSOW#: N/A		N/A	X		
Project #: 38010730		Matrix (Number, Serial, Orientation):	Total Number of containers		
Sample Identification - Client ID (Lab ID)		DMW TEST (380-199432-1)	1		
Sample Date		2/24/26	Special Instructions/Note:		
Sample Time		05:40 Pacific	2-80C		
Sample Type (C=Comp, G=Grab)		G	EUROFINS CEI, INC SAMPLES ACCEPTED		
Preservation Code:		Bottled Water	CV 2/25/26 9:55		
Matrix (Number, Serial, Orientation):		DMW			
Field Filtered Sample (Yes or No)					
Perform MS/MSD (Yes or No)					
SUB - 100.2 - Asbestos					
Total Number of containers					
Special Instructions/Note:					
DMW TEST (380-199432-1)					
Sample Date					
Sample Time					
Sample Type (C=Comp, G=Grab)					
Preservation Code:					
Matrix (Number, Serial, Orientation):					
Field Filtered Sample (Yes or No)					
Perform MS/MSD (Yes or No)					
SUB - 100.2 - Asbestos					
Total Number of containers					
Special Instructions/Note:					
DMW TEST (380-199432-1)					
Sample Date					
Sample Time					
Sample Type (C=Comp, G=Grab)					
Preservation Code:					
Matrix (Number, Serial, Orientation):					
Field Filtered Sample (Yes or No)					
Perform MS/MSD (Yes or No)					
SUB - 100.2 - Asbestos					
Total Number of containers					
Special Instructions/Note:					
DMW TEST (380-199432-1)					
Sample Date					
Sample Time					
Sample Type (C=Comp, G=Grab)					
Preservation Code:					
Matrix (Number, Serial, Orientation):					
Field Filtered Sample (Yes or No)					
Perform MS/MSD (Yes or No)					
SUB - 100.2 - Asbestos					
Total Number of containers					
Special Instructions/Note:					
DMW TEST (380-199432-1)					
Sample Date					
Sample Time					
Sample Type (C=Comp, G=Grab)					
Preservation Code:					
Matrix (Number, Serial, Orientation):					
Field Filtered Sample (Yes or No)					
Perform MS/MSD (Yes or No)					
SUB - 100.2 - Asbestos					
Total Number of containers					
Special Instructions/Note:					
DMW TEST (380-199432-1)					
Sample Date					
Sample Time					
Sample Type (C=Comp, G=Grab)					
Preservation Code:					
Matrix (Number, Serial, Orientation):					
Field Filtered Sample (Yes or No)					
Perform MS/MSD (Yes or No)					
SUB - 100.2 - Asbestos					
Total Number of containers					
Special Instructions/Note:					
DMW TEST (380-199432-1)					
Sample Date					
Sample Time					
Sample Type (C=Comp, G=Grab)					
Preservation Code:					
Matrix (Number, Serial, Orientation):					
Field Filtered Sample (Yes or No)					
Perform MS/MSD (Yes or No)					
SUB - 100.2 - Asbestos					
Total Number of containers					
Special Instructions/Note:					
DMW TEST (380-199432-1)					
Sample Date					
Sample Time					
Sample Type (C=Comp, G=Grab)					
Preservation Code:					
Matrix (Number, Serial, Orientation):					
Field Filtered Sample (Yes or No)					
Perform MS/MSD (Yes or No)					
SUB - 100.2 - Asbestos					
Total Number of containers					
Special Instructions/Note:					
DMW TEST (380-199432-1)					
Sample Date					
Sample Time					
Sample Type (C=Comp, G=Grab)					
Preservation Code:					
Matrix (Number, Serial, Orientation):					
Field Filtered Sample (Yes or No)					
Perform MS/MSD (Yes or No)					
SUB - 100.2 - Asbestos					
Total Number of containers					
Special Instructions/Note:					
DMW TEST (380-199432-1)					
Sample Date					
Sample Time					
Sample Type (C=Comp, G=Grab)					
Preservation Code:					
Matrix (Number, Serial, Orientation):					
Field Filtered Sample (Yes or No)					
Perform MS/MSD (Yes or No)					
SUB - 100.2 - Asbestos					
Total Number of containers					
Special Instructions/Note:					
DMW TEST (380-199432-1)					
Sample Date					
Sample Time					
Sample Type (C=Comp, G=Grab)					
Preservation Code:					
Matrix (Number, Serial, Orientation):					
Field Filtered Sample (Yes or No)					
Perform MS/MSD (Yes or No)					
SUB - 100.2 - Asbestos					
Total Number of containers					
Special Instructions/Note:					
DMW TEST (380-199432-1)					
Sample Date					
Sample Time					
Sample Type (C=Comp, G=Grab)					
Preservation Code:					
Matrix (Number, Serial, Orientation):					
Field Filtered Sample (Yes or No)					
Perform MS/MSD (Yes or No)					
SUB - 100.2 - Asbestos					
Total Number of containers					
Special Instructions/Note:					
DMW TEST (380-199432-1)					
Sample Date					
Sample Time					
Sample Type (C=Comp, G=Grab)					
Preservation Code:					
Matrix (Number, Serial, Orientation):					
Field Filtered Sample (Yes or No)					
Perform MS/MSD (Yes or No)					
SUB - 100.2 - Asbestos					
Total Number of containers					
Special Instructions/Note:					
DMW TEST (380-199432-1)					
Sample Date					
Sample Time					
Sample Type (C=Comp, G=Grab)					
Preservation Code:					
Matrix (Number, Serial, Orientation):					
Field Filtered Sample (Yes or No)					
Perform MS/MSD (Yes or No)					
SUB - 100.2 - Asbestos					
Total Number of containers					
Special Instructions/Note:					
DMW TEST (380-199432-1)					
Sample Date					
Sample Time					
Sample Type (C=Comp, G=Grab)					
Preservation Code:					
Matrix (Number, Serial, Orientation):					
Field Filtered Sample (Yes or No)					
Perform MS/MSD (Yes or No)					
SUB - 100.2 - Asbestos					
Total Number of containers					
Special Instructions/Note:					
DMW TEST (380-199432-1)					
Sample Date					
Sample Time					
Sample Type (C=Comp, G=Grab)					
Preservation Code:					
Matrix (Number, Serial, Orientation):					
Field Filtered Sample (Yes or No)					
Perform MS/MSD (Yes or No)					
SUB - 100.2 - Asbestos					
Total Number of containers					
Special Instructions/Note:					
DMW TEST (380-199432-1)					
Sample Date					
Sample Time					
Sample Type (C=Comp, G=Grab)					
Preservation Code:					
Matrix (Number, Serial, Orientation):					
Field Filtered Sample (Yes or No)					
Perform MS/MSD (Yes or No)					
SUB - 100.2 - Asbestos					
Total Number of containers					
Special Instructions/Note:					
DMW TEST (380-199432-1)					
Sample Date					
Sample Time					
Sample Type (C=Comp, G=Grab)					
Preservation Code:					
Matrix (Number, Serial, Orientation):					
Field Filtered Sample (Yes or No)					
Perform MS/MSD (Yes or No)					
SUB - 100.2 - Asbestos					
Total Number of containers					
Special Instructions/Note:					
DMW TEST (380-199432-1)					
Sample Date					
Sample Time					
Sample Type (C=Comp, G=Grab)					
Preservation Code:					
Matrix (Number, Serial, Orientation):					
Field Filtered Sample (Yes or No)					
Perform MS/MSD (Yes or No)					
SUB - 100.2 - Asbestos					
Total Number of containers					
Special Instructions/Note:					
DMW TEST (380-199432-1)					
Sample Date					
Sample Time					
Sample Type (C=Comp, G=Grab)					
Preservation Code:					
Matrix (Number, Serial, Orientation):					
Field Filtered Sample (Yes or No)					
Perform MS/MSD (Yes or No)					
SUB - 100.2 - Asbestos					
Total Number of containers					
Special Instructions/Note:					
DMW TEST (380-199432-1)					
Sample Date					
Sample Time					
Sample Type (C=Comp, G=Grab)					
Preservation Code:					
Matrix (Number, Serial, Orientation):					
Field Filtered Sample (Yes or No)					
Perform MS/MSD (Yes or No)					
SUB - 100.2 - Asbestos					
Total Number of containers					
Special Instructions/Note:					
DMW TEST (380-199432-1)					
Sample Date					
Sample Time					
Sample Type (C=Comp, G=Grab)					
Preservation Code:					
Matrix (Number, Serial, Orientation):					
Field Filtered Sample (Yes or No)					
Perform MS/MSD (Yes or No)					
SUB - 100.2 - Asbestos					
Total Number of containers					
Special Instructions/Note:					
DMW TEST (380-199432-1)					
Sample Date					
Sample Time					
Sample Type (C=Comp, G=Grab)					
Preservation Code:					
Matrix (Number, Serial, Orientation):					
Field Filtered Sample (Yes or No)					
Perform MS/MSD (Yes or No)					
SUB - 100.2 - Asbestos					
Total Number of containers					
Special Instructions/Note:					
DMW TEST (380-199432-1)					
Sample Date					
Sample Time					
Sample Type (C=Comp, G=Grab)					
Preservation Code:					
Matrix (Number, Serial, Orientation):					
Field Filtered Sample (Yes or No)					
Perform MS/MSD (Yes or No)					
SUB - 100.2 - Asbestos					
Total Number of containers					
Special Instructions/Note:					
DMW TEST (380-199432-1)					
Sample Date					
Sample Time					
Sample Type (C=Comp, G=Grab)					
Preservation Code:					
Matrix (Number, Serial, Orientation):					
Field Filtered Sample (Yes or No)					
Perform MS/MSD (Yes or No)					
SUB - 100.2 - Asbestos					
Total Number of containers					
Special Instructions/Note:					
DMW TEST (380-199432-1)					
Sample Date					
Sample Time					
Sample Type (C=Comp, G=Grab)					
Preservation Code:					
Matrix (Number, Serial, Orientation):					
Field Filtered Sample (Yes or No)					
Perform MS/MSD (Yes or No)					
SUB - 100.2 - Asbestos					
Total Number of containers					
Special Instructions/Note:					
DMW TEST (380-199432-1)					
Sample Date					
Sample Time					
Sample Type (C=Comp, G=Grab)					
Preservation Code:					
Matrix (Number, Serial, Orientation):					
Field Filtered Sample (Yes or No)					
Perform MS/MSD (Yes or No)					
SUB - 100.2 - Asbestos					
Total Number of containers					
Special Instructions/Note:					
DMW TEST (380-199432-1)					
Sample Date					
Sample Time					
Sample Type (C=Comp, G=Grab)					
Preservation Code:					
Matrix (Number, Serial, Orientation):					
Field Filtered Sample (Yes or No)					
Perform MS/MSD (Yes or No)					
SUB - 100.2 - Asbestos					
Total Number of containers					
Special Instructions/Note:					
DMW TEST (380-199432-1)					
Sample Date					
Sample Time					
Sample Type (C=Comp, G=Grab)					
Preservation Code:					



# Chain of Custody Record



<b>Client Information</b>		Sampler: <i>Billy Roman</i>		Lab PM: Sanchez, Dinora		Carrier Tracking No(s):		COC No:	
Client Contact: <i>Mike Flanagan</i>		Phone:		E-Mail: <i>Dinora Sanchez@et.eurofins.com</i>		State of Origin:		Page: 2 of 3	
Company: Drinkmore Water/Drinkmore Delivery Inc		PWSID:		Analysis Requested		Job #:		Preservation Codes: Y - Trizma L - EthyleneDiamine N - None Q - Na2SO3 PZ - NaThio/KDHydCit	
Address: 7595 Rickenbacker Drive		Due Date Requested:		NO2NO3_Calc - Total Nitrate+Nitrite		SM2340B - Total Hardness		SM2330B_BW - Corrosivity	
City: Gaithersburg		TAT Requested (days):		524_2_TTHM_Sum - Trihalomethanes, Total		300_OF_14D_B - Bromide & Chlorite		515_4_PREC - Herbicides	
State Zip: MD 20879		Compliance Project: <input type="checkbox"/> Yes <input type="checkbox"/> No		SM8251B_THA_SUM - Halocetic Acids, Total		537_1_DW_PREC - PFAS Compounds (18)		531_2_PREC - Carbamates	
Phone:		PO #: 2025		317 - Bromate		531_0_PREC - Perchlorate		180_1_2120B, SM2150_Odor_B	
Email: <i>MIKE@drinkmorewater.com</i>		WO #:		Field Filtered Sample (Yes or No)		Perform MS/MSD (Yes or No)		2540C_Calcd, 5540C	
Project Name: Annual 2026		Project #: 38010730		Matrix (W=water, S=solid, O=wastewater, BT=Tissue, A=Air, DW=Drinking Water)		515_4_PREC - Herbicides		Total Number of containers	
Site:		SSOW#:		Sample Type (C=Comp, G=grab)		SM2330B_BW - Corrosivity		Other:	
Sample Identification		Sample Date		Sample Time		531_2_PREC - Carbamates		Special Instructions/Note:	
<i>DMW TEST</i>		<i>2-16-26</i>		<i>9:26 AM</i>		531_0_PREC - Perchlorate			
						180_1_2120B, SM2150_Odor_B			
						515_4_PREC - Herbicides			
						531_2_PREC - Carbamates			
						531_0_PREC - Perchlorate			
						180_1_2120B, SM2150_Odor_B			
						515_4_PREC - Herbicides			
						531_2_PREC - Carbamates			
						531_0_PREC - Perchlorate			
						180_1_2120B, SM2150_Odor_B			
						515_4_PREC - Herbicides			
						531_2_PREC - Carbamates			
						531_0_PREC - Perchlorate			
						180_1_2120B, SM2150_Odor_B			
						515_4_PREC - Herbicides			
						531_2_PREC - Carbamates			
						531_0_PREC - Perchlorate			
						180_1_2120B, SM2150_Odor_B			
						515_4_PREC - Herbicides			
						531_2_PREC - Carbamates			
						531_0_PREC - Perchlorate			
						180_1_2120B, SM2150_Odor_B			
						515_4_PREC - Herbicides			
						531_2_PREC - Carbamates			
						531_0_PREC - Perchlorate			
						180_1_2120B, SM2150_Odor_B			
						515_4_PREC - Herbicides			
						531_2_PREC - Carbamates			
						531_0_PREC - Perchlorate			
						180_1_2120B, SM2150_Odor_B			
						515_4_PREC - Herbicides			
						531_2_PREC - Carbamates			
						531_0_PREC - Perchlorate			
						180_1_2120B, SM2150_Odor_B			
						515_4_PREC - Herbicides			
						531_2_PREC - Carbamates			
						531_0_PREC - Perchlorate			
						180_1_2120B, SM2150_Odor_B			
						515_4_PREC - Herbicides			
						531_2_PREC - Carbamates			
						531_0_PREC - Perchlorate			
						180_1_2120B, SM2150_Odor_B			
						515_4_PREC - Herbicides			
						531_2_PREC - Carbamates			
						531_0_PREC - Perchlorate			
						180_1_2120B, SM2150_Odor_B			
						515_4_PREC - Herbicides			
						531_2_PREC - Carbamates			
						531_0_PREC - Perchlorate			
						180_1_2120B, SM2150_Odor_B			
						515_4_PREC - Herbicides			
						531_2_PREC - Carbamates			
						531_0_PREC - Perchlorate			
						180_1_2120B, SM2150_Odor_B			
						515_4_PREC - Herbicides			
						531_2_PREC - Carbamates			
						531_0_PREC - Perchlorate			
						180_1_2120B, SM2150_Odor_B			
						515_4_PREC - Herbicides			
						531_2_PREC - Carbamates			
						531_0_PREC - Perchlorate			
						180_1_2120B, SM2150_Odor_B			
						515_4_PREC - Herbicides			
						531_2_PREC - Carbamates			
						531_0_PREC - Perchlorate			
						180_1_2120B, SM2150_Odor_B			
						515_4_PREC - Herbicides			
						531_2_PREC - Carbamates			
						531_0_PREC - Perchlorate			
						180_1_2120B, SM2150_Odor_B			
						515_4_PREC - Herbicides			
						531_2_PREC - Carbamates			
						531_0_PREC - Perchlorate			
						180_1_2120B, SM2150_Odor_B			
						515_4_PREC - Herbicides			
						531_2_PREC - Carbamates			
						531_0_PREC - Perchlorate			
						180_1_2120B, SM2150_Odor_B			
						515_4_PREC - Herbicides			
						531_2_PREC - Carbamates			
						531_0_PREC - Perchlorate			
						180_1_2120B, SM2150_Odor_B			
						515_4_PREC - Herbicides			
						531_2_PREC - Carbamates			
						531_0_PREC - Perchlorate			
						180_1_2120B, SM2150_Odor_B			
						515_4_PREC - Herbicides			
						531_2_PREC - Carbamates			
						531_0_PREC - Perchlorate			
						180_1_2120B, SM2150_Odor_B			
						515_4_PREC - Herbicides			
						531_2_PREC - Carbamates			
						531_0_PREC - Perchlorate			
						180_1_2120B, SM2150_Odor_B			
						515_4_PREC - Herbicides			
						531_2_PREC - Carbamates			
						531_0_PREC - Perchlorate			
						180_1_2120B, SM2150_Odor_B			
						515_4_PREC - Herbicides			
						531_2_PREC - Carbamates			
						531_0_PREC - Perchlorate			
						180_1_2120B, SM2150_Odor_B			
						515_4_PREC - Herbicides			
						531_2_PREC - Carbamates			
						531_0_PREC - Perchlorate			
						180_1_2120B, SM2150_Odor_B			
						515_4_PREC - Herbicides			
						531_2_PREC - Carbamates			
						531_0_PREC - Perchlorate			
						180_1_2120B, SM2150_Odor_B			
						515_4_PREC - Herbicides			
						531_2_PREC - Carbamates			
						531_0_PREC - Perchlorate			
						180_1_2120B, SM2150_Odor_B			
						515_4_PREC - Herbicides			
						531_2_PREC - Carbamates			
						531_0_PREC - Perchlorate			
						180_1_2120B, SM2150_Odor_B			
						515_4_PREC - Herbicides			
						531_2_PREC - Carbamates			
						531_0_PREC - Perchlorate			
						180_1_2120B, SM2150_Odor_B			
						515_4_PREC - Herbicides			
						531_2_PREC - Carbamates			
						531_0_PREC - Perchlorate			
						180_1_2120B, SM2150_Odor_B			
						515_4_PREC - Herbicides			
						531_2_PREC - Carbamates			
						531_0_PREC - Perchlorate			
						180_1_2120B, SM2150_Odor_B			
						515_4_PREC - Herbicides			
						531_2_PREC - Carbamates			
						531_0_PREC - Perchlorate			
						180_1_2120B, SM2150_Odor_B			
						515_4_PREC - Herbicides			
						531_2_PREC - Carbamates			
						531_0_PREC - Perchlorate			
						180_1_2120B, SM2150_Odor_B			
						515_4_PREC - Herbicides			
						531_2_PREC - Carbamates			
						531_0_PREC - Perchlorate			
						180_1_2120B, SM2150_Odor_B			
						515_4_PREC - Herbicides			
						531_2_PREC - Carbamates			
						531_0_PREC - Perchlorate			
						180_1_2120B, SM2150_Odor_B			
						515_4_PREC - Herbicides			
						531_2_PREC - Carbamates			
						531_0_PREC - Perchlorate			
						180_1_2120B, SM2150_Odor_B			
						515_4_PREC - Herbicides			
						531_2_PREC - Carbamates			
						531_0_PREC - Perchlorate			
						180_1_2120B, SM2150_Odor_B			
						515_4_PREC - Herbicides			
						531_2_PREC - Carbamates			
						531_0_PREC - Perchlorate			
						180_1_2120B, SM2150_Odor_B			
						515_4_PREC - Herbicides			
						531_2_PREC - Carbamates			
						531_0_PREC - Perchlorate			
						180_1_2120B, SM2150_Odor_B			
						515_4_PREC - Herbicides			
						531_2_PREC - Carbamates			
						531_0_PREC - Perchlorate			
						180_1_2120B, SM2150_Odor_B			
						515_4_PREC - Herbicides			
						531_2_PREC - Carbamates			
						531_0_PREC - Perchlorate			
						180_1_2120B, SM2150_Odor_B			
						515_4_PREC - Herbicides			
						531_2_PREC - Carbamates			
						531_0_PREC - Perchlorate			
						180_1_2120B, SM2150_Odor_B			
						515_4_PREC - Herbicides			
						531_2_PREC - Carbamates			
						531_0_PREC - Perchlorate			
						180_1_2120B, SM2150_Odor_B			
						515_4_PREC - Herbicides			
						531_2_PREC - Carbamates			





941 Corporate Center Drive  
Pomona, CA 91768-2642  
Phone (626) 386-1100

### Chain of Custody Record



Environment Test Inc

<b>Client Information</b>		Sampler: <i>Bill Roman</i>	Lab P/N: Sanchez, Dinora	Carrier Tracking No(s):	COC No:
Client Name: <i>MIKE EDWINKMORE UNDER LEM</i>		Phone:	E-Mail: <i>Dinora.Sanchez@eurofins.com</i>	State of Origin:	Page: Page 2 of 3
Company: Drinkmore Water/Drinkmore Delivery Inc		Due Date Requested:	PWSID:	Analysis Requested	
Address: 7595 Rickensbecker Drive		TAT Requested (days):	Preservation Codes Y - Trama L - EthyleneDiamine N - None Q - Na2S2O3 PZ - NaThio/DHydCl		
City: Gaithersburg		Compliance Project: <input type="checkbox"/> Yes <input type="checkbox"/> No	Other:		
State Zip: MD, 20879		PO #:	Project Name: Annual 2026		
Phone:		WO #:	Site: <i>MIKE EDWINKMORE UNDER LEM</i>		
Project Name: Annual 2026		Project #:	Project #:		
Site:		SSGW#:	Project #:		
Sample Identification		Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix (W=Water, S=solid, O=on-site, B=Trasma, A=Air, D=Drinking Water)
<del>DMW TEST</del>		<del>2-16-26</del>	<del>9:36 AM</del>	<del>Bottled Water</del>	<del>Field Filtered Sample (Yes or No)</del>
					<input checked="" type="checkbox"/> Perform MS/MSD (Yes or No)
					537.1_DW_PREC - PFAS Compounds (18)
					317 - Bromate
					300_OF_14D_B - Bromide & Chlorite
					SM6251B_THA_SUM - Haloacetic Acids, Total
					524 2_TTHM_Sum - Trihalomethanes, Total
					NO2NO3_Calc - Total Nitrate+Nitrite
					SM2340B - Total Hardness
					SM2330B_BW - Corrosivity
					515 4_PREC - Herbicides
					531 2_PREC - Carbamates
					180.1, 2120B, SM2150_Odor_B
					331 0_PREC - Perchlorate
					2540C_Calcd, 5540C
					<input checked="" type="checkbox"/> Total Number of containers
					Special Instructions/Note:
Possible Hazard Identification		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)			
<input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological		<input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months			
Deliverable Requested: I, II, III, IV, Other (Specify)		Special Instructions/QC Requirements			
Empty Kit Relinquished by:		Date	Time	Method of Shipment: <i>URS 12R14 51103 6416 765</i>	
Relinquished by: <i>Bill Roman</i>		Date/Time: <i>2-16-26 9:36 AM</i>	Company: <i>DMW</i>	Received by: <i>WJK</i>	Date/Time: <i>2/23/26 1250</i>
Relinquished by:		Date/Time:	Company:	Received by:	Date/Time:
Relinquished by:		Date/Time:	Company:	Received by:	Date/Time:
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No		Cooler Temperature(s) °C and Other Remarks: <i>#514 5.04/154 nice</i>	



**Eurofins Pomona**

941 Corporate Center Drive  
Pomona, CA 91768-2642  
Phone (626) 386-1100

**Chain of Custody Record**

<b>Client Information</b>		Sampler: <i>Billy Romm</i>		Lab PM Sanchez, Dinora		Carrier Tracking No(s)		COC No:			
Client Contact Bob Perini		Phone:		E-Mail Dinora.Sanchez@et.eurofins.com		State of Origin		Page Page 1 of 1			
Company Drinkmore Water/Drinkmore Delivery Inc		PWSID:		<b>Analysis Requested</b>						Job #:	
Address 7595 Rickenbacker Drive		Due Date Requested		Field Filtered Sample (Yes or No) <input checked="" type="checkbox"/> Perform MSM/SD (Yes or No) <input checked="" type="checkbox"/> 1-DW_PREC - PFAS Compounds (18) Ra226, 228GFPC_P - Radium-226/228, Combined						Preservation Codes Y - Trizma N - None	
City Gaithersburg		TAT Requested (days)								Other	
State/Zip: MD, 20879		Compliance Project. <input type="checkbox"/> Yes <input type="checkbox"/> No									
Phone		PO #: 2025									
Email bobperini@drinkmorewater.com		WO #:									
Project Name Annual 2026		Project # 38010730		SSOW#		Total Number of Containers		Special Instructions/Note:			
<b>Sample Identification</b>		Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air, DW=Drinking Water)	Field Filtered Sample (Yes or No)	Perform MSM/SD (Yes or No)	1-DW_PREC - PFAS Compounds (18)	Ra226, 228GFPC_P - Radium-226/228, Combined	Total Number of Containers	Special Instructions/Note:
DMW Test		3-7-26	9:30 AM	P	Bottled Water	X	X	X	X	X	
<b>Possible Hazard Identification</b>		<input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological		<b>Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)</b>							
Deliverable Requested I, II, III, IV, Other (specify)				<input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months							
Empty Kit Relinquished by:		Date		Time		Method of Shipment: <i>VP 12 R19 911 03655 9 948</i>					
Relinquished by: <i>Billy Romm</i>		Date/Time: <i>3-7-26 9:40 AM</i>		Company: <i>DMW</i>		Received by: <i>[Signature]</i>		Date/Time: <i>3/16/26 10:46</i>		Company: <i>FEAC</i>	
Relinquished by:		Date/Time:		Company:		Received by:		Date/Time:		Company:	
Relinquished by:		Date/Time:		Company:		Received by:		Date/Time:		Company:	
Custody Seals Intact <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No		Cooler Temperature(s) °C and Other Remarks <i>631A 14.6 + 0.2 = 14.8 No ice</i>							



380-202240 COC



**Eurofins Pomona**  
 941 Corporate Center Drive  
 Pomona, CA 91768-2642  
 Phone (626) 386-1100


# Chain of Custody Record

**eurofins** Environmental Testing

<b>Client Information</b>		Lab PM Sanchez, Dinora		Carrier Tracking No(s):		COC No:	
Client Contact: Bob Perini		E-Mail: Dinora.Sanchez@et.eurofins.com		State of Origin:		Page: Page 1 of 1	
Company: Drinkmore Water/Drinkmore Delivery Inc		PWSID:		Analysis Requested		Job #:	
Address: 7595 Rickenbacker Drive		Due Date Requested		Total Number of Containers		Preservation Codes: Y - Trizma N - None	
City: Gaithersburg		TAT Requested (days):		Field Filtered Sample (Yes or No)		Other	
State, Zip: MD 20879		Compliance Project: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		Perform MS/MSD (Yes or No)		Special Instructions/Note:	
Phone:		PO #: 2025		977 DW_PREC - PFAS Compounds (18)		360-202240 COC	
Email: bobperni@drinkmorewater.com		WO #:		Matrix (Water, Solid, Sewer, etc.)		QR Code	
Project Name: Annual 2026		Project #: 38010730		Sample Type (C=Compl, G=Grab)		360-202240 COC	
Site:		SSON#:		Sample Date		3-3-26 9:30 AM	
<b>Sample Identification</b>		Sample Time		Sample Date		3-3-26 9:30 AM	
DMW Test		Sample Time		Sample Date		3-3-26 9:30 AM	
<b>Possible Hazard Identification</b>		Sample Time		Sample Date		3-3-26 9:30 AM	
<input type="checkbox"/> Non-Hazard		Sample Time		Sample Date		3-3-26 9:30 AM	
<input type="checkbox"/> Flammable		Sample Time		Sample Date		3-3-26 9:30 AM	
<input type="checkbox"/> Skin Irritant		Sample Time		Sample Date		3-3-26 9:30 AM	
<input type="checkbox"/> Poison B		Sample Time		Sample Date		3-3-26 9:30 AM	
<input type="checkbox"/> Unknown		Sample Time		Sample Date		3-3-26 9:30 AM	
<input type="checkbox"/> Radiological		Sample Time		Sample Date		3-3-26 9:30 AM	
<input type="checkbox"/> Deliverable Requested I, II, III, IV, Other (specify)		Sample Time		Sample Date		3-3-26 9:30 AM	
<b>Empty Kit Relinquished by</b>		Sample Time		Sample Date		3-3-26 9:30 AM	
Relinquished by: <i>Bob Perini</i>		Sample Time		Sample Date		3-3-26 9:30 AM	
Relinquished by:		Sample Time		Sample Date		3-3-26 9:30 AM	
Relinquished by:		Sample Time		Sample Date		3-3-26 9:30 AM	
<b>Special Instructions/OC Requirements</b>		Sample Time		Sample Date		3-3-26 9:30 AM	
Return To Client <input type="checkbox"/>		Sample Time		Sample Date		3-3-26 9:30 AM	
Disposal By Lab <input type="checkbox"/>		Sample Time		Sample Date		3-3-26 9:30 AM	
Archive For _____ Months		Sample Time		Sample Date		3-3-26 9:30 AM	
<b>Method of Shipment:</b> UPS 12 R14 911 036559 SURE		Sample Time		Sample Date		3-3-26 9:30 AM	
Received by: <i>W.A.H.</i>		Sample Time		Sample Date		3-3-26 9:30 AM	
Received by:		Sample Time		Sample Date		3-3-26 9:30 AM	
Received by:		Sample Time		Sample Date		3-3-26 9:30 AM	
Cooler Temperature(s) °C and Other Remarks: 31A 11.6 + 0.2 = 14.8 No ice		Sample Time		Sample Date		3-3-26 9:30 AM	

13  
 Custody Seal No

# Chain of Custody Record



<b>Client Information (Sub Contract Lab)</b>		Sampler: N/A	Lab PM: Sanchez, Dinora	Carrier Tracking No(s): N/A	COC No: 380-308030.1
Client Contact: Shipping/Receiving		Phone: N/A	E-Mail: Dinora.Sanchez@et.eurofins.com	State of Origin: Maryland	Page: Page 1 of 1
Company: TestAmerica Laboratories, Inc.		Accreditations Required (See note): ISO/IEC 17025 - A2LA; NELAP - New Jersey; NELAP - New Y ...		Job #: 380-199432-1	Preservation Codes:
Address: 13715 Rider Trail North,		Due Date Requested: 3/23/2026		Analysis Requested:	
City: Earth City	TAT Requested (days): N/A	Field Filtered Sample (Yes or No) <input checked="" type="checkbox"/>		Total Number of Containers: 3	
State, Zip: MO, 63045	PO #: N/A	Perform MS/MSD (Yes or No) <input checked="" type="checkbox"/>		Other: N/A	
Phone: 314-298-8566(Tel) 314-298-8757(Fax)	WO #: N/A	900.0/EVaporationCross Alpha & Beta <input checked="" type="checkbox"/>		Special Instructions/Note:	
Email: N/A	Project #: 38010730	903.0/Pressep. Radium 226 <input checked="" type="checkbox"/>		SDWA	
Annual: N/A	SSOW#: N/A	904.0/Pressep. Radium 228 <input checked="" type="checkbox"/>			
Site: N/A	Sample Date: 2/24/26	LSC_Rn222/LSC_DirectRadon-222 (LSC) <input checked="" type="checkbox"/>			
	Sample Time: 05:40 Pacific	909.0/Pressep. Radium 226 <input checked="" type="checkbox"/>			
	Sample Type (C=Comp, G=grab): G	Raz226_Z28GFPC_Pradium-226/228, Combined <input checked="" type="checkbox"/>			
	Matrix (W=water, S=solid, O=soil/sediment, BT=Tissue, A=Air):				
	Preservation Code:				
	DMW TEST (380-199432-1)				
<p>Note: Since laboratory accreditations are subject to change, Eurofins Drinking Water and Wastewater (West, LLC) places the ownership of method, analyte &amp; accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/matrix being analyzed, the samples must be shipped back to the Eurofins Drinking Water and Wastewater West, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Drinking Water and Wastewater West, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Drinking Water and Wastewater West, LLC.</p>					
<b>Possible Hazard Identification</b>					
<input type="checkbox"/> Unconfirmed <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months					
Deliverable Requested: I, II, III, IV, Other (specify) Primary Deliverable Rank: 2					
Empty Kit Relinquished by: _____ Date: _____					
Relinquished by: <i>Callie</i> Date: <i>2/25/26 8:48</i>					
Relinquished by: _____ Date/Time: _____					
Relinquished by: _____ Date/Time: _____					
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No					
Custody Seal No.: _____ Cooler Temperature(s) °C and Other Remarks:					







